

Symbols

%alt command, WP:61
 %bin command, WP:95, WP:96
 %control command, WP:15
 %date command, WP:8
 %density command, WP:56, PR:7
 %fnum command, WP:49–WP:50
 %gr color command, WP:55
 %gr landscape command, WP:57
 %gr portrait command, WP:57
 %include command, WP:130
 %landscape command, WP:76, WP:97
 %lines command, WP:82
 %link and linkend commands, WP:82
 %lnum command, WP:79–WP:80
 %numdate command, WP:8
 %pages and pagee commands, WP:90
 %pause command, WP:102
 %portrait command, WP:76, WP:97
 %reset command, WP:105
 %time command, WP:10
 %uni command, WP:138
 %vcenter command, WP:2
 %vtab command, WP:139
 @ functions. *See* Functions

A

About Enable, BA:1
 Absolute address, SS:8
 Absolute page range, PR:20
 Access, public, SQ:6
 Accessories, IN:1–IN:26
 calculator, WP:13, IN:1–IN:3
 calendar, IN:13–IN:26
 To Do list, IN:22–IN:26
 card file, IN:4–IN:12
 clock, IN:3
 general information, IN:1
 telephone book, IN:12–IN:13
 Active link, SS:38–SS:41
 macro library, SS:49–SS:50
 Add records, DB:1
 Add/Edit form, DB:2–DB:11
 “Put It Here” form, field position, DB:5
 custom form, DB:2–DB:11
 default form, DB:2–DB:11
 left justify numbers, DB:43–DB:44
 modify after database definition, DB:10
 modify after database definition revision, DB:27
 Put It Here form, DB:2–DB:11
 copy to next screen, DB:7
 default data, DB:8
 delete field, DB:10
 delete form, DB:10
 design, DB:3
 display message, DB:8
 field attributes, DB:6
 field on template, DB:8
 field position, DB:4
 go to another field, DB:8
 macros, DB:8
 place field on form, DB:8
 press enter on field, DB:8
 protect field from update, DB:7
 quit, DB:10
 revise, DB:10–DB:17
 save, DB:9
 special processing options, DB:7
 suppress printing of field, DB:8
 verify record, DB:7
 revise, save, DB:11
 source of data
 another database, DB:6
 derived, DB:6
 local, DB:6
 system, DB:6
 standard form, DB:2
 verify, DB:138–DB:139
 Address. *See* Cell Address
 Admin menu, SQ:3
 Administrator
 dbsystem, SQ:33
 for dbsystem, SQ:32
 Aliases, SQ:66
 Align
 alignment characters, SS:2
 center on decimal points, SS:2

- global align, SS:1
- range align, SS:1
- reset, SS:1
- Align data, SS:1–SS:2
- Aligning text
 - aligning a block of text, WP:1
 - aligning a single line, WP:1
 - using keystroke commands, WP:1
 - vertically centering text, WP:2
- Alignment characters, SS:2
- Alter table, SQ:3
- Alternate, CM:5, CM:6
- Alternate page numbering, PR:22
- Alternating headers and footers, WP:61
- ANSI
 - operators, SQ:49
 - SQL standard, SQ:1
- ANSI (X364–79) emulation, CM:56
- ANSITSG.SYS, IN:158–IN:159
- Answer mode, CM:1
 - autodial modem, CM:1
- Appendices
 - ASCII table, APP:9–APP:12
 - AT (Hayes) commands, APP:7–APP:8
 - bulletin boards that support Enable, APP:1–APP:2
 - common error messages, APP:159–APP:166
 - default profile options, APP:69–APP:76
 - Enable file name extensions, APP:77–APP:82
 - functions, APP:83–APP:158
 - glossary of communications terms, APP:3–APP:6
 - Perspective ASCII file format, APP:167–APP:170
 - procedural language commands, APP:19–APP:60
 - reserved word lists, APP:65–APP:68
 - scan code table, APP:61–APP:64
 - wiring serial cables, APP:13–APP:18
- Applying fonts, WP:40
- Archive command, DB:11
 - records, DB:11
- Area code table, DB:12
 - Canadian, DB:12
 - modify, DB:12
- Areas of spreadsheet, SS:2–SS:4
 - borders, SS:4
 - cells, SS:2–SS:4
 - columns, SS:2–SS:4
 - data entry area, SS:3
 - information display area, SS:3
 - mode indicator, SS:3–SS:4
 - rows, SS:2–SS:4
 - status line, SS:4
 - work area, SS:4
- Arguments, SS:27
- Arrays, APP:30
- Arrow keys, PJ:20
- Ascending sort order, SS:73–SS:76
- ASCII
 - export from spreadsheet, SS:18
 - import to spreadsheet, SS:32–SS:33
 - table, APP:9–APP:12
- ASCII character chart, SS:73–SS:76
- ASCII files, saving with tabs, WP:109
- Asterisks, SS:84
- AT (Hayes) commands, APP:7–APP:8
- Attribute help window, WP:4
- Attributes
 - activating and applying, WP:5
 - activating attributes, WP:4
 - applying attributes, WP:4–WP:5
 - attribute help menu, WP:7
 - control key combinations, WP:5, WP:12, WP:70–WP:71
 - find attributes, WP:37
 - in cells, SS:35
 - removing attributes, WP:6
 - replacing attributes, WP:104
 - show attribute, WP:8
 - text attributes, WP:3–WP:4
 - text segments, WP:5, WP:12, WP:70
 - underlining, WP:6
- Audit options, description of, SS:4
- Autodial modem, CM:1, CM:33
- Automated spreadsheet, SS:48–SS:49
- Automatic calculation, SS:4
- Automatic date, WP:8
- Automatic document save, WP:9
- Automatic page numbering, WP:91–WP:92
- Automatic reformat, WP:103–WP:104
- Automatic time feature, WP:10

B

Back out (F10), PJ:19–PJ:20
Background calculation, SS:5–SS:6
Backup command, DB:13
 databases, DB:13
 records, DB:13
Backup copy, SS:72–SS:76
Backup Files, WP:10
Bar graphs, GR:3–GR:5
Base table, SQ:66
Baud rate, CM:17
Beep, CM:6
Bin command, WP:95
Blank line, WP:73
Block, PJ:9–PJ:10
 insert, SS:34
 of cells in range, SS:68–SS:70
 save, SS:71–SS:72
Blocked text printing, PR:20
Blocking and marking text, WP:16–WP:17
Blocks, delete, SS:15
Boldface, SS:35
Bolding text, WP:3–WP:4
Borders, SS:4
Borders, print, SS:64–SS:65
Box character set, WP:117
Brace codes, DB:69, DB:105, DB:107, DB:119
Break signals, CM:16–CM:17
 change length, CM:16–CM:17
 send, CM:16–CM:17
Browse command, DB:13–DB:16
 indices, DB:13–DB:16
Buffering, buffer size, DB:81
Buffers, save buffers to disk, DB:130
Bulletin boards, APP:1–APP:2
By group bar graph, GR:5–GR:6

C

Cables, wiring serial, APP:13–APP:18
Calculate, SS:4–SS:7
 automatic, SS:4
 calc–order, SS:42–SS:43
 circular references, SS:28–SS:29
 goal seeking, SS:6–SS:7
 interrupt, SS:5–SS:6
 iterative, SS:5
 manual, SS:5
 minimal, SS:4
 reset automatic, SS:5
 universal, SS:5
Calculator, WP:13–WP:14, IN:1–IN:3
 commands, IN:1–IN:2
 display, IN:1
 functions, IN:2–IN:3
 quit, IN:2
Calendar, IN:13–IN:26
 add an appointment, IN:16–IN:17
 appointment log, IN:14–IN:15
 change the current date, IN:15
 copy an appointment, IN:18–IN:19
 delete an appointment, IN:19–IN:20
 description of screen, IN:14–IN:15
 designate a holiday, IN:21–IN:22
 display, IN:13–IN:14
 edit an appointment, IN:17–IN:18
 find an appointment, IN:21
 move an appointment, IN:20
 print, IN:24
 quit, IN:24–IN:26
 scroll the appointment graph, IN:18
 set the month display, IN:15
 To Do list, IN:14–IN:15
 add a project, IN:22
 copy a project, IN:23
 delete a project, IN:23
 edit a project, IN:22–IN:23
 find a project, IN:23–IN:24
 print, IN:24
Cancel hardware settings, PR:9
Cancel printing, PR:4

- Capture data, CM:1–CM:5
 - to disk, CM:4–CM:5
 - to memory, CM:1–CM:4
 - during a session, CM:1–CM:4
 - edit, CM:2–CM:3
 - entire session, CM:1–CM:4
 - save, CM:3
 - to printer, CM:5–CM:6
- Card file, IN:4–IN:12
 - add cards, IN:7–IN:9
 - build, IN:7–IN:9
 - create, IN:4
 - data entry mode, IN:7–IN:9
 - date–stamp a card, IN:11
 - delete a card, IN:11
 - design a template card, IN:6–IN:7
 - duplicate a card, IN:11
 - edit mode, IN:7–IN:9
 - edit the template card, IN:9
 - enter data on a card, IN:5–IN:6
 - erase data, IN:11
 - find a card, IN:10–IN:11
 - open, IN:4–IN:5
 - print, IN:12
 - quit, IN:12
 - scroll, IN:9
 - sort cards, IN:9–IN:10
 - time–stamp a card, IN:11
- Cartridges, PR:6
 - selecting, PR:9
- Case conversion, WP:7, WP:14
- Case insensitive search, DB:44
- Case sensitive search, DB:44
- Cell, SS:2–SS:4
 - cell capacity, SS:2–SS:4
- Cell address, SS:7–SS:8
 - absolute, SS:8
 - mixed, SS:8
 - relative, SS:8
- Cell macro commands, SS:45–SS:48
 - evaluate an expression, SS:48
 - execute subroutine, SS:48
 - go to another cell for commands, SS:47
 - if–then condition, SS:47–SS:48
 - prompt for keyboard entry, SS:45–SS:46
 - quit, SS:48
 - user–defined menu options, SS:46–SS:47
- Cell notes. *See* Notes
- Center
 - data in cell, SS:1
 - values on decimal, SS:2, SS:13
- Centering text vertically, WP:2
- Change case menu, WP:7
- Changing case, WP:7, WP:14
- Changing paper trays, WP:95
- Changing ruler margins, WP:14, WP:58–WP:59, WP:74–WP:75, WP:92–WP:94
- Characters sets, WP:117
- Circular references, SS:28–SS:29
- Clause
 - group by, SQ:23, SQ:24
 - having, SQ:24
 - order by, SQ:24
 - with grant option, SQ:18
- Clarify, CM:6
- CLIPBD.ESI file, IN:30
- Clipboard, IN:27–IN:30
 - See also* Integration
 - copy data
 - from a database, IN:29
 - from a spreadsheet, IN:28
 - from a word processing file, IN:27
 - cut data
 - from a spreadsheet, IN:28
 - from a word processing file, IN:27–IN:28
 - delete data, IN:27
 - paste data
 - to a database, IN:29
 - to a spreadsheet, IN:28–IN:29
 - to a word processing file, IN:28
 - use as a database, IN:30
 - use in Database, IN:29–IN:30
 - use in Spreadsheet, IN:28–IN:29
 - use in Word Processing, IN:27–IN:28
 - view contents of, IN:30
- Clock, IN:3
- Club commands, PR:10
 - deactivating, PR:11
 - general information, PR:11
 - inserting, PR:11
 - printer support, PR:13
- Color, SS:8–SS:10
 - “Less than X” option, SS:10
 - 2D graphs, PJ:37–PJ:39

- 3D graphs, PJ:59–PJ:62
- activate display, SS:9
- apply to a range, SS:9–SS:10
- deactivate display, SS:9
- design color display, SS:9
- palette, SS:9
- Color by row or column, 3D graphs, PJ:61–PJ:62
- Color mixer, 3D graphs, PJ:60–PJ:61
- Color options
 - 2D graphs, PJ:37–PJ:39
 - 3D graphs, PJ:59–PJ:62
- Colors
 - for graph data, GR:5–GR:6
 - plot, PJ:81
 - print, PJ:95
- Column
 - headers, PJ:24
 - range width, SS:85
 - titles, PJ:23–PJ:24
- Column counter, WP:78
- Column key, SS:73–SS:76
- Columnar report, DB:117–DB:123
 - advanced features, DB:120
 - break, DB:120
 - computations, DB:119
 - output, DB:117
- Columns, WP:111–WP:117
 - adding, SQ:3
 - change global width, SS:85
 - change width, SS:85
 - data types, SQ:3
 - delete, SS:14
 - dropping, SQ:3
 - freeze for titles, SS:79–SS:80
 - hide, SS:30
 - insert, SS:33
 - inserting, SQ:3
 - modifying, SQ:3
 - moving, SQ:3
 - reset to global width, SS:85
 - side-by-side, WP:111–WP:115
 - snaking columns, WP:115–WP:117
 - transpose with rows, SS:81–SS:82
- Combine spreadsheet files, SS:10–SS:11
 - from disk file, SS:11
 - from open window, SS:10–SS:11
- Comma format, SS:23
- Comma-separated files, DB:21–DB:25
 - define column/length syntax, DB:23
 - field length syntax, DB:22
 - field/length syntax, used in Where and Fields prompts, DB:23
- Commands
 - See also* cell macro; Quick commands
 - modem, APP:7–APP:8
 - SQL, SQ:3–SQ:28
 - alter table, SQ:3
 - close cursor, SQ:4
 - comment on, SQ:5
 - commit, SQ:5
 - connect, SQ:6
 - create dbsystem, SQ:6
 - create external, SQ:7
 - create index, SQ:8
 - create schema, SQ:9–SQ:10
 - create synonym, SQ:10
 - create table, SQ:10
 - create table as, SQ:11
 - create view, SQ:12
 - declare cursor, SQ:5, SQ:13
 - delete, SQ:14
 - delete from...where current, SQ:14
 - disconnect, SQ:15
 - drop, SQ:15
 - fetch, SQ:15
 - grant on dbsystem, SQ:16
 - grant on table, SQ:17
 - input, SQ:18
 - insert, SQ:19
 - lock table, SQ:20
 - open cursor, SQ:4, SQ:20
 - pause, SQ:21
 - rebuild, SQ:21
 - rename, SQ:21
 - revoke on dbsystem, SQ:22
 - revoke on table, SQ:22
 - rollback, SQ:23
 - select, SQ:12, SQ:23
 - select...for update, SQ:25
 - set autocommit, SQ:25
 - set editerror, SQ:25
 - set nowait, SQ:26
 - set safety, SQ:26
 - set trace, SQ:26
 - undeclare cursor, SQ:26
 - update, SQ:27
 - whenever, SQ:27

- Comment, SQ:5
 - on a column, SQ:28
 - on a synonym, SQ:30
 - on a table, SQ:29
 - on a view, SQ:30
 - on an external table reference, SQ:30
 - on an index, SQ:29, SQ:32
 - on dsystem, SQ:28–SQ:31
- Comments, WP:15
 - add to formulas and functions, SS:29
- Commit, SQ:5
- Communication port, CM:37
- Communications, quick print, PR:19
- Communications and LAN. *See* Installation Booklet
- Communications options, CM:16–CM:18
 - baud rate, CM:17
 - break signals, CM:16–CM:17
 - cost, CM:17–CM:18
 - duplex, CM:17
 - flow control, CM:17
 - line feed, CM:18
 - parity, CM:17
 - pause time, CM:17
 - stop bits, CM:17
 - terminal emulation, CM:18
 - time, CM:18
 - word size, CM:17
- Component references. *See* References
- Compress, a dsystem, SQ:52
- CompuServe. *See* Protocol
- Computations, DB:107
 - in a report at break, DB:121
 - report, DB:119
- Condition, where, SQ:14, SQ:24, SQ:27
- Conditional page breaks, WP:90
- CONFIG.SYS. *See* Installation Booklet
- Connect, CM:19–CM:21, SQ:6
 - quick-connect, CM:20–CM:21
 - setup, CM:19–CM:20
 - problems, CM:20
 - to a dsystem, SQ:32–SQ:33, SQ:47
 - to dsystem, from database, SQ:40
- Constraints
 - default, SQ:37
 - in, SQ:37
 - max, SQ:37
 - min, SQ:37
 - not null, SQ:36
 - not unique, SQ:36
 - null, SQ:36
 - unique, SQ:36
 - using, SQ:37
- Control command, WP:15
- Conventions, SQL, SQ:1–SQ:2
- Converting case, WP:7, WP:14
- Coordinates, range, SS:68–SS:70
- Copy, SS:11–SS:12, DB:16–DB:24
 - a block of text, IN:27
 - a file, IN:41–IN:43
 - between windows. *See* Clipboard; Windows
 - cell, SS:11–SS:12
 - copy options, DB:19
 - copy transfer form, DB:16, DB:21
 - column/length syntax, DB:23
 - field/length syntax, DB:22
 - from a file, DB:16
 - spreadsheet file, DB:16
 - WP/ASCII text file, DB:16
 - from another database, DB:16
 - from another window, DB:16
 - database window, DB:16
 - WP/ASCII text window, DB:16
 - graph setting, GR:6–GR:7
 - graph to word processing, GR:7
 - links, SS:12–SS:13
 - marked text, IN:27
 - noncontiguous text, IN:27
 - range, SS:12
 - symbol to word processing, GR:36
 - within a file. *See* Clipboard
- Copy command, DB:16–DB:24
- Copying text, WP:16–WP:19
 - blocking and marking text, WP:16–WP:17
 - removing highlighting, WP:19
 - using the Top Line Menu, WP:17–WP:18
 - window status option screen, WP:17–WP:18, WP:25
- Cost display, CM:17–CM:18
- Create
 - a dsystem, SQ:6, SQ:33–SQ:34
 - a synonym, SQ:10, SQ:33, SQ:36
 - a table, SQ:10, SQ:33
 - a view, SQ:12, SQ:33

- an external table reference, SQ:33, SQ:35
 - an index, SQ:33
 - database graph, GR:7
 - default setting, GR:10–GR:11
 - external table reference, SQ:7
 - index, SQ:8
 - schema, SQ:33
 - spreadsheet graph, GR:7
 - Create a database, DB:25
 - database definition, DB:25
 - delete, DB:26
 - error messages, DB:26
 - revise, DB:26
 - revise forms, DB:27
 - save, DB:26
 - field definition, DB:55–DB:68
 - See also field definition
 - format, DB:43
 - print definition, DB:100
 - Create a file, WP:87–WP:88
 - Create menu, SQ:33
 - Create spreadsheet, SS:12–SS:13
 - enter data, SS:13
 - Creating a file, WP:19
 - new file ruler, WP:86–WP:87
 - ruler, WP:86–WP:87
 - Creating a paragraph, WP:98
 - Ctrl key, with arrows, PJ:20
 - Cubic range. See Three-dimensional view
 - Current ruler, WP:74
 - Cursor, in spreadsheet, SS:52–SS:54
 - Cursor commands, WP:20
 - declare cursor, SQ:13, SQ:14, SQ:16, SQ:20, SQ:26
 - delete from cursor set, SQ:14
 - fetch cursor, SQ:13, SQ:14, SQ:15
 - open cursor, SQ:15, SQ:20
 - scrolling a cursor, SQ:13
 - undeclare cursor, SQ:26
 - Cursor draw, WP:20
 - Custom currency format, SS:25
 - Custom features, 2D graphs, PJ:37–PJ:42
 - Custom numeric date format, SS:23
 - Custom numeric format, SS:25
 - Custom text date format, SS:23
 - Custom time format, SS:24
 - Customer support, BA:1
 - Cut data. See Clipboard
- ## D
- Data
 - block, PJ:9–PJ:10
 - enter manually, PJ:5
 - out of range, PJ:26–PJ:27
 - rearrange, PJ:7–PJ:9
 - Data constraints, SQ:3, SQ:36–SQ:37
 - default, SQ:3
 - for SQL, SQ:11
 - in, SQ:3
 - max, SQ:3
 - min, SQ:3
 - not null, SQ:3
 - not unique, SQ:3
 - null, SQ:3
 - unique, SQ:3
 - using, SQ:3
 - Data dictionary, DB:28, SQ:60
 - create, DB:28
 - Data directory. See Installation Booklet
 - Data Entry Area, SS:3
 - Data files, PJ:12–PJ:14
 - load, PJ:12–PJ:13
 - merge, PJ:13
 - save, PJ:13–PJ:14
 - Data groups, GR:8
 - apply colors, GR:6
 - define for graph, GR:9–GR:10
 - scale, GR:27–GR:28
 - shading patterns, GR:31
 - Data manager, PJ:2–PJ:10
 - access and exit, PJ:3
 - change number range, PJ:25–PJ:26
 - size limit, PJ:5
 - Data pictures, DB:30–DB:41
 - compatibility with pre-4.5 versions, DB:40–DB:41
 - date pictures, DB:35–DB:38
 - format, DB:30–DB:31
 - numeric pictures, DB:31–DB:34
 - phone pictures, DB:38–DB:39

- text pictures, DB:34–DB:35
- time pictures, DB:39–DB:40
- Data reversal
 - 2D graphs, PJ:40–PJ:41
 - 3D graphs, PJ:62–PJ:63
- Data safety. *See* Safety levels
- Data security, SQ:12
- Data types, DB:59–DB:62, SQ:38
 - char, SQ:3, SQ:38
 - columns, SQ:3
 - currency, DB:59
 - date, DB:61, SQ:3, SQ:39
 - decimal, DB:59, SQ:3, SQ:38
 - double precision, SQ:3, SQ:40
 - float, SQ:3, SQ:38
 - floating point, DB:59
 - integer, DB:59, SQ:3, SQ:38
 - logical, DB:61, SQ:3, SQ:39
 - long, SQ:3, SQ:38
 - long varchar, SQ:3
 - memo, DB:62
 - money, SQ:3, SQ:39
 - numeric, DB:59, SQ:3, SQ:39
 - phone, DB:61, SQ:3, SQ:39
 - real, SQ:3, SQ:39
 - smallint, SQ:3, SQ:38
 - state, DB:61, SQ:3, SQ:39
 - text, DB:60
 - time, DB:61, SQ:3, SQ:39
 - valid for SQL column, SQ:10
 - varchar, SQ:3, SQ:38
 - zip, SQ:3, SQ:39
 - zip code, DB:61
- Database
 - access to SQL data, SQ:40–SQ:42
 - creating Enable print files, PR:5
 - quick print, PR:18
- Database and LAN. *See* Installation Booklet
- Database definition
 - See also* create a database
 - printing, PR:18
- Database fields, inserting in a word processing document, WP:21
- Database graph, GR:7
- DATABASE NUMERIC SIZE ERROR, DB:41, DB:59
- Database prompt, DB:41
- Database system. *See* Dbsystem
- Date feature, WP:8
- Date format, SS:23
- Dates
 - fill a range with, SS:19–SS:20
 - print in header, SS:65
- Day, CM:6
- DBA. *See* Administrator
- Dbsystem
 - creating, SQ:6
 - definition of, SQ:59
- Deactivating a club command, PR:11
- Debug command, DB:86–DB:90
- DEC VT100, CM:56
- Decimal format. *See* Fixed decimal point format
- Decimal places, SS:23
- decimal places, SS:23
- Decimal point centering, SS:13
- Default bin, WP:96
- Default font, WP:41, PR:9
 - changing, WP:42
 - selecting, PR:9
- Default graph setting, GR:10–GR:11
- Default printer, PR:2
- Default profile options, APP:69–APP:76
- Default ruler, WP:74
- Defaults, WP:22, SS:13–SS:14, DB:42–DB:46
 - autolock records on LAN, DB:44–DB:45
 - database format greater than 3.0, DB:43
 - display records when page is full, DB:44
 - display SYS:RECORD and DELETED fields, DB:44
 - hyphenation, WP:62
 - index prompt at end of edit on select set, DB:44
 - left justify numbers in Add/Edit, DB:43–DB:44
 - new index file format, DB:45–DB:48
 - new memo file format, DB:45
 - passthru values to linked database, DB:43
 - stop on all database errors, DB:44
 - where clause case sensitive, DB:44
- Delay, CM:7
- Delete, SS:14–SS:15
 - a file, IN:43
 - add/edit form, DB:10
 - add/edit form field, DB:10

- blocks, SS:15
- columns, SS:14
- data. *See* Clipboard
- database definition, DB:26
- database definition, field, DB:68
- delete command, DB:46
- graph setting, GR:11
- in SQL. *See* Drop
- levels, SS:15
- rows, SS:15
- rows of data, SQ:14
- Delete command, DB:46
 - disable deleted field display, DB:49
- Delete text marking, WP:35
- Deleting a paragraph marker, WP:98
- Deleting text, WP:23–WP:25
 - using Alt/F3, WP:73
 - using the Top Line Menu, WP:23–WP:25
- Density, selecting for graph, GR:26
- Dependent cells, SS:31
- Descending sort order, SS:73–SS:76
- Design form, GR:11–GR:12
 - edit graph setting, GR:13–GR:14
- Design sheet, SS:64–SS:65
- Desktop publishing, PJ:16–PJ:18
- Destroy command, DB:47
 - databases, DB:47
 - records, DB:47
- Detailed definition method, DB:57
- Dial, CM:7
- Dialog box, BA:5
 - accept, BA:11
 - button options list, BA:9
 - cancel, BA:11
 - check option, BA:8
 - command button, BA:10
 - list box, BA:7
 - point out range, SS:69–SS:70
 - text prompt, BA:6
- Dialout, CM:7
- Dictionaries, WP:77
- DIF
 - export from spreadsheet, SS:18
 - import to spreadsheet, SS:33
- Directory
 - See also* File Manager
 - 3DDATA, PJ:11
 - create, IN:52
 - remove, IN:52
 - sort, IN:47–IN:48
 - view contents of, IN:46–IN:47
- Disconnect, CM:21
 - from a dbsystem, SQ:15, SQ:42, SQ:47
- Display, DB:48–DB:49
 - cell color, SS:13
 - cursor movement, DB:48
 - disable display of sys:record and deleted fields, DB:49
 - display command, DB:48–DB:49
 - display records when page is full, DB:44
 - display SYS:RECORD and DELETED fields, DB:44
 - edit data, DB:53–DB:54
 - field display formats, DB:69
 - graph, GR:12
 - graph with spreadsheet, GR:13
 - hidden cells, SS:30–SS:31
 - hidden column, SS:30–SS:31
 - hidden data, SS:30–SS:32
 - hidden level, SS:30–SS:31
 - mark records for further processing, DB:49
 - records, DB:48
 - split, SS:76
 - text on a graph, GR:39–GR:40
 - text only as a graph, GR:39
 - three-dimensional levels, SS:77
 - zero values, SS:14
- Display command, DB:48–DB:49
- Distort, PJ:76–PJ:77
- Document statistics, PR:22
- Document title, WP:25
 - creating a title page, WP:26
 - deleting a title page, WP:27
 - inserting a ruler, WP:26
 - inserting a title page, WP:27
- Dollar sign format, SS:23
- DOS environment variables, IN:53
- DOS file attributes
 - apply, IN:45–IN:46
 - remove, IN:45–IN:46
- DOS shell, IN:160

Dot commands, DB:101–DB:104
See also Appendices: Procedural Language
 Commands

Dots per inch, PR:7

Double cursor draw, WP:20

Double underline, WP:6

Downloadable fonts, PR:6

Draft mode, WP:28

Draft mode printing, WP:28, PR:20

Draw box (F7), PJ:19

Draw text (F8), PJ:19

Drivers, PR:12

Drop
 a dbsystem, SQ:15
 a synonym, SQ:15, SQ:42, SQ:43–SQ:44
 a table, SQ:15, SQ:42, SQ:44
 a view, SQ:15, SQ:42, SQ:44
 an external table reference, SQ:42, SQ:43
 an index, SQ:15, SQ:42, SQ:43
 external table reference, SQ:15

Drop menu, SQ:42

Dropdtr, CM:8

Duplex, CM:17, CM:34–CM:37

Dynamic graph, GR:13

E

E-mail, IN:31–IN:34
 Higlst utility, IN:31–IN:32
 receive, IN:33–IN:34
 send mail, IN:32–IN:33
 setup Enable/Higgins link, IN:31–IN:32

Edit, DB:50–DB:54
 command, DB:50
 F4 edit displayed records, DB:54
 graph setting, GR:13–GR:14
 index prompt at end of edit on select set, DB:44
 memo field
 cinvert style, DB:53
 copy graph, DB:71
 size, DB:52
 use display command, DB:54
 memo fields, DB:52
 modify data, DB:50
 query by example, DB:54
 use F4 display edit, DB:53

Edit options, description of, SS:16

Edit picture. *See* Data pictures

Edit spreadsheet. *See* Revise file

Elapsed time format, SS:24

Electronic bulletin board, BA:2

Em dash, WP:28

Embedded commands, WP:28, PR:4
 bin command, WP:95

EMS. *See* Installation Booklet

Emulate terminals, CM:56–CM:62

Emulation, PR:12

Enable
 "enable" command, PJ:1
 introduction, BA:1
 start, BA:13
 starting perspective, PJ:1–PJ:2
 from database, PJ:1
 from spreadsheet, PJ:1

Enable and printers, PR:14

Enable database, import to spreadsheet, SS:32

Enable fonts, PR:7, PR:9, IN:133

Enable print files, PR:5, PR:9
 database reports, PR:5
 printing, PR:6
 spreadsheets, PR:5

Enable program directory. *See* Installation Booklet

Enable screen, BA:11

Enable-1. *See* Protocol

End, CM:8

Endl, CM:8

Enter data, SS:13, PJ:5–PJ:7
 align cells, SS:1–SS:2
 cursor movement, PJ:5
 edit entries, PJ:6
 format cells, SS:22–SS:25
 formulas, SS:13
 labels, SS:13
 using ASCII in labels, SS:36
 values, SS:13

Enter key, PJ:20

- Entering text, WP:29–WP:30, WP:75
 entering/editing text basics, WP:29–WP:30
 inserting, WP:75
- Entries menu, WP:30
- Environment options, SQ:3
- Environment settings, SS:13–SS:14
 options, SS:13–SS:14
- Erase, SS:16
 See also Delete
 entire spreadsheet, SS:16–SS:18
 range, SS:16
- Error, circular reference, SS:28–SS:29
- Error messages, SS:17, APP:159–APP:166
 during database definition, DB:26
 SQL, SQ:50
- Error set
 duplicate in unique index, DB:129
 during a copy, DB:21
 during a merge, DB:94
 rename command, DB:129–DB:131
 update command, DB:135
- Esc, PJ:20
- Essentials of printing, PR:1
- Execute, a statement, SQ:50
- EXISTS Operator, SQ:49
- Exit, WP:30–WP:31, CM:8
 spreadsheet, SS:17
 SQL, SQ:52
- Exponential notation, SS:25
- Export, DB:55
 clipboard, DB:55
 to ASCII file, DB:55
 use Enable database as dBase II or dBASE III
 database, DB:55
- Export spreadsheet, SS:17–SS:18
 ASCII, SS:18
 DIF, SS:18
 export to ASCII file, SS:17–SS:18
 Lotus 1–2–3, SS:18–SS:19
- Exporting, features supported, WP:62
- Exporting word processing files, WP:31,
 WP:62–WP:63
- Extensions, WP:19
 Enable file name, APP:77–APP:82
- External file formats, SQL. *See* File formats
- External links, DB:65
- External spreadsheet, SS:38–SS:39
- External table references, SQ:35, SQ:66
- ## F
- F10, PJ:19–PJ:20
- F4 display edit, DB:53
- F6, PJ:19
- F7, PJ:19
- F8, PJ:19
- F9, PJ:19
- Fetch, SQ:15
- Field definition, DB:55–DB:68
 add a field, DB:68–DB:69
 delete a field, DB:68–DB:69
 detailed definition method, DB:57
 another database as source, DB:63–DB:64
 copy existing field definition, DB:57
 define required fields, DB:58
 derived option/external links, DB:65–DB:67
 derived value as source, DB:64–DB:65
 keyboard as source of data, DB:59
 logical field, DB:61
 memo field, DB:62
 numeric field, DB:59
 other field, DB:61
 report picture formats, DB:67
 report pictures, DB:30
 source of data, DB:58–DB:59
 specify indexed field, DB:57–DB:58
 system as source of data, DB:67
 text field, DB:60
 detailed definition method, field data type,
 DB:59–DB:62
 quick method, DB:56–DB:57
 rename a field, DB:68–DB:69
 revise, DB:67–DB:69
 detailed method, DB:68
- Fieldname, DB:108
- Fields, system–supplied fields, DB:110
- Fields prompt, DB:69
 field display formats, DB:69
 procedural language (dot) commands, DB:111
- File conversion. *See* Save as

- File attributes. *See* DOS file attributes
- File configuration form. *See* Installation Booklet
- File extensions, WP:19
printer ready, PR:14
- File formats
.asc (ASCII), SQ:8, SQ:35
.dat (Condor), SQ:8, SQ:35
.dbf (Enable/Dbase), SQ:35
.def (Enable database), SQ:35
.dta (PC-File III), SQ:8, SQ:35
.inf (Informix), SQ:8, SQ:35
.sbf (Superbase), SQ:8, SQ:35
.ssf (Enable spreadsheet), SQ:7, SQ:35
.wk? (Lotus 1-2-3), SQ:7, SQ:35
.wpf (Enable word processing), SQ:8, SQ:35
ascii, SQ:7
Enable 2.0/3.0, SQ:7
SQL, SQ:7
external, SQ:35, SQ:47
See also File formats
- File history, WP:31-WP:33
macro, WP:32
- File locking. *See* Installation Booklet
- File Manager, IN:35-IN:54
access, IN:35
navigate the screen, IN:37-IN:38
Utility Menu, IN:50-IN:51
- File menu, SQ:47
- File name, BA:16-BA:17
default file name extensions, BA:17
disk-drive identifier, BA:16
file name syntax, BA:17
path, BA:16
- File name extensions, default (.dbs), SQ:2
- File options, description of, SS:19
- File structure, SQ:59-SQ:60
column, SQ:59
dbsystem, SQ:59
row, SQ:59
table, SQ:59
- Files, PJ:10-PJ:17
ansitg.sys, IN:158-IN:159
assign default paths, IN:51
copy, IN:41-IN:43
date of last modification, IN:35-IN:37
delete, IN:43
directory, IN:52
directory system, PJ:11
DOS environment variables, IN:53
DOS file attributes, IN:35-IN:37, IN:45-IN:46
DOS volume labels, IN:52-IN:53
find marked, IN:40
list, IN:35
list other paths, IN:45
manage, IN:35-IN:54
mark, IN:38-IN:40
a block, IN:38
by DOS attributes, IN:39-IN:40
by old marks, IN:39
individually, IN:38
use wild cards, IN:39
old marks, IN:35-IN:37
remove, IN:44-IN:45
open from File Manager, IN:38
operating paths, IN:53-IN:54
password protection, IN:48-IN:50
path aliases, IN:54
rename, IN:43-IN:44
scan for text, IN:44
size information, IN:35-IN:37
sort, IN:47-IN:48
time of last modification, IN:35-IN:37
types, PJ:10-PJ:11
data, PJ:10
graph, PJ:10
image, PJ:11
slide show, PJ:11-PJ:12
unmark, IN:40
globally, IN:40
individually, IN:40
reverse marks, IN:40
unsort, IN:47-IN:48
view contents of, IN:46-IN:47
- Fill
dates, SS:19-SS:21
values, SS:19
- Fill range, SS:19-SS:20
- Final mode, WP:33
- Find
See also Search
find and delete, SS:22
find and replace, SS:21-SS:22
find only, SS:21
wild cards, SS:22
- Find and mark text, WP:34
- Find and replace text, WP:33
- Find attribute, WP:37

- Find command, DB:70–DB:71
- Find font, WP:39
- Find text, WP:33
- Fixed decimal point format, SS:23
- Flow control, CM:17
 - characters, CM:35–CM:37
 - ETX/ACK, CM:35–CM:37
 - first response, CM:35–CM:37
 - none, CM:35–CM:37
 - passwords, CM:35–CM:37
 - pause time, CM:35–CM:37
 - second response, CM:35–CM:37
 - start character, CM:35–CM:37
 - stop character, CM:35–CM:37
 - turnaround, CM:35–CM:37
 - user-defined, CM:35–CM:37
 - Xon/Xoff, CM:35–CM:37
- Fonts, DB:112, PR:6
 - applying fonts, WP:41–WP:44
 - cartridges, PR:6
 - compatibility, PR:3
 - default, PR:9
 - downloadable, WP:41, PR:6
 - Enable, PR:7, PR:9, IN:133
 - for graph text, GR:14–GR:15
 - graphics mode, WP:43
 - in Add/Edit forms, DB:11
 - in print forms, IN:121
 - in Put It Here Reports, DB:127
 - in spreadsheet module, PR:6
 - in the database module, PR:7
 - in word processing module, PR:6
 - internal, PR:6
 - procedural language report, DB:112
 - selecting a font, WP:41–WP:44
 - soft, PR:6
- Footers, WP:44–WP:46
 - deleting a footer, WP:46
 - inserting a footer, WP:45
 - inserting ruler using Top Line Menu, WP:45
 - rulers, WP:108
- Footers, print, SS:64
- Footnotes, WP:46–WP:51
 - copying, WP:51
 - deleting, WP:50
 - modifying, WP:47–WP:49
 - renumbering, WP:50
 - rulers, WP:49–WP:50
- Foreign dictionaries, WP:77
- Format cells, SS:22–SS:26
 - comma, SS:23
 - custom currency, SS:25
 - custom numeric, SS:25
 - custom text date, SS:23
 - custom time, SS:24
 - date, SS:23
 - dollar sign, SS:23
 - fixed, SS:23
 - general, SS:25
 - global, SS:25
 - histogram, SS:25
 - integer, SS:23
 - percent, SS:23
 - scientific, SS:25
 - time, SS:24
- Format codes, apply, SS:22–SS:25
- Format spreadsheet cells
 - description, label, SS:25
 - range, SS:25–SS:26
 - reset, SS:26
- Formats, word processing, WP:109
- Formats menu, WP:7
- Forms, CM:22
 - See also* Print Forms
 - Keyboard Map, CM:22–CM:25
 - Modem Table, CM:22, CM:25–CM:30
 - Setup, CM:22, CM:30–CM:41
 - Transmit/Receive Map, CM:51–CM:56
 - Transmit/Receive map, CM:22
 - Unattended File Transfer Script, CM:22, CM:62–CM:66
- Formulas, SS:26–SS:29
 - See also* Functions
 - add comments, SS:29
 - calc order, SS:42–SS:43
 - circular references, SS:28–SS:29
 - enter, SS:13, SS:26–SS:27
 - ID order, SS:42–SS:43
 - in three-dimensional spreadsheets, SS:29
 - linked data, SS:42
 - mathematical operators, SS:26–SS:27
 - point out data, SS:27–SS:28
 - string operators, SS:26–SS:27
- Function keys, PJ:17–PJ:20
 - arrows, PJ:20
 - ctrl, PJ:20
 - esc, PJ:20
 - F10, PJ:19–PJ:20

F6, PJ:19
 F7, PJ:19
 F8, PJ:19
 F9, PJ:19
 return, enter, PJ:20
 spacebar, PJ:20
 Functions, SS:26–SS:29, IN:55–IN:66,
 APP:83–APP:158
See also Calculator; Functions Appendix
 &, IN:65
 &, &-, &+, APP:83–APP:84
 &+, IN:65
 &-, IN:65
 @@, IN:64, APP:84
 @@C, IN:64, APP:84
 @@L, APP:84–APP:85
 @@LC, IN:64
 @@R, IN:64, APP:85
 @AADD, IN:61, APP:85–APP:86
 @ABS, IN:61, APP:86
 @ACOS, APP:86
 @ADDM, IN:57, APP:86–APP:87
 |, IN:64
 @ADIV, IN:61, APP:87
 @ALPHA, IN:60, APP:87–APP:88
 @AMUL, IN:61, APP:88
 @AND, IN:60, APP:88
 @ANTERM, IN:59, APP:88–APP:89
 @ASIN, APP:89
 @ASUB, IN:61, APP:89–APP:90
 @ATAN, IN:62, APP:90
 @ATAN2, IN:62, APP:90
 @AVG, IN:65, APP:90–APP:91
 @AVGPRD, IN:65, APP:91
 @BALANCE, IN:59, APP:91–APP:92
 @BEGM, IN:57, APP:92
 @CHAR, IN:65, APP:92
 @CHOOSE, IN:63, APP:92–APP:93
 @CODE, IN:65, APP:93
 @COLS, IN:62, APP:93
 @COMPAL, APP:94
 @COMPBAL, IN:59
 @COS, IN:62, APP:94
 @COUNT, IN:65, APP:94–APP:95
 @CTERM, IN:59, APP:95
 @CUMPCT, IN:65, APP:95
 @CUMSUM, IN:65, APP:96
 @CURCOL, IN:63, APP:96
 @CURLEVEL, IN:63, APP:96–APP:97
 @CURPOS, IN:63, APP:97
 @CURREW, IN:63, APP:97
 @CURVAL, IN:63, APP:97
 @DATE, IN:57, APP:97–APP:98
 @DATE\$, IN:57, APP:98
 @DAY, IN:57, APP:98
 @DDB, IN:58, APP:98–APP:99
 @DEC, IN:65, APP:99
 @DEGREE, IN:62, APP:99
 @DVAL, APP:100
 @E, IN:61, APP:100
 @ENDM, IN:57, APP:100
 @ERATE, IN:59, APP:100–APP:101
 @ERR, IN:60, APP:101
 @ETIME, IN:58, APP:101
 @EXACT, IN:60, APP:101–APP:102
 @EXIST, IN:60, APP:102
 @EXP, IN:61, APP:102
 @EXP10, IN:61, APP:102
 @EXTCOPY, SS:39, IN:63, APP:102
 @FACT, IN:61, APP:102–APP:103
 @FALSE, IN:60, APP:103
 @FIXED, IN:66, APP:103
 @FV, IN:59, APP:103–APP:104
 @HEX, IN:66, APP:104
 @HLOOKUP, IN:63, APP:104–APP:105
 @HOUR, IN:58, APP:105
 @ID, IN:62, APP:105–APP:106
 @IF, IN:60, APP:106
 @INDEX, IN:63, APP:106–APP:107
 @INDEX3D, IN:63, APP:107–APP:108
 @INT, IN:61, APP:108
 @IRR, IN:58, APP:108–APP:109
 @ISBLANK, IN:60, APP:109
 @ISEMPTY, IN:60, APP:109–APP:110
 @ISERR, IN:60, APP:110
 @ISLABEL, IN:60, APP:110
 @ISNA, IN:60, APP:110
 @ISNUM, IN:60, APP:111
 @ISREF, IN:60, APP:111
 @JULIAN, IN:57, APP:111
 @KINT, IN:59, APP:111–APP:112
 @KPRIN, IN:59, APP:112
 @LASTERR, IN:64, APP:112–APP:125
 @LC, IN:66, APP:126
 @LEFT, IN:66, APP:126
 @LEN, IN:66, APP:126
 @LEVELS, IN:62, APP:127
 @LINE, IN:66, APP:127
 @LINK, SS:38–SS:39, IN:63, APP:127
 @LLOOKUP, IN:63, APP:127–APP:128
 @LOG, IN:61, APP:128
 @LOOKUP, IN:63, APP:128–APP:129
 @LOOKUP3D, IN:63, APP:129–APP:130
 @LTRIM, IN:66, APP:131

@MACRO, SS:44, SS:49–SS:50, IN:63,
 APP:131–APP:133
 @MATCH, IN:66, APP:133
 @MAX, IN:65, APP:133–APP:134
 @MEAN, IN:61, APP:134
 @MEDIAN, IN:61, APP:134
 @MIN, IN:65, APP:134–APP:135
 @MINUTE, IN:58, APP:135
 @MOD, IN:61, APP:135
 @MONTH, IN:57, APP:135
 @MONTH\$, IN:57, APP:135
 @NA, IN:60, APP:136
 @NLOG, IN:61, APP:136
 @NO, IN:60, APP:136
 @NOT, IN:60, APP:136–APP:137
 @NOW, IN:58, APP:137
 @NPV, IN:58, APP:137
 @NUM, IN:66, APP:138
 @NUMERIC, IN:60, APP:138
 @NUMLINES, IN:64, APP:138
 @OR, IN:60, APP:139
 @PAD, IN:66, APP:139
 @PAIDINT, IN:59, APP:139–APP:140
 @PCT, IN:65, APP:140
 @PI, IN:62, APP:140
 @PMT, IN:59, APP:140–APP:141
 @PRODUCT, IN:65, APP:141
 @PROPER, IN:66, APP:141
 @PRTCTL, APP:141–APP:143
 @PV, IN:59, APP:143
 @RADIANT, IN:62, APP:143–APP:144
 @RAND, IN:62, APP:144
 @RATE, IN:59, APP:144
 @REPEAT, IN:66, APP:144–APP:145
 @REPLACE, IN:66, APP:145
 @RIGHT, IN:66, APP:145
 @RNGSTR, SS:12, IN:63, APP:146
 @ROUND, IN:62, APP:146
 @ROWS, IN:62, APP:146
 @SECOND, IN:58, APP:146–APP:147
 @SIGN, IN:62, APP:147
 @SIN, IN:62, APP:147
 @SLN, IN:58, APP:147–APP:148
 @SQRT, IN:62, APP:148
 @STD, IN:65, APP:148
 @STRING, IN:66, APP:148–APP:149
 @SUBSTR, IN:66, APP:149
 @SUM, IN:65, APP:149–APP:150
 @SUMPRD, IN:65, APP:150
 @SYD, IN:59, APP:150–APP:151
 @TAN, IN:62, APP:151
 @TERM, IN:59, APP:151
 @THISCOL, IN:63, APP:151

@THISLEVEL, IN:63, APP:152
 @THISROW, IN:63, APP:152
 @TIME, IN:58, APP:152
 @TIMES\$, IN:58, APP:152
 @TODAY, IN:57, APP:153
 @TRIM, IN:66, APP:153
 @TRUE, IN:61, APP:153
 @TRUNC, IN:62, APP:153
 @TYPE, IN:64, APP:154
 @UC, IN:66, APP:154
 @UROUND, IN:62, APP:154–APP:155
 @VAR, IN:65, APP:155
 @VLOOKUP, IN:64, APP:155–APP:156
 @WEEKDAY, IN:57, APP:156
 @WEEKDAY\$, IN:58, APP:156
 @YEAR, IN:58, APP:156–APP:157
 @YEAR\$, IN:58, APP:157
 @YES, IN:61, APP:157
 |, APP:85
 add comments, SS:29
 circular references, SS:28–SS:29
 copy cell addresses, SS:7–SS:8
 date and time, IN:57–IN:58
 enter, SS:27
 financial, IN:58–IN:59
 general guidelines, IN:55
 in three-dimensional spreadsheets, SS:29
 linked data, SS:42
 logical, IN:59–IN:61
 mathematical, IN:61–IN:62
 point out data, SS:27–SS:28
 special, IN:62–IN:64
 SQL
 all, SQ:23
 autocommit, SQ:25
 avg, SQ:59
 count, SQ:59
 detailed, SQ:23
 distinct, SQ:23
 max, SQ:59
 min, SQ:59
 sum, SQ:59
 statistical, IN:64–IN:65
 string, IN:65–IN:66
 use in Database, IN:56
 use in Spreadsheet, IN:57
 use in Word Processing, IN:56

G

General format, SS:25

- Generic printer, PR:2, PR:8
- Germanic language character set, WP:117
- Global options
 - align, SS:1
 - description of, SS:29
 - format, SS:25
- Glossary of communications terms, APP:3-APP:6
- Go to, WP:51, SS:54, SS:55, SS:87-SS:89
 - three-dimensional spreadsheet, SS:54
- Goal seeking, SS:6-SS:7
 - automatic, SS:6-SS:7
 - manual, SS:7
- Gosub, CM:9
- Goto, CM:9
- Grammar checker, WP:53
- Grammatik, WP:53
- Grant
 - dbsystem privileges, SQ:16
 - privileges, SQ:3
 - table privileges, SQ:17
- Graph adjustment, WP:54
- Graph color, WP:55
- Graph files, PJ:14-PJ:15
 - load, PJ:14
 - save, PJ:14
- Graph parameters, PJ:20-PJ:27
 - block to graph, PJ:21-PJ:24
 - row and column headings, PJ:24
 - row and column titles, PJ:23-PJ:24
 - title and subtitle, PJ:23
- Graph print commands, density command, WP:56
- Graph printing
 - landscape, WP:57
 - portrait, WP:57
- Graph setting
 - create, GR:7
 - default, GR:10-GR:11
 - delete, GR:11
 - edit, GR:13-GR:14
 - save, GR:27
 - select, GR:31
- Graph type
 - bar, GR:3-GR:5
 - high-low-close, GR:16-GR:17
 - line, GR:17-GR:18
 - linear XY, GR:19-GR:20
 - organizational, GR:36-GR:37
 - pie chart, GR:21-GR:23
 - scatter chart, GR:31
 - step, GR:32-GR:33
 - text chart, GR:37-GR:40
 - XY, GR:41-GR:42
- Graph types, GR:15
- Graphics mode printing, WP:43, PR:9
- Graphics production, PR:7
 - dots per inch, PR:7
 - graph width, PR:7
 - shades, PR:7
- Graphics width capability, PR:7
- Graphs, WP:64-WP:69, WP:82-WP:83, WP:140
 - importing, WP:64-WP:69, WP:140
 - video mode, WP:140
 - linking, WP:82-WP:83
 - positioning, WP:54-WP:55
- Graphs - 2D, PJ:27-PJ:37
 - change riser patterns, PJ:93-PJ:94
 - choose, PJ:27-PJ:28
 - custom features, PJ:37-PJ:42
 - display presets, PJ:27-PJ:28
 - options
 - color, PJ:37-PJ:39
 - data reversal, PJ:40-PJ:41
 - detach pie slice, PJ:39
 - grid lines, PJ:41-PJ:42
 - reshape pie graph, PJ:39-PJ:40
 - preset types, PJ:28-PJ:37
- Graphs - 3D, PJ:42-PJ:58
 - anatomy of, PJ:42-PJ:44
 - change riser patterns, PJ:92-PJ:93
 - list of preset types, PJ:46-PJ:58
 - options, PJ:59-PJ:66
 - color, PJ:59-PJ:62
 - color mixer, PJ:60-PJ:61
 - cycling colors, PJ:59
 - data reversal, PJ:62-PJ:63
 - preset colors, PJ:59
 - riser size, PJ:63-PJ:64
 - title, subtitle layout, PJ:64-PJ:65
 - walls and grid lines, PJ:65-PJ:66
 - preset types, PJ:45-PJ:58
 - spectral mapping, PJ:45-PJ:106
 - selecting types, PJ:44-PJ:45

viewing angles. *See* Viewing angles

Greek character set, WP:117

Grid lines, GR:15
2D graphs, PJ:41–PJ:42

H

Hanging indent, WP:58–WP:59

Hard hyphen, WP:62

Hard space, WP:59

Hardware form, PR:8
and printers, PR:2
displaying, PR:8
modifying, PR:8
printer mismatch, PR:2

Headers, WP:59–WP:61
alternating, WP:59
column, PJ:24
deleting, WP:60
inserting, WP:60
inserting ruler using Top Line Menu, WP:60
row, PJ:24
rulers, WP:108

Headers and Footers, WP:61
alternating, WP:61

Headers, print, SS:64–SS:65

Help, IN:67–IN:70
See also Hypertext
customer support, BA:1
electronic bulletin board, BA:2
printer specifications, PR:9
tutorials, BA:2

Help (F9), PJ:19

Hide data, SS:29–SS:31
cell or range, SS:30
column, SS:30
level, SS:30
redisplay, SS:30–SS:32

Higgins, invoke within Enable, IN:34

Higgins E-mail, IN:31–IN:34

High–low–close graphs, GR:16–GR:17

Highest cell, SS:4

Highlight, SS:31–SS:32
data, SS:31–SS:32
dependent cells, SS:31–SS:43

referenced cells, SS:31

Highlighting, removing, WP:19

Histogram format, SS:25

horizontal bar graph, GR:3–GR:5

Hypertext, IN:67–IN:70
change books, IN:68
cross–references, IN:69
display a table of contents, IN:68
display an index, IN:68–IN:69
display previous topics, IN:69
general information, IN:67–IN:68
quit, IN:69–IN:70

Hyphenation, WP:62

I

ID borders, SS:64–SS:65

If, CM:9

Image files, PJ:15–PJ:16
load, PJ:16
save, PJ:15

Import, DB:71–DB:82, SQ:47–SQ:48
graphs to word processing, GR:17
Import command, DB:71–DB:72

Import data, DB:72–DB:76
ASCII file, DB:136–DB:138
buffer size, DB:81
Condor3 database, DB:74
convert database file formats, DB:75
dBASE II, dBASE III, dBASE IV, DB:72
dBase II/IV, index file format, DB:45–DB:48
from an open window, DB:78
ASCII data, DB:78–DB:83
spreadsheet data, DB:78–DB:83
word processing data, DB:78–DB:83
Informix database, DB:75
PC–File III database, DB:75
read–only file, DB:76
spreadsheet data, DB:76
prepare spreadsheet data, DB:76
Superbase database, DB:73
text, DB:76

Import spreadsheet, SS:32–SS:33
ASCII files, SS:32–SS:33
DIF files, SS:33
Lotus 1–2–3 files, SS:33
Lotus Works, SS:33

- MS Works, SS:33
 - Importing, WP:62–WP:63, WP:64–WP:69
 - features supported, WP:62
 - graphics files, WP:64–WP:69
 - instructions for IBM 6180 (Perspective), WP:67–WP:68
 - revising file that contains graph imports, WP:68
 - the .G### file, WP:68–WP:69
 - graphs, WP:140
 - video mode, WP:140
 - word processing files, WP:62–WP:63
 - Inactive links, SS:39–SS:41
 - Include command, WP:69
 - Index, WP:70–WP:73, DB:82–DB:86
 - access records in index order, DB:85–DB:88
 - access records in order, DB:86–DB:88
 - compiling the index, WP:72
 - dBASE III/IV format, DB:45
 - deleting index terms, WP:72
 - editing the index, WP:72
 - error set, DB:84–DB:85
 - Index prompt, use operators, DB:95–DB:97
 - index prompt at end of edit on select set, DB:44
 - printing the index, WP:72
 - prompt, DB:85–DB:88
 - search, DB:85–DB:88
 - select records, DB:85–DB:88
 - specify an indexed field, DB:57–DB:58
 - unique. *See* Indexes
 - using the index attribute, WP:70
 - using the index entry space, WP:71
 - view index, DB:13–DB:16
 - Index command, DB:84
 - Indexes, SQ:48–SQ:68
 - create, SQ:8
 - multi-key, SQ:11, SQ:48
 - single-key, SQ:48
 - SQL, unique, SQ:8
 - unique, SQ:11, SQ:48
 - Information Display Area, SS:3
 - Input, SQ:18
 - Input data. *See* Add
 - Input form. *See* Add/Edit form
 - Insert, SS:33–SS:34, SQ:19
 - blocks, SS:34
 - columns, SS:33
 - levels, SS:34
 - rows, SS:33–SS:34
 - Inserting a blank line, WP:73
 - Inserting a club command, PR:11
 - Inserting a file, WP:73–WP:74
 - inserting another file for printing only, WP:69
 - Inserting database fields, WP:21
 - Inserting text, WP:75
 - Install Enable in DOS or OS/2. *See* Installation Booklet
 - Installing printers, PR:1
 - Integer format, SS:23
 - Interactive menus, SQ:50
 - Interactive report debugger, DB:86–DB:90
 - cursor control keys, DB:90
 - Internal fonts, PR:6
 - Interrupt calculation, SS:5–SS:6, SS:14
 - Interrupt printing, PR:10
 - Intersection of row and column, SS:34
 - Interwindow Copy. *See* Windows
 - Italicizing text, WP:3–WP:4
 - Italics, SS:35
 - Iterative calculation, SS:5
- ## J
- Justifying text, WP:76
- ## K
- Kermit. *See* Protocol
 - Key, CM:10
 - Keyboard Map, CM:22–CM:25
 - compile, CM:24
 - correct error, CM:24
 - create, CM:22–CM:24
 - format rules, CM:22–CM:24
 - save, CM:24
 - use, CM:25
 - during a session, CM:25
 - in a setup, CM:25
 - Keying text, WP:29

Keywords

asc, SQ:24
desc, SQ:24

L

- Label, CM:10
- Labels, SS:34–SS:36, DB:4
add attributes, SS:35
align, SS:2
apply color, SS:8–SS:10
ASCII characters, SS:36
change add/edit form field labels, DB:10–DB:17
correcting, SS:35
enter, SS:13
field labels in add/edit form, DB:4
long, SS:35
numbers as labels, SS:36
remove attributes from, SS:36
repeat character, SS:36
- LAN, autolock records on LAN, DB:44–DB:45
- LAN Environment
key numbers. *See* Installation Booklet
use Enable. *See* Installation Booklet
user identification codes. *See* Installation Booklet
- Landscape mode, WP:76
- Landscape orientation, PR:21
- Landscape printing, WP:76
- Language Environment, WP:77
- Layout codes, WP:77–WP:78
- Layout options, description of, SS:36–SS:37
- Leading blank page, PR:22
- Leading blanks, WP:78
- Left offset, PR:21
- Legends, GR:17
pie chart, GR:23
- Level
delete, SS:15
go to, SS:54
A:A1, SS:54
last level, last cell, SS:54
next, SS:77
previous, SS:77
go-to, A:A1, SS:88
hide, SS:30
indicator, SS:2–SS:3, SS:77
insert, SS:34
retrieve, SS:57
three-dimensional view, SS:77–SS:79
- Level reference, SS:29
- LICS characters, SS:33
- Line counter, WP:78
- Line feed, CM:18
- Line graphs, GR:17–GR:18
overlying, GR:20–GR:21
- Line numbering, WP:78–WP:81
- Line numbering command, WP:79
- Line patterns, GR:19
- Line spacing, WP:81
- Linear regression graph, GR:19–GR:20
- Linear XY graphs, GR:19–GR:20
- Lines per inch, PR:20
- Link command
graph, WP:82
spreadsheet, WP:84
- Link databases, DB:91
during field definition, DB:63–DB:64,
DB:65–DB:67
passthru, DB:97–DB:99
terminology, DB:91
- Link spreadsheets, SS:37–SS:42
activate link, SS:39–SS:41
combine @LINK functions, SS:42
CONFIG.SYS file, SS:41
create a link, SS:38–SS:39
deactivate link, SS:39–SS:41
external spreadsheet, SS:38–SS:39
in formulas and functions, SS:42
link a range, SS:39
link dialog box, SS:39–SS:41
maintain links, SS:41
on password protected files, SS:41
read-only files, SS:38–SS:39
update linked data, SS:41
- Linked spreadsheets, apply color, SS:8
- Linking graphs, WP:82–WP:83
- Linking spreadsheets, WP:84–WP:85
copy links, SS:12
copying cells, SS:12–SS:13
macro library, SS:49–SS:52

primary spreadsheet, SS:38–SS:39

List, SS:42–SS:44
 cell notes, SS:42–SS:43
 formulas, SS:42–SS:43
 range names, SS:42–SS:43
 status, SS:43–SS:44

Local, CM:11

Local fields, DB:58, SQ:47
 derived, DB:64
 external, DB:63

Lock, rows, SQ:25

Lock table, SQ:20

Logical fields, DB:61

Logical operators, DB:96

Lookup field, DB:63, DB:65

Loop, CM:11

Lotus 1–2–3
 export Enable spreadsheet to, SS:18–SS:19
 protection, SS:68
 save in Enable format, SS:71–SS:72

Lower/uppercase conversion, WP:7

M

Macro, execution, in SQL, SQ:26

Macro library, SS:49–SS:50

Macro Programming Commands
 {% Fieldname}, IN:82
 { ^ F9}, IN:85–IN:87
 { ^ I}, IN:85
 {Beep}, IN:82–IN:106
 {Do Macro}, IN:80
 {Do Menu}, IN:78
 {Else}, IN:84
 {Endif}, IN:84
 {GotoW}, IN:79
 {If Error}, IN:84
 {ifbox}, IN:81–IN:82
 {Menu Level}, IN:84
 {Menu Style}, IN:83
 {Menu}, IN:78–IN:106
 {OS}, IN:81–IN:106
 {Pause}, IN:84
 {Send}(S), IN:79
 {Temp Level}, IN:83
 {Temp Style}, IN:83

{Voff}, IN:79
 {Wait}, IN:85
 {Wname}, IN:80
 change default menu, IN:78–IN:106
 display named menu, IN:78
 display Status Line message, IN:79
 go to named window, IN:79
 invoke accessories, IN:80–IN:86
 name window, IN:80
 perform named macro, IN:80
 perform operating system command,
 IN:81–IN:106
 respond to screen prompts and error messages,
 IN:81–IN:82
 retrieve entered data, IN:82
 screen display on/off, IN:79
 sound a tone, IN:82–IN:106
 switch menu interface
 run macro, IN:83
 run macro and revert to original interface,
 IN:83
 switch menu level
 run macro, IN:84
 run macro and revert to original menu level,
 IN:83
 timed pauses, IN:84
 trap errors, IN:84
 wait for input, IN:85
 wait for keystroke, IN:85
 wait for specific key, IN:85–IN:87

Macros, SS:44–SS:50, DB:8, IN:71–IN:86
See also Integration Section
 activate, SS:45
 add/edit form, DB:8
 postfield, DB:8
 postrecord, DB:8
 prefield, DB:8
 prerecord, DB:8
 Shift/F9, DB:8
 automated spreadsheet, SS:48–SS:49
 cell macros, SS:44
 codes for keyboard commands, IN:77–IN:78
 commands, SS:45–SS:48
 create/edit with macro editor, IN:74–IN:75
 escape codes, SS:49
 general information, IN:71
 list files, IN:76
 macro library, SS:49–SS:50
 name, IN:72, IN:73–IN:75
 name a macro, SS:44–SS:45
 print a file, IN:76
 programming commands, IN:78–IN:86

- record, IN:71–IN:73
 - while executing, IN:72
 - without executing, IN:73
- report form, DB:8
- run, IN:73
- start–up, IN:75–IN:76
 - create, IN:76
 - set macro parameter, IN:76
- Mail
 - receive, IN:33–IN:34
 - send, IN:32–IN:33
- Mail Merge
 - create the database, use the system–supplied database, IN:87–IN:89
 - Field Selection dialog box, IN:93–IN:94
- Mail merge, IN:87–IN:100
 - create a label file, IN:91–IN:93
 - create your own, IN:92–IN:93
 - use the system–supplied file, IN:91–IN:92
 - create the database, IN:87–IN:90
 - design your own, IN:89–IN:90
 - create the merge document, IN:90–IN:91
 - add database fields, IN:93–IN:94
 - create your own file, IN:91
 - use the system–supplied file, IN:90–IN:91
 - display letter information, IN:94
 - format codes, IN:94–IN:97
 - {EL}, IN:95–IN:96
 - {EP}, IN:96–IN:97
 - {EW}, IN:95
 - merge label, IN:98–IN:99
 - merge letter, IN:97–IN:98
 - merge letter or label, IN:97–IN:99
 - select database records to merge, IN:100
 - sort the database, IN:99–IN:100
- Main menu, BA:14
 - printing, PR:5
- Manual calculation, SS:5
- Map, SS:50–SS:51
- Margins, WP:136
 - bottom, PR:20
 - changing, WP:14
 - changing using the Top Line Menu, WP:14
 - left offset, PR:21
 - releasing, WP:85
 - temporary left margin, WP:136
 - top, PR:20
- Mark files. *See* Files
- Mark records, DB:13, DB:49
 - in browse, DB:13
 - in display, DB:49
- Marked text printing, PR:20
- Marking text, WP:12, WP:17
- Mathematical operators, SS:26–SS:27
- Maximum graphics width, PR:7
- Memo field
 - convert style, DB:53
 - copy graph to, DB:71
 - define, DB:62
 - edit, DB:52
 - Enable 4 format, DB:62
 - in “Put It Here!” report form, DB:125
 - new memo file format, DB:45
 - report, DB:111
- Memory buffers, DB:130–DB:145
- Memory resident programs. *See* Installation Booklet
- Menu, BA:3–BA:4
 - change style, BA:17–BA:18
 - how to bypass, BA:4
 - select options, BA:3–BA:4
 - set level, BA:18
 - advanced, BA:18
 - intermediate, BA:18
 - novice, BA:18
 - Top Line Menu, BA:18
- Menu Generator, IN:101–IN:118
 - activate a menu, IN:117–IN:118
 - add color to a menu, IN:104–IN:105
 - background color, IN:104–IN:105
 - text color, IN:104–IN:105
 - create a menu, IN:102–IN:103
 - default menus, IN:101–IN:102
 - define menu options, IN:105–IN:110
 - data–entry, IN:106–IN:108
 - go to, IN:108–IN:109
 - help and information messages, IN:110
 - perform commands, IN:109–IN:110
 - run program, IN:110
 - select–only, IN:105–IN:106
 - design the menu screen, IN:103–IN:105
 - go to a menu, IN:101–IN:102, IN:108–IN:109
 - macro commands, IN:109–IN:110
 - menu codes, IN:113–IN:117
 - name a menu, IN:101–IN:102

- quit a menu, IN:111
 - reference another menu, IN:101–IN:102
 - reset menu colors, IN:104–IN:105
 - retrieve data from a menu, IN:118
 - revise a menu, IN:111–IN:117
 - as a word processing file, IN:113–IN:162
 - with the Menu Generator, IN:112–IN:113
 - save a menu, IN:111
 - test a menu, IN:111
 - Menus
 - create your own. *See* Menu Generator dialog box, BA:5–BA:11
 - Merge command, DB:92–DB:94
 - error set, DB:94–DB:95
 - merge options, DB:93–DB:94
 - all fields, DB:93
 - use form, DB:93
 - Merge documents. *See* Mail Merge
 - Mice supported. *See* Installation Booklet
 - Minimal calculation, SS:4
 - Miscellaneous character set, WP:117
 - Mixed address, SS:8
 - Mnu:fieldname, DB:108
 - Mode Indicator, SS:3–SS:4
 - Modem, autodial, CM:1, CM:20, CM:33
 - Modem Table, CM:22, CM:25–CM:30
 - create, CM:26–CM:27
 - compile, CM:27
 - format, CM:26–CM:27
 - save, CM:27
 - example, CM:28
 - use, CM:27–CM:28
 - Modem Table commands, CM:5–CM:16
 - alternate, CM:5, CM:6
 - beep, CM:6
 - delay, CM:7
 - dial, CM:7
 - dialout, CM:7
 - dropdtr, CM:8
 - end, CM:8
 - endl, CM:8
 - exit, CM:8
 - goto, CM:9
 - label, CM:10
 - local, CM:11
 - loop, CM:11–CM:68
 - redial, CM:12
 - section, CM:10
 - send, CM:13
 - setdelay, CM:13
 - stop, CM:14
 - telecommunications, CM:14
 - test, CM:14
 - wait4, CM:16
 - Modems supported. *See* Installation Booklet
 - Modify menu, SQ:49
 - Modify values by a constant, SS:51
 - Mouse, BA:3
 - use, BA:3
 - Move
 - data. *See* Clipboard
 - in spreadsheet, SS:52
 - Move command, WP:85
 - Movement, SS:52–SS:54
 - automatic scrolling, SS:53
 - between halves of split display, SS:76
 - by pages, SS:53
 - from side to side, SS:53
 - go to, SS:52
 - in three-dimensional spreadsheet, SS:54
 - manual scrolling, SS:52–SS:53
 - skip protected cells, SS:67
 - stop scrolling, SS:53
 - to blocks of data, SS:54
 - to corners, SS:53
 - Moving text, WP:85–WP:86
 - using a keystroke command, WP:86
 - using the Top Line Menu, WP:86
 - Multiple copy printing, PR:20
- ## N
- Name, SS:54–SS:56
 - convert labels to range names, SS:55–SS:56
 - create range name, SS:55
 - delete range name, SS:56
 - go to range name, SS:55
 - modify range name, SS:55
 - Network, safety levels, SQ:55
 - New file ruler, WP:86–WP:87
 - Non-printing notes, WP:15
 - Noncontiguous ranges, printing, SS:65–SS:66

None. *See* Protocol

Notes, SS:56–SS:57
 cancel changes, SS:57
 create, SS:56
 delete, SS:57
 display, SS:56
 list, SS:42–SS:43
 save, SS:56–SS:57

Novell Netware. *See* Installation Booklet

Null indicator, SQ:46

Number range, change, PJ:25–PJ:26

Numbering lines, WP:78–WP:81

Numbering pages, PR:22

Numbers displayed as labels, SS:36

Numeric keypad, in spreadsheet, SS:84

O

Offset, PR:21

On–line printer specifications, PR:9, PR:12

Open a database, DB:41–DB:42

Open a file, BA:14, WP:87–WP:88
 file name, BA:16
 from the File Manager, IN:38
 in multiple windows, IN:149

Open file, SS:57–SS:58
 another window, SS:57–SS:61
 in current window, SS:57

Operating paths, view, IN:53–IN:54

Operating system, in a window, IN:158–IN:160

Operators, DB:95, SQ:49
 arithmetic, SQ:49
 comparison, SQ:49
 conditional, SQ:49
 logical, DB:96
 select records, DB:96
 wild cards, DB:97–DB:100
 dollar sign, DB:97
 question mark, DB:97

OpSys printing, PR:13

OpSys Window
 copy from, IN:159
 navigate, IN:159
 quit, IN:159–IN:160

OpSys window, IN:158–IN:160
 change modes, IN:158
 shrink, IN:158–IN:159

Option
 nowait, SQ:20, SQ:25, SQ:26
 trace, SQ:26

Options
 2D graphs, PJ:37–PJ:42
 3D graphs, PJ:59–PJ:66
 color mixer, 3D graphs, PJ:60–PJ:61
 plot, PJ:78–PJ:81
 print, PJ:89–PJ:98

Organizational charts, GR:36–GR:37

Orientation, PR:21
 landscape, PR:21
 of graph, GR:26
 portrait, PR:21

Orphan text lines, WP:140

Outlines, WP:88–WP:89
 collapsing an outline, WP:89
 creating an outline, WP:88
 using an outline, WP:88–WP:89

Overlay line on graph, GR:20–GR:21

Overstrike, WP:7, WP:89–WP:90

P

Page breaks, WP:90, SS:62–SS:64
 clear user–defined, SS:64
 conditional, WP:90
 system–generated, WP:90
 user–defined, WP:90–WP:91, SS:62–SS:63
 view, SS:62

Page form, displaying, PR:19

Page number, print in header/footer, SS:65

Page Numbering, WP:91–WP:92

Page numbering, WP:91, PR:22
 alternate, PR:22
 position, PR:22

Page orientation, PR:21

Page preview, WP:92–WP:94, SS:58–SS:59, PR:3,
 PR:9–PR:10

Page setup
 plot, PJ:83–PJ:85

- print, PJ:95–PJ:97
- PageMaker, PJ:17
- Pan, PJ:76–PJ:77
- Paper clip, WP:94–WP:95
- Paper feed, continuous, PR:8
- Paper orientation
 - landscape, PJ:96
 - portrait, PJ:96
- Paper size, PR:22
- Paper type, WP:96
- Paragraph numbering, WP:99
 - defining a numbering format, WP:99
 - deleting a paragraph numbering symbol, WP:102
 - inserting a paragraph number, WP:99
 - modifying numbering format, WP:100
 - modifying the numbering format, WP:99
- Paragraphs, WP:98–WP:102
 - creating from existing text, WP:98
 - indentation, WP:98–WP:99
 - numbering, WP:99–WP:102
- Parallel port, PR:9
- Parity, CM:17
- Parse, SS:59–SS:60
- Partial printer installation, PR:1
- Passthru, DB:97–DB:99
 - passthru settings to linked database, DB:43
- Passw, CM:11
- Password protected files, SS:41
- Password protection. *See* Installation Booklet
- Passwords, IN:48–IN:50, SQ:17, SQ:32, SQ:33
 - access a protected file, IN:49
 - assign, IN:48–IN:49
 - change, IN:49
 - remove, IN:49–IN:50
- Paste data. *See* Clipboard
- Path aliases, IN:54
- Paths, assign. *See* Files
- Pause, WP:102, SQ:21
- Pause printing, PR:10
- Pause time, CM:17
- Pen speed, GR:24–GR:25
- Pen width, GR:24–GR:25
- Percent format, SS:23
- Perspective
 - ASCII file format, APP:167–APP:170
 - exiting, PJ:2
 - starting, PJ:1–PJ:2
- Phone book, CM:30
 - use, CM:30
- Pie charts, GR:21–GR:23
 - exploded, GR:21–GR:23
 - legends, GR:23
- Plot, PJ:78–PJ:87
 - 2D bar colors, PJ:83
 - 3D riser colors, PJ:83
 - change plotter settings, GR:24–GR:25
 - colors and patterns, PJ:81
 - from a stored graph, PJ:85–PJ:86
 - options, PJ:78–PJ:81
 - bleed gap, PJ:80
 - change plotter, PJ:78–PJ:79
 - change port, PJ:78–PJ:79
 - number of pens, PJ:80
 - pen width, PJ:80
 - plot quality, PJ:79–PJ:80
 - transparencies, PJ:81
 - page setup, PJ:83–PJ:85
 - border selection, PJ:85
 - graph position, PJ:84
 - graph size, PJ:84
 - paper orientation, PJ:85
 - paper size, PJ:85
 - pen numbers, PJ:82–PJ:83
 - 3D text color, PJ:83
 - base text color, PJ:82
 - graph outline color, PJ:82
 - grid line color, PJ:82
 - title and subtitle color, PJ:83
 - preview, PJ:81–PJ:82
 - to disk, PJ:86–PJ:87
 - transparencies, PJ:81
- Plot graph, GR:23–GR:25
- Plot to word processing file, GR:25
- Point out data
 - for formulas and functions, SS:27–SS:28
 - from dialog box, SS:69–SS:70
 - ranges, SS:69–SS:70
 - three-dimensional ranges, SS:70
- Pointer, SS:2
 - anchor, SS:27–SS:28, SS:69–SS:70

- move the, SS:52–SS:54
 - automatic scrolling, SS:53
 - between levels (3D), SS:54
 - go to, SS:52
 - manual scrolling, SS:52–SS:53
 - move by pages, SS:53
 - move from side to side, SS:53
 - move to corners, SS:53
 - stop scrolling, SS:53
 - stretch the, SS:69–SS:70
- Pointer location on border, SS:14
- Portrait mode, WP:76
- Portrait orientation, PR:21
- Portrait printing, WP:76
- Position a graph, WP:54
- Position data in a cell, SS:1–SS:2
- Position data in cells, alignment characters, SS:2
- Preprinted Forms. *See* Print Forms
- Preset graph types, 3D, PJ:46–PJ:58
- Preview
 - plot, PJ:81–PJ:82
 - print, PJ:91–PJ:95
- Previous Enable formats, PR:3
- Primary key, SS:73–SS:76
- Primary spreadsheet, SS:38–SS:39
- Print, SS:60–SS:66, DB:100, PJ:88–PJ:98, SQ:40, SQ:49
 - 255 column report, DB:106
 - borders, SS:64–SS:65
 - cancel print, SS:62
 - database definition, DB:100
 - dates, SS:65
 - density, GR:26
 - field placement on template form, DB:8
 - field placement preprinted form, DB:8
 - footers, SS:64–SS:65
 - graph, GR:25–GR:26
 - headers, SS:64–SS:65
 - noncontiguous ranges, SS:65–SS:66
 - orientation, GR:26
 - page breaks, SS:62–SS:64
 - page numbers, SS:65
 - page setup, PJ:95–PJ:97
 - border selection, PJ:96
 - graph position, PJ:96
 - paper orientation, PJ:96
 - paper size, PJ:97
 - picture size, PJ:96
 - preview, PJ:91–PJ:95
 - 2D graph riser patterns, PJ:93–PJ:94
 - 3D graph riser patterns, PJ:92–PJ:93
 - box pattern, PJ:91–PJ:92
 - change colors, PJ:95
 - print files, SS:64–SS:65
 - print now, SS:61
 - ranges, SS:64–SS:65
 - select port, PJ:89–PJ:91
 - parameters, PJ:91
 - select printer, PJ:89–PJ:91
 - selecting printer
 - colors, PJ:90
 - resolution, PJ:90
 - suppress field print, DB:8
 - three-dimensional (3D), SS:62–SS:66
 - to disk file, PJ:97–PJ:98
- Print files, PR:5
- Print Forms, IN:119–IN:128
 - create, IN:120–IN:125
 - create a template, IN:119–IN:120
 - define fields, IN:121–IN:125
 - fill out, IN:126–IN:127
 - general information, IN:119
 - macro commands, IN:124–IN:125
 - merge with a template file, IN:127–IN:128
 - merge with preprinted forms, IN:127–IN:128
 - place text, IN:121
 - print as screen image, IN:127–IN:128
 - print data, IN:127–IN:128
 - set the Hardware Form, IN:127–IN:128
 - set the Page Form, IN:127–IN:128
 - quit edit mode, IN:125
 - quit input mode, IN:128
 - revise a form, IN:125–IN:126
 - save the form, IN:125
 - select another template, IN:127–IN:128
 - use preprinted forms, IN:119
- Print graphs
 - black/white, PR:8
 - graph color, PR:8
 - shaded, PR:8
- Print queue, PR:15
 - activating, PR:15
 - adding files, PR:16
 - adding/deleting, PR:16
 - cancel printing, PR:17
 - deactivate, PR:17
 - deleting files, PR:17
 - editing, PR:16

- overriding, PR:16
- printing files in, PR:16
- resetting, PR:17
- Print range, PR:20
- Print settings, PR:10
- Print statistics, PR:22
- Printer codes, PR:10
 - printer support, PR:13
- Printer drivers, PR:12
 - supported, installed. *See* Installation Booklet
- Printer interface, PR:9
- Printer mismatch, PR:2
- Printer not installed, PR:2
- Printer ready files
 - database reports, PR:14
 - printing from opsys, PR:13
 - spreadsheet, PR:13
 - word processing files, PR:13
- Printer selection, PR:8
- Printer settings, PR:12
- Printer specifications, PR:9, PR:12
- Printer's manual, PR:1, PR:14
- Printers
 - and profiles, PR:2
 - default, PR:2
 - general information, PR:1
 - installation, PR:1
 - not installed, PR:2
 - partial installation, PR:1
 - printer manual, PR:14
 - support for Enable features, PR:12
 - support for special characters, PR:12
- Printing
 - blocked text, PR:20
 - database definition, PR:18
 - database report, PR:18
 - document statistics, PR:22
 - draft mode, WP:28, PR:20
 - Enable print files, PR:6
 - essentials, PR:1
 - graphics mode, WP:43
 - leading blank page, PR:22
 - marked text, PR:20
 - multiple copies, PR:20
 - pause, PR:10
 - preview page, PR:9-PR:10
 - queued, PR:15
 - quick, PR:18
 - range, PR:20
 - selected pages, PR:20
 - spreadsheet, PR:18
 - SQL data, PR:19
 - telecommunicated data, PR:19
 - title page, PR:22
 - unidirectional, PR:8
 - word processing file, WP:103, PR:18
- Printing a file, WP:103
- Printing pause, WP:102
- Printing selected pages, PR:20
- PRINTQ.TSG, PR:15
- Privilege
 - all, SQ:17, SQ:22
 - alter, SQ:17, SQ:22
 - connect, SQ:16, SQ:22, SQ:32
 - dba, SQ:16, SQ:22
 - delete, SQ:17, SQ:22
 - index, SQ:17, SQ:22
 - insert, SQ:17, SQ:22
 - resource, SQ:16, SQ:22
 - select, SQ:17, SQ:22
 - update, SQ:17, SQ:22
- Problems
 - during file transmission, CM:46
 - during Kermit file transfer, CM:50
- Procedural language commands, APP:19-APP:60
 - .ADD, APP:19
 - .AUTOLOCK, APP:20
 - .BEEP, APP:20
 - .BEGIN, APP:20
 - .BODY, APP:20
 - .CASE, APP:24
 - .CLOSE, APP:24
 - .CLRMOUSE, APP:24
 - .CLRSCREEN, APP:25
 - .COLOR, APP:25
 - .CONCLUSION, APP:26
 - .DEBUG BREAK, APP:26
 - .DEBUG ON/OFF, APP:26
 - .DEFINE, APP:26
 - .DELETE FILE, APP:31
 - .DO CASE, APP:31
 - .EBOX, APP:32
 - .ECHO OFF/ON, APP:33
 - .ELSE, APP:34
 - .ELSEIF, APP:34
 - .ENDCASE, APP:34
 - .ENDIF, APP:34

- .ENDWHILE, APP:34
 - .ERROR, APP:34
 - .ESCAPE OFF/ON, APP:35
 - .EXEC_DOS, APP:35
 - .EXIT, APP:35
 - .GETCHAR, APP:36
 - .GOSUB, APP:36
 - .GOSUBR, APP:36
 - .GOTO, APP:37
 - .IF, APP:38
 - .INPUT, APP:38
 - .INTRO, APP:39
 - .LABEL, APP:40
 - .LET, APP:40
 - .LOCKWAIT, APP:41
 - .MACRO, APP:41
 - .MAP SECTION, APP:42
 - .MAXSCREEN, APP:43
 - .MONCAT, APP:43
 - .MSHIFTL, APP:44
 - .MSHIFTR, APP:45
 - .MTRIML, APP:45
 - .MTRIMR, APP:46
 - .OPEN, APP:46
 - .OPEN INDEX, APP:46
 - .OTHERWISE, APP:46
 - .OUTPUT, APP:47
 - .PASSTHRU OFF/ON, APP:48
 - .PERFORM, APP:48
 - .POSITION, APP:49
 - .RBOX, APP:32, APP:50
 - .READ, APP:50
 - .REFORMAT OFF/ON, APP:52
 - .REPORT DIVISION, APP:53
 - .RETURN, APP:54
 - .SBOX, APP:32, APP:54
 - .SCREENPOS, APP:54
 - .SETMOUSE, APP:54
 - .SQL, APP:56
 - .STATUS, APP:56
 - .SUBROUTINES, APP:56
 - .UNLOCK, APP:57
 - .UPDATE, APP:57
 - .WHILE, APP:58
 - .WIDE, APP:58
 - .WRITE, APP:58
- Procedural language report, DB:101–DB:113
- 255 column report, DB:105
 - advanced features, DB:106–DB:112
 - access database name, DB:108
 - control record access, DB:111
 - database access, DB:107
 - display computations, DB:107
 - dot commands on Where and Field prompts, DB:111
 - duplicate field names, DB:108
 - field name as indirect variable, DB:109
 - indirect addressing, DB:108
 - menu generator – data entry fields, DB:108
 - report memo field, DB:111
 - subdirectory and file extension support, DB:107
 - system–supplied fields, DB:110
 - automatic reformat, DB:105
 - commands. *See* Appendix
 - create, DB:101–DB:113
 - data display or print, DB:105–DB:106
 - display fields, DB:105
 - dot commands, DB:101
 - body section, DB:103
 - break section, DB:103
 - conclusion section, DB:104
 - definitions section, DB:102
 - introduction section, DB:103
 - report section, DB:101
 - subroutines section, DB:103
 - generate report, DB:112
 - integrate report, DB:105
 - procedural language command. *See* Appendices:Procedural Language Commands
 - produce custom reports, DB:104–DB:105
 - report writing guidelines, DB:104
 - report structure, DB:104
 - rulers, DB:105
- Procedural language reports, SQ:45
- Profiles, PR:2, IN:129–IN:144
- activate, IN:131
 - Color profile, IN:129
 - Communications options, IN:138–IN:154
 - create, IN:129–IN:131
 - Database options, IN:140–IN:142
 - default options, APP:69–APP:76
 - Default profile, IN:129
 - delete, IN:132
 - description of options, IN:132–IN:144
 - general information, IN:129
 - Hardware options, IN:132–IN:154
 - internal system profile, IN:144
 - Page Form options, IN:134
 - rename, IN:132
 - revise, IN:129–IN:131
 - Special Text options, IN:135–IN:154

Spreadsheet options, IN:142-IN:143
 System options, IN:143-IN:144
 Word Processing options, IN:135-IN:154

Protection, SS:66-SS:68
 activate, SS:67
 apply marking, SS:66-SS:67
 Lotus 1-2-3 protection, SS:68
 remove marking, SS:67
 skip protected cells, SS:67
 SuperCalc protection, SS:68
 unprotect, SS:67

Protection marker, SS:66-SS:67

Protocol, CM:42-CM:46
 Enable-1, CM:42-CM:45
 Kermit, CM:46-CM:50
 complete file transfer, CM:50
 file transfer problems, CM:50
 local to local mode, CM:46-CM:50
 local to remote mode, CM:46-CM:50
 server mode, CM:46-CM:50

Xmodem, CM:42-CM:45
 IK-Xmodem, CM:42
 CRC-Xmodem, CM:42
 Xmodem-Checksum, CM:42
 Ymodem, CM:42-CM:45

Public, synonym, SQ:10

Put It Here form. *See* Add/Edit form

Put It Here report, save, DB:125

Put It Here! report form, DB:123
 delete form or field, DB:125
 design customized reports, DB:123
 generate, DB:126
 report memo fields, DB:125
 revise, DB:125

Q

Query

ad hoc, SQ:56
 limitations, SQ:41
 SQL tables, from database, SQ:41

Query by example, DB:113

Query command screen, SQ:49-SQ:52
 correcting statements, SQ:50
 deleting text, SQ:50
 displaying, SQ:49
 displaying quick command help, SQ:51-SQ:53
 entering statements, SQ:50

executing a statement, SQ:50
 inserting text, SQ:50
 interactive menus, SQ:50
 navigating, SQ:50
 quitting, SQ:52
 recalling a previous statement, SQ:51
 scrolling the display, SQ:51

Queued printing, PR:15

Quick Commands, SQL, SQ:67

Quick commands, BA:4-BA:5, WP:141,
 CM:67-CM:68, SS:87-SS:90, DB:142-DB:145,
 GR:43, IN:161
 expert commands, BA:5
 function key commands, BA:5
 goto commands, BA:5
 keyboard commands, BA:5

Quick definition method, DB:56-DB:57

Quick method, DB:25, DB:56

Quick print, PR:18

Quick-Connect, CM:20-CM:21
 acoustic-coupler modem, CM:20-CM:21
 autodial modem, CM:20-CM:21

Quit, query command screen, SQ:52

R

Range, SS:68-SS:70

apply color to, SS:9-SS:10
 coordinates, SS:68-SS:69
 define, SS:68
 fill with dates, SS:19-SS:20
 fill with values, SS:19
 format, SS:25-SS:26
 hide, SS:30
 modify name, SS:55
 modify values by a constant, SS:19
 name, SS:55
 name delete, SS:56
 point out, SS:69-SS:71
 for formulas, SS:27-SS:28
 for functions, SS:27-SS:28
 from dialog box, SS:69-SS:70
 print, SS:64-SS:65
 reset
 global alignment, SS:1
 to global format, SS:26

Range name, SS:54

create, SS:55

- delete, SS:56
- go to, SS:55
- modify, SS:55
- Range names, list, SS:42–SS:43
- Range options, description of, SS:70
- Re–draw (F6), PJ:19
- README file, BA:19
- Rebuild, a dbsystem, SQ:21, SQ:52–SQ:53
- Receive files. *See* Transfer files
- Records. *See* Add, Archive, Backup, Copy, Destroy, Display, Edit, Index, Merge, Restore, Retrieve, Sort, Update
- Redial, CM:12
- Referenced cells, SS:31
- References, SQ:31–SQ:32
 - ambiguous, SQ:31–SQ:32
 - to columns, SQ:31
 - to indexes, SQ:32
 - to tables, SQ:31
- Reformat, WP:103–WP:104
 - a block, WP:103
 - a document, WP:103
 - a paragraph, WP:103
- Reformatting a block/document, WP:104
- Reformatting a paragraph, WP:104
- Relative address, SS:8
- Relative page range, PR:20
- Releasing margins, WP:8
- Removing attributes, WP:6
- Removing highlighting, WP:19
- Rename, SQ:21
 - a column, SQ:53
 - a file, IN:43–IN:44
 - a synonym, SQ:54
 - a table, SQ:53
 - a view, SQ:54
 - an external table reference, SQ:55
 - an index, SQ:32, SQ:54
 - parts of dbsystem, SQ:21
- Rename command, DB:115
 - error set, DB:129–DB:131
- Repeat character, SS:36
- Replace attribute, WP:38
- Replace command, DB:115
 - stop on all database errors, DB:44
- Replace font, WP:39
- Replace text, WP:36
- Replacing attributes, WP:104
- Report, DB:116
 - “Put It Here!” report, delete field or form, DB:125
 - “Put It Here!” report form, DB:116, DB:123–DB:131
 - generate report, DB:126
 - output, DB:126
 - report on memo fields, DB:125
 - revise, DB:125
 - save revisions, DB:126
 - columnar report, DB:116, DB:117–DB:123
 - break on field, DB:120
 - display computations, DB:119
 - include computations at breaks, DB:121
 - output, DB:117
 - sort data for breaks, DB:121
 - organize records, DB:117
 - precompile, DB:99–DB:100
 - procedural language report, DB:101, DB:116
 - report picture, DB:67
 - report pictures, DB:30
 - revise after database definition, DB:27
 - stop on all database errors, DB:44
- Report pictures. *See* Data pictures
- Report pre–compiler, DB:99–DB:100
- Reserved word lists, APP:65–APP:68
- Reset, WP:105
 - column to global width, SS:85
 - range to global alignment, SS:1
 - range to global format, SS:26
- Resident fonts, WP:6
- Restore command, DB:128–DB:129
- Restoring text, WP:137–WP:138
 - undo, WP:137–WP:138
- Resume printing, PR:19
- Retaining leading blanks, WP:78
- Retrieve records, DB:129
 - find command, DB:129
 - index search, DB:129
 - query, DB:129
 - where prompt, DB:129

Return, CM:12
 Return key, PJ:20
 Revc/trans map, CM:51–CM:56
 Reveal codes, WP:106
 Revise, graph setting, GR:13–GR:14
 Revise file, spreadsheet, SS:70–SS:71
 Revoke
 dbsystem privileges, SQ:22
 table privileges, SQ:22
 Riser size, 3D graphs, PJ:63–PJ:64
 Rollback, SQ:23
 Romance language character set, WP:117
 Row
 headers, PJ:24
 titles, PJ:23–PJ:24
 Row key, SS:73–SS:76
 Rows
 delete, SS:15
 freeze for titles, SS:79–SS:80
 insert, SS:33–SS:34
 transpose with columns, SS:81–SS:82
 Rulers, WP:86–WP:87
 in a document title, WP:26
 in footnotes, WP:49–WP:50
 inserting, WP:74–WP:75
 inserting in a footer, WP:45
 inserting in a header, WP:60
 new file ruler, WP:86–WP:87
 Run, CM:12
 Rx, CM:12

S

Safety levels, SQ:26–SQ:28, SQ:34, SQ:55–SQ:56
 Sample files, PJ:16
 Save, DB:130
 add/edit form, DB:9
 backup copy, SS:72–SS:76
 database definition, DB:26
 database graph settings file, GR:27
 export a file to another format, SS:17–SS:18
 graph, GR:27
 quick save, SS:71
 records to disk, memory buffers,
 DB:130–DB:145
 save as, SS:71–SS:72
 spreadsheet, SS:71–SS:73
 spreadsheet graph, GR:27
 template, SS:72
 Save as, WP:108
 Save changes, SQ:47, SQ:56
 automatic, SQ:25
 Save hardware settings, PR:9
 Saving, WP:108–WP:109
 a file, WP:108–WP:109
 ASCII file, WP:109
 with tabs, WP:109
 automatic document save, WP:9
 Scale data, GR:27–GR:30
 data groups, GR:27–GR:28
 X-axis, GR:28–GR:29
 Y-axis, GR:29–GR:30
 Scan code table, APP:61–APP:64
 Scan code tables. *See* Appendix
 Scatter charts, GR:31
 Scientific format, SS:25
 Scientific notation, SS:25, SS:84
 Scripts, CM:62–CM:66
 Scroll a file, BA:12
 Scrolling
 automatic, SS:53
 manual, SS:52–SS:53
 split display, SS:76
 Search, WP:110
 See also Find
 Searching a file, WP:51–WP:53
 go to, WP:51–WP:53
 Secondary key, SS:73–SS:76
 Section, CM:10
 Security. *See* Data security
 Select set, DB:132
 Selected page printing, PR:20
 Selecting a printer, PR:8
 Selecting data, SQ:11, SQ:12, SQ:23
 Send, CM:13
 Serial cables, APP:13–APP:18
 Serial port, PR:9

- Setdelay, CM:13
- Settings, IN:145–IN:148
 - ASCII import/export separator, IN:147–IN:148
 - currency format, IN:146
 - decimal separator, IN:145–IN:146
 - first day of week, IN:146–IN:147
 - number format, IN:146
 - numeric date format, IN:146
 - text date format, IN:146
 - time format, IN:146
 - units, IN:145
- Setup, CM:13, CM:19–CM:20, CM:22, CM:30–CM:41
 - additional communication parameters, CM:38–CM:39
 - break signal length, CM:38–CM:39
 - CompuServe B+ protocol, CM:38–CM:39
 - default options, CM:38–CM:39
 - filter/mapping, CM:38–CM:39
 - keyboard map, CM:38–CM:39
 - line feeds, CM:38–CM:39
 - tabs, CM:38–CM:39
 - transmit/receive map, CM:38–CM:39
 - alternate Setup, CM:37–CM:38
 - computer/transmission information, CM:34–CM:37
 - baud rate, CM:34–CM:37
 - duplex, CM:34–CM:37
 - parity, CM:34–CM:37
 - stop bits, CM:34–CM:37
 - connect, problems, CM:20
 - cost/time display information, CM:36–CM:37
 - create, CM:31–CM:40
 - delete, CM:41
 - flow control, CM:35–CM:37
 - modem information, CM:33–CM:34
 - ports information, CM:37
 - rename, CM:41
 - revise, CM:40–CM:41
 - ESI_BBS, CM:40
 - Files, CM:40
 - Lexis, CM:40
 - Lexistel, CM:40
 - Newsnet, CM:40
 - Oagee, CM:40
 - sample, CM:40
 - save, CM:39
 - telephone/network information, CM:32–CM:34
 - terminal emulation information, CM:38–CM:39
 - use to connect, CM:19–CM:20
- Shading patterns, GR:31
- Shell to DOS, IN:160
- Shorthand, WP:110–WP:111
 - compile the entries, WP:111
 - create an entry, WP:110
 - use an entry, WP:111
- Show attribute, WP:8
- Side-by-side columns
 - creating, WP:111
 - editing, WP:114–WP:115
 - rulers, WP:114–WP:115
- Single cursor draw, WP:20
- Single underline, WP:6
- Size graph, GR:32
- Skip points on x-axis, GR:2–GR:3
- SlideShow, PJ:98–PJ:106
 - creating new, PJ:100–PJ:101
 - editing, PJ:101–PJ:103
 - loading existing, PJ:99–PJ:100
 - options
 - auto/manual, PJ:103
 - loop/no loop, PJ:103
 - running, PJ:100
 - saving, PJ:101
 - starting, PJ:99
 - title screen, PJ:104–PJ:105
 - transition effect, PJ:102–PJ:103
- Snaking columns, WP:115–WP:117
- Soft fonts, PR:6
- Soft hyphen, WP:62
- Sort, SS:73–SS:76
 - ascending order, SS:73–SS:76
 - column key, SS:73–SS:76
 - descending order, SS:73–SS:76
 - order
 - ascending, SQ:24
 - descending, SQ:24
 - primary key, SS:73–SS:76
 - row key, SS:73–SS:76
 - secondary key, SS:73–SS:76
 - sort range, SS:73–SS:76
- Sort command, DB:131–DB:132
 - descending/ascending order, DB:131
 - multiple fields, DB:131
 - select set, DB:132
- Setup Page Form, PR:9, PR:19

- Sort order, SQL
 - ascending, SQ:8
 - descending, SQ:8
- Sorting columns
 - ascending order, SQ:8
 - descending order, SQ:8
- Sorting text, WP:122–WP:124
 - sorting a block, WP:122
 - sorting with keys, WP:123–WP:124
- Source of data, DB:63
 - another database, DB:63
 - derived value, DB:64–DB:65
 - Put It Here form field, DB:6
 - system, DB:67
- Spacebar, PJ:20
- Spacing
 - between lines, PR:21
 - between lines of text, PR:21
 - footer and text, PR:21
 - header and text, PR:21
- Special characters, WP:117–WP:118
 - in range names, SS:54
- Special characters support, PR:12
- Spectral mapping, 3D graph type, PJ:45–PJ:106
- Spell check, WP:118–WP:122
 - check summary, WP:120
 - user-created dictionary, WP:121
 - using add-on dictionaries, WP:77
- Split spreadsheet display, SS:76–SS:77
 - clear split, SS:77
 - horizontal, SS:76
 - synchronized, SS:76–SS:77
 - unsynchronized, SS:76–SS:77
 - vertical, SS:76
- Spreadsheet
 - creating Enable print files, PR:5
 - printer not installed, PR:3
 - quick print, PR:18
- Spreadsheet and LAN. *See* Installation Booklet
- Spreadsheet files, DB:76–DB:78
 - prepare for import, DB:76
- Spreadsheet graph, GR:7
- Spreadsheets, linking, WP:84–WP:85
- SQL
 - admin menu, SQ:3
- columns
 - adding, SQ:3
 - dropping, SQ:3
 - inserting, SQ:3
 - modifying, SQ:3
- commands, SQ:3
 - alter table, SQ:3
 - close cursor, SQ:4
 - comment on, SQ:5
 - commit, SQ:5
 - connect, SQ:6
 - create dbsystem, SQ:6
 - create external, SQ:7
 - create index, SQ:8
 - create schema, SQ:9–SQ:10
 - create synonym, SQ:10
 - create table, SQ:10
 - create table as, SQ:11
 - create view, SQ:12
 - declare cursor, SQ:5, SQ:13
 - delete, SQ:14
 - delete from...where current, SQ:14
 - disconnect, SQ:15
 - drop, SQ:15
 - fetch, SQ:15
 - grant on dbsystem, SQ:16
 - grant on table, SQ:17
 - input, SQ:18
 - insert, SQ:19
 - lock table, SQ:20
 - open cursor, SQ:4, SQ:20
 - pause, SQ:21
 - rebuild, SQ:21
 - rename, SQ:21
 - revoke on dbsystem, SQ:22
 - revoke on table, SQ:22
 - rollback, SQ:23
 - select, SQ:12, SQ:23
 - select...for update, SQ:25
 - set autocommit, SQ:25
 - set editerror, SQ:25
 - set nowait, SQ:26
 - set safety, SQ:26
 - set trace, SQ:26
 - undeclare cursor, SQ:26
 - update, SQ:27
 - whenever, SQ:27
- conventions, SQ:1–SQ:2
- data constraints. *See* Data constraints
- data types. *See* Data types
- database access to data, SQ:40–SQ:42

- embedded, SQ:1, SQ:13, SQ:14, SQ:27, SQ:45–SQ:47, SQ:48
 - error messages, SQ:46
 - local fields, SQ:45
 - multi–line statements, SQ:45
 - null indicators, SQ:46
 - null values, SQ:45
 - single–line statements, SQ:45
 - entering statements, SQ:50
 - error messages, SQ:50
 - exiting, SQ:52
 - external file formats. *See* File formats
 - file structure. *See* File structure
 - help, SQ:51
 - in database reports, SQ:1
 - interactive, SQ:1, SQ:48, SQ:49
 - executing a statement, SQ:50
 - interactive menus, SQ:50
 - keywords
 - asc, SQ:24
 - desc, SQ:24
 - operators, SQ:49
 - printing data, SQ:40
 - renaming, SQ:53
 - saving changes, SQ:56
 - statistical functions, SQ:59
 - system requirements, SQ:1
 - top line menu, SQ:50
 - valid column data types, SQ:10
 - SQL data, quick print, PR:19
 - ST_AREA. *See* Area code table
 - Standard deviation, SQ:59
 - Standard form. *See* Add/Edit form
 - Start Enable, BA:13–BA:14
 - See also* Installation Booklet
 - Start–up batch file. *See* Installation Booklet
 - Start–up parameters. *See* Installation Booklet
 - Starting SQL, SQ:48
 - Statistical functions, SQ:59
 - Status, in spreadsheet, SS:43–SS:44
 - Status Line, WP:124
 - Status line, BA:11, SS:4
 - Step graphs, GR:32–GR:33
 - Stop, CM:14
 - Stop bits, CM:17
 - Stretch graph size, GR:32
 - Strikethrough, WP:124–WP:125
 - String operators, SS:26–SS:27
 - Styles menu, WP:5–WP:6
 - Subfile, CM:14
 - Subtitles, graph, GR:40
 - SuperCalc, protection, SS:68
 - Symbol art, GR:33–GR:37
 - copy to word processing, GR:36
 - display, GR:36
 - organizational charts, GR:36–GR:37
 - specification chart, GR:33–GR:34
 - symbol codes, GR:34–GR:35
 - Synonyms, SQ:36, SQ:66
 - Syntax notations, SQ:1–SQ:2
 - SYS:RECORD field, DB:49, DB:110
 - disable display, DB:49
 - SYSCOLUMNS, SQ:62
 - SYSINDEX, SQ:64
 - SYSPASSWD, SQ:63
 - SYSTABAUTH, SQ:63
 - SYSTABLES, SQ:60
 - System print files, PR:13
 - System requirements, SQ:1
 - See also* Installation Booklet
 - System tables, SQ:5, SQ:60–SQ:65, SQ:66
 - syscolumns, SQ:4, SQ:62
 - sysindex, SQ:64–SQ:65
 - syspasswd, SQ:63
 - systabauth, SQ:63
 - systables, SQ:60
 - systrans, SQ:65
 - System–generated page breaks, WP:90
 - System–supplied fields, DB:49, DB:110
 - SYSTRANS, SQ:65
- T**
- Table
 - changing data in, SQ:27
 - entering data in, SQ:18
 - inserting data into a, SQ:19
 - locking, SQ:20

- Table of authorities, WP:125–WP:128
 - compiling, WP:127–WP:128
 - designating authorities, WP:126
- Table of contents, WP:128–WP:131
 - compiling a table, WP:130
 - deleting an entry, WP:131
 - editing an entry, WP:130
 - inserting an entry, WP:129
 - modifying the format, WP:128–WP:129
 - printing a table of contents, WP:130
- Table types
 - SQL, SQ:66
 - virtual tables, SQ:12
- Tabs, WP:131–WP:135
 - alphanumeric, WP:133–WP:134
 - character alignment, WP:134
 - editing, WP:135–WP:136
 - adding tabs, WP:135
 - altering text set with tabs, WP:135
 - copying text that contains tabs, WP:135
 - in insert mode, WP:135
 - in regular mode, WP:135
 - moving text that contains tabs, WP:135
 - numeric, WP:132–WP:133
 - to center text, WP:134
 - Top Line Menu, WP:132
- Target cell, SS:6–SS:7
- Telecommunications, CM:14
- Telephone book, IN:12–IN:13
 - create, IN:12–IN:13
 - manipulate data, IN:13
 - print, IN:13
 - revise, IN:13
- Template, SS:72
- Temporary left margin, WP:136
- Terminal emulation, CM:18, CM:38–CM:39, CM:56–CM:62
 - cursor mode, CM:57
 - display attributes, CM:59
 - during a session, CM:57
 - from a Setup, CM:56–CM:57
 - host mode, CM:57
 - numeric keypad, CM:57
 - setup form options, CM:60
 - supported features, CM:60
 - VT100/102, CM:57
 - VT220/320, CM:57
 - VT52, CM:57
- Test, CM:14
- Text charts, GR:37–GR:40
 - display text on graph, GR:39–GR:40
 - display text only as a graph, GR:39
 - specification chart, GR:38–GR:39
- Text graphic density, PR:7, PR:22
- Text markers, WP:136
- Thesaurus, WP:136–WP:137
- Three-dimensional spreadsheet, SS:77–SS:79
 - activate view, SS:77
 - delete level, SS:15
 - formulas and functions, SS:29
 - insert level, SS:34
 - move the pointer, SS:54
 - move to other levels, SS:77
 - order of operation, SS:77–SS:78
 - print, SS:62–SS:66
 - retrieve in level, SS:57
 - top line menu, SS:78–SS:79
- TIFF files, for pagemaker, PJ:17
- Time, CM:15
 - automatic, WP:10
- Time display, CM:18
- Time field, DB:61
 - in definition, DB:61
 - report picture, DB:67
 - system-supplied, DB:110
- Time format, SS:24
- Title and subtitle layout, 3D graphs, PJ:64–PJ:65
- Title page, PR:22
 - creating a title page, WP:26
 - deleting a title page, WP:27
 - inserting a ruler, WP:26–WP:27
 - inserting a title page, WP:27
- Titles, SS:79–SS:80
 - column, PJ:23–PJ:24
 - graph, GR:40
 - in a split display, SS:80
 - lock, SS:79–SS:80
 - print locked, SS:80
 - row, PJ:23–PJ:24
 - unlock, SS:80
- To Do list. *See* Calendar
- Tools options, description of, SS:80
- Top Line Menu, BA:18, WP:137

Top line menu, SS:80–SS:81, SQ:50
 spreadsheet
 activate, SS:81
 menu overview, SS:81

Transfer files, CM:42–CM:51
 Kermit protocol, CM:46–CM:50
 receive, CM:42–CM:46
 ASCII file, CM:45
 transmission problems, CM:46
 transmit, CM:42–CM:46
 Transmit/Receive Map, CM:51–CM:56
 Unattended File Transfer Script, CM:62–CM:66
 using CompuServe protocol, CM:42–CM:46
 using Enable protocol, CM:42–CM:46
 using Kermit protocol, CM:42–CM:46
 using memory capture, CM:50
 using None protocol, CM:42–CM:46
 using word processing, CM:50
 using Xmodem protocol, CM:42–CM:46
 using Ymodem protocol, CM:42–CM:46

Transfer form, DB:21–DB:25
 in copy, DB:21–DB:25
 in merge, DB:93
 in update, DB:133

Transmit files. *See* Transfer files

Transmit/Receive Map, CM:22
 compile, CM:54
 create, CM:51–CM:52
 format rules, CM:51–CM:52
 save, CM:54
 sections, CM:52–CM:55
 ignore, CM:52–CM:53
 option, CM:54
 replace, CM:53–CM:54
 use, CM:55

Transparencies, plot on, PJ:81

Transpose, SS:81–SS:82

Transpositions, WP:137

Truncate, graph, PJ:26–PJ:27

Tutorials, BA:2

Tx, CM:15

U

Unattended File Transfer Script, CM:22,
 CM:62–CM:66
 compile, CM:64
 create, CM:62

format rules, CM:62
 perform, CM:65
 communications log, CM:65
 save, CM:64

Unattended File Transfer Script commands,
 CM:5–CM:16
 clearif, CM:6
 day, CM:6
 delay, CM:7
 end, CM:8
 exit, CM:8
 gosub, CM:9
 goto, CM:9
 if, CM:9
 key, CM:10
 label, CM:10
 local, CM:11
 passw, CM:11–CM:68
 return, CM:12
 run, CM:12
 rx, CM:12
 section, CM:10
 send, CM:13
 setup, CM:13
 stop, CM:14
 subfile, CM:14
 telecommunications, CM:14
 test, CM:14
 time, CM:15
 tx, CM:15
 wait4, CM:16

Undelete command, DB:133

Underline, SS:35
 double, WP:6
 single, WP:6

Underlining, single, WP:6

Underlining text, WP:3–WP:4

Undo, WP:137–WP:138, SS:82–SS:83, SQ:23,
 SQ:47, SQ:66
 deleted data, SS:82
 last change, SS:82–SS:83

Undo last command, SS:14–SS:21

Unidirectional printing, WP:138, PR:8

Unique index. *See* Indexes

Universal calculation, SS:5

Unprotect, SS:67

Update command, DB:133–DB:136
 error set, DB:135

Upper/lowercase conversion, WP:7
 User names, SQ:16, SQ:33
 in SQL, SQ:6
 User-created dictionary
 developing, WP:121
 displaying, WP:121
 modifying, WP:121
 printing, WP:121
 User-defined hyphenation zone, WP:139
 User-defined page breaks, WP:90-WP:91
 User-defined shorthand, WP:110-WP:111
 User-designated field definition, DB:136-DB:138
 revise, DB:138
 Utility Menu. *See* File Manager

V

Value-copy, SS:83
 Values, SS:83-SS:84
 align, SS:1-SS:2
 apply color to, SS:8-SS:10
 asterisks, SS:84
 copy, SS:83
 correct mistake, SS:83-SS:84
 date, SS:23
 displayed as labels, SS:36
 enter, SS:13
 fill a range with, SS:19
 format, SS:22-SS:26
 modify a range, SS:51
 numeric keypad, SS:84
 scientific notation, SS:84
 time, SS:24
 Variance, SQ:59
 Ventura publisher, PJ:16-PJ:17
 Verify command, DB:7, DB:138-DB:139
 Verify connection, PR:8
 Vertical tab, WP:139
 Vertically centering text, WP:2
 Video modes, WP:140
 Video display. *See* Installation Booklet
 Video modes, BA:18

Viewing angles, PJ:66-PJ:78
 custom, PJ:72-PJ:78
 box dimensions, PJ:77-PJ:78
 hide/show graph, PJ:74-PJ:75
 rotate in 3D, PJ:75-PJ:76
 zoom, pan, and distort, PJ:76-PJ:77
 list of preset, PJ:67-PJ:72
 select preset, PJ:66-PJ:72
 Viewing word processing files
 draft mode, WP:28
 file history, WP:31-WP:33
 final mode, WP:33
 page preview, WP:92-WP:94
 Virtual table, SQ:66
 See also Table types
 Volume labels, IN:52-IN:53
 VT102 emulation, CM:56
 VT220 emulation, CM:56
 VT320 emulation, CM:56
 VT52 emulation, CM:56

W

Wait4, CM:16
 Walls and grid lines, 3D graphs, PJ:65-PJ:66
 Where prompt, DB:139-DB:140
 case sensitive, DB:44
 use dot commands, DB:111
 use operators, DB:95-DB:97
 Widows and Orphans, WP:140
 Widows/orphans, PR:20
 Width, in spreadsheet, SS:84-SS:85
 global, SS:85
 individual column, SS:85
 reset global, SS:85
 Wild cards, WP:40, DB:97
 using dollar signs, WP:40-WP:41
 using question mark, WP:40-WP:41
 Window number, SS:4
 Window Status Options Screen, IN:151-IN:152
 Windows, IN:149-IN:160
 check status of, IN:151-IN:152

close, IN:160-IN:162
copy data between, IN:152-IN:157
copy from Database
 to Spreadsheet, IN:157
 to Word Processing, IN:156-IN:162
copy from Graphics, to Word Processing,
 IN:155-IN:156
copy from Spreadsheet
 to Spreadsheet, IN:154-IN:155
 to Word Processing, IN:155
copy from Word Processing
 to Spreadsheet, IN:154
 to Word Processing, IN:153
display operating system in, IN:158-IN:160
general information, IN:149
move, IN:150-IN:151
open, IN:149
open a file in multiple, IN:149
size, IN:150-IN:151
switch, IN:149-IN:150

Word processing, quick print, PR:18

Word processing and LAN. *See* Installation
 Booklet

Word processing quick commands, WP:141

Word size, CM:17

Work Area, SS:4

X

X-axis
 label format, GR:1-GR:3

scale, GR:28-GR:29
skip points, GR:2-GR:3

X-axis data, GR:1-GR:3

Xmodem. *See* Protocol

XY graphs, GR:41-GR:42

Y

Y-axis
 data, GR:41-GR:42
 label format, GR:1-GR:3
 scale, GR:29-GR:30

Ymodem. *See* Protocol

Z

Zero plane, floating, PJ:24-PJ:25

Zero values display, SS:14

Zip code table, DB:140-DB:141

 add, DB:140-DB:141

 edit, DB:140-DB:141

Zoom, PJ:76-PJ:77

