

## Symbols

%alt command, WP:61  
 %bin command, WP:95, WP:96  
 %control command, WP:15  
 %date command, WP:8  
 %density command, WP:56, PR:7  
 %fnum command, WP:49–WP:50  
 %gr color command, WP:55  
 %gr landscape command, WP:57  
 %gr portrait command, WP:57  
 %include command, WP:130  
 %landscape command, WP:76, WP:97  
 %lines command, WP:82  
 %link and linkend commands, WP:82  
 %lnum command, WP:79–WP:80  
 %numdate command, WP:8  
 %pages and pagee commands, WP:90  
 %pause command, WP:102  
 %portrait command, WP:76, WP:97  
 %reset command, WP:105  
 %time command, WP:10  
 %uni command, WP:138  
 %vcenter command, WP:2  
 %vtab command, WP:139  
 @ functions. *See* Functions

## A

About Enable, BA:1  
 Absolute address, SS:8  
 Absolute page range, PR:20  
 Access, public, SQ:6  
 Accessories, IN:1–IN:26  
   calculator, WP:13, IN:1–IN:3  
   calendar, IN:13–IN:26  
     To Do list, IN:22–IN:26  
   card file, IN:4–IN:12  
   clock, IN:3  
   general information, IN:1  
   telephone book, IN:12–IN:13  
 Active link, SS:38–SS:41  
   macro library, SS:49–SS:50  
 Add records, DB:1  
 Add/Edit form, DB:2–DB:11  
   “Put It Here” form, field position, DB:5  
   custom form, DB:2–DB:11  
   default form, DB:2–DB:11  
   left justify numbers, DB:43–DB:44  
   modify after database definition, DB:10  
   modify after database definition revision, DB:27  
   Put It Here form, DB:2–DB:11  
     copy to next screen, DB:7  
     default data, DB:8  
     delete field, DB:10  
     delete form, DB:10  
     design, DB:3  
     display message, DB:8  
     field attributes, DB:6  
     field on template, DB:8  
     field position, DB:4  
     go to another field, DB:8  
     macros, DB:8  
     place field on form, DB:8  
     press enter on field, DB:8  
     protect field from update, DB:7  
     quit, DB:10  
     revise, DB:10–DB:17  
     save, DB:9  
     special processing options, DB:7  
     suppress printing of field, DB:8  
     verify record, DB:7  
   revise, save, DB:11  
   source of data  
     another database, DB:6  
     derived, DB:6  
     local, DB:6  
     system, DB:6  
   standard form, DB:2  
   verify, DB:138–DB:139  
 Address. *See* Cell Address  
 Admin menu, SQ:3  
 Administrator  
   dbsystem, SQ:33  
   for dbsystem, SQ:32  
 Aliases, SQ:66  
 Align  
   alignment characters, SS:2  
   center on decimal points, SS:2

- global align, SS:1
- range align, SS:1
- reset, SS:1
- Align data, SS:1–SS:2
- Aligning text
  - aligning a block of text, WP:1
  - aligning a single line, WP:1
  - using keystroke commands, WP:1
  - vertically centering text, WP:2
- Alignment characters, SS:2
- Alter table, SQ:3
- Alternate, CM:5, CM:6
- Alternate page numbering, PR:22
- Alternating headers and footers, WP:61
- ANSI
  - operators, SQ:49
  - SQL standard, SQ:1
- ANSI (X364–79) emulation, CM:56
- ANSITSG.SYS, IN:158–IN:159
- Answer mode, CM:1
  - autodial modem, CM:1
- Appendices
  - ASCII table, APP:9–APP:12
  - AT (Hayes) commands, APP:7–APP:8
  - bulletin boards that support Enable, APP:1–APP:2
  - common error messages, APP:159–APP:166
  - default profile options, APP:69–APP:76
  - Enable file name extensions, APP:77–APP:82
  - functions, APP:83–APP:158
  - glossary of communications terms, APP:3–APP:6
  - Perspective ASCII file format, APP:167–APP:170
  - procedural language commands, APP:19–APP:60
  - reserved word lists, APP:65–APP:68
  - scan code table, APP:61–APP:64
  - wiring serial cables, APP:13–APP:18
- Applying fonts, WP:40
- Archive command, DB:11
  - records, DB:11
- Area code table, DB:12
  - Canadian, DB:12
  - modify, DB:12
- Areas of spreadsheet, SS:2–SS:4
  - borders, SS:4
  - cells, SS:2–SS:4
  - columns, SS:2–SS:4
  - data entry area, SS:3
  - information display area, SS:3
  - mode indicator, SS:3–SS:4
  - rows, SS:2–SS:4
  - status line, SS:4
  - work area, SS:4
- Arguments, SS:27
- Arrays, APP:30
- Arrow keys, PJ:20
- Ascending sort order, SS:73–SS:76
- ASCII
  - export from spreadsheet, SS:18
  - import to spreadsheet, SS:32–SS:33
  - table, APP:9–APP:12
- ASCII character chart, SS:73–SS:76
- ASCII files, saving with tabs, WP:109
- Asterisks, SS:84
- AT (Hayes) commands, APP:7–APP:8
- Attribute help window, WP:4
- Attributes
  - activating and applying, WP:5
  - activating attributes, WP:4
  - applying attributes, WP:4–WP:5
  - attribute help menu, WP:7
  - control key combinations, WP:5, WP:12, WP:70–WP:71
  - find attributes, WP:37
  - in cells, SS:35
  - removing attributes, WP:6
  - replacing attributes, WP:104
  - show attribute, WP:8
  - text attributes, WP:3–WP:4
  - text segments, WP:5, WP:12, WP:70
  - underlining, WP:6
- Audit options, description of, SS:4
- Autodial modem, CM:1, CM:33
- Automated spreadsheet, SS:48–SS:49
- Automatic calculation, SS:4
- Automatic date, WP:8
- Automatic document save, WP:9
- Automatic page numbering, WP:91–WP:92
- Automatic reformat, WP:103–WP:104
- Automatic time feature, WP:10

**B**

Back out (F10), PJ:19–PJ:20  
 Background calculation, SS:5–SS:6  
 Backup command, DB:13  
   databases, DB:13  
   records, DB:13  
 Backup copy, SS:72–SS:76  
 Backup Files, WP:10  
 Bar graphs, GR:3–GR:5  
 Base table, SQ:66  
 Baud rate, CM:17  
 Beep, CM:6  
 Bin command, WP:95  
 Blank line, WP:73  
 Block, PJ:9–PJ:10  
   insert, SS:34  
   of cells in range, SS:68–SS:70  
   save, SS:71–SS:72  
 Blocked text printing, PR:20  
 Blocking and marking text, WP:16–WP:17  
 Blocks, delete, SS:15  
 Boldface, SS:35  
 Bolding text, WP:3–WP:4  
 Borders, SS:4  
 Borders, print, SS:64–SS:65  
 Box character set, WP:117  
 Brace codes, DB:69, DB:105, DB:107, DB:119  
 Break signals, CM:16–CM:17  
   change length, CM:16–CM:17  
   send, CM:16–CM:17  
 Browse command, DB:13–DB:16  
   indices, DB:13–DB:16  
 Buffering, buffer size, DB:81  
 Buffers, save buffers to disk, DB:130  
 Bulletin boards, APP:1–APP:2  
 By group bar graph, GR:5–GR:6

**C**

Cables, wiring serial, APP:13–APP:18  
 Calculate, SS:4–SS:7  
   automatic, SS:4  
   calc–order, SS:42–SS:43  
   circular references, SS:28–SS:29  
   goal seeking, SS:6–SS:7  
   interrupt, SS:5–SS:6  
   iterative, SS:5  
   manual, SS:5  
   minimal, SS:4  
   reset automatic, SS:5  
   universal, SS:5  
 Calculator, WP:13–WP:14, IN:1–IN:3  
   commands, IN:1–IN:2  
   display, IN:1  
   functions, IN:2–IN:3  
   quit, IN:2  
 Calendar, IN:13–IN:26  
   add an appointment, IN:16–IN:17  
   appointment log, IN:14–IN:15  
   change the current date, IN:15  
   copy an appointment, IN:18–IN:19  
   delete an appointment, IN:19–IN:20  
   description of screen, IN:14–IN:15  
   designate a holiday, IN:21–IN:22  
   display, IN:13–IN:14  
   edit an appointment, IN:17–IN:18  
   find an appointment, IN:21  
   move an appointment, IN:20  
   print, IN:24  
   quit, IN:24–IN:26  
   scroll the appointment graph, IN:18  
   set the month display, IN:15  
   To Do list, IN:14–IN:15  
     add a project, IN:22  
     copy a project, IN:23  
     delete a project, IN:23  
     edit a project, IN:22–IN:23  
     find a project, IN:23–IN:24  
     print, IN:24  
 Cancel hardware settings, PR:9  
 Cancel printing, PR:4

- Capture data, CM:1–CM:5
  - to disk, CM:4–CM:5
  - to memory, CM:1–CM:4
    - during a session, CM:1–CM:4
    - edit, CM:2–CM:3
    - entire session, CM:1–CM:4
    - save, CM:3
  - to printer, CM:5–CM:6
- Card file, IN:4–IN:12
  - add cards, IN:7–IN:9
  - build, IN:7–IN:9
  - create, IN:4
  - data entry mode, IN:7–IN:9
  - date – stamp a card, IN:11
  - delete a card, IN:11
  - design a template card, IN:6–IN:7
  - duplicate a card, IN:11
  - edit mode, IN:7–IN:9
  - edit the template card, IN:9
  - enter data on a card, IN:5–IN:6
  - erase data, IN:11
  - find a card, IN:10–IN:11
  - open, IN:4–IN:5
  - print, IN:12
  - quit, IN:12
  - scroll, IN:9
  - sort cards, IN:9–IN:10
  - time – stamp a card, IN:11
- Cartridges, PR:6
  - selecting, PR:9
- Case conversion, WP:7, WP:14
- Case insensitive search, DB:44
- Case sensitive search, DB:44
- Cell, SS:2–SS:4
  - cell capacity, SS:2–SS:4
- Cell address, SS:7–SS:8
  - absolute, SS:8
  - mixed, SS:8
  - relative, SS:8
- Cell macro commands, SS:45–SS:48
  - evaluate an expression, SS:48
  - execute subroutine, SS:48
  - go to another cell for commands, SS:47
  - if – then condition, SS:47–SS:48
  - prompt for keyboard entry, SS:45–SS:46
  - quit, SS:48
  - user – defined menu options, SS:46–SS:47
- Cell notes. *See* Notes
- Center
  - data in cell, SS:1
  - values on decimal, SS:2, SS:13
- Centering text vertically, WP:2
- Change case menu, WP:7
- Changing case, WP:7, WP:14
- Changing paper trays, WP:95
- Changing ruler margins, WP:14, WP:58–WP:59, WP:74–WP:75, WP:92–WP:94
- Characters sets, WP:117
- Circular references, SS:28–SS:29
- Clause
  - group by, SQ:23, SQ:24
  - having, SQ:24
  - order by, SQ:24
  - with grant option, SQ:18
- Clarify, CM:6
- CLIPBD.ESI file, IN:30
- Clipboard, IN:27–IN:30
  - See also* Integration
  - copy data
    - from a database, IN:29
    - from a spreadsheet, IN:28
    - from a word processing file, IN:27
  - cut data
    - from a spreadsheet, IN:28
    - from a word processing file, IN:27–IN:28
  - delete data, IN:27
  - paste data
    - to a database, IN:29
    - to a spreadsheet, IN:28–IN:29
    - to a word processing file, IN:28
  - use as a database, IN:30
  - use in Database, IN:29–IN:30
  - use in Spreadsheet, IN:28–IN:29
  - use in Word Processing, IN:27–IN:28
  - view contents of, IN:30
- Clock, IN:3
- Club commands, PR:10
  - deactivating, PR:11
  - general information, PR:11
  - inserting, PR:11
  - printer support, PR:13
- Color, SS:8–SS:10
  - “Less than X” option, SS:10
  - 2D graphs, PJ:37–PJ:39

- 3D graphs, PJ:59–PJ:62
- activate display, SS:9
- apply to a range, SS:9–SS:10
- deactivate display, SS:9
- design color display, SS:9
- palette, SS:9
- Color by row or column, 3D graphs, PJ:61–PJ:62
- Color mixer, 3D graphs, PJ:60–PJ:61
- Color options
  - 2D graphs, PJ:37–PJ:39
  - 3D graphs, PJ:59–PJ:62
- Colors
  - for graph data, GR:5–GR:6
  - plot, PJ:81
  - print, PJ:95
- Column
  - headers, PJ:24
  - range width, SS:85
  - titles, PJ:23–PJ:24
- Column counter, WP:78
- Column key, SS:73–SS:76
- Columnar report, DB:117–DB:123
  - advanced features, DB:120
  - break, DB:120
  - computations, DB:119
  - output, DB:117
- Columns, WP:111–WP:117
  - adding, SQ:3
  - change global width, SS:85
  - change width, SS:85
  - data types, SQ:3
  - delete, SS:14
  - dropping, SQ:3
  - freeze for titles, SS:79–SS:80
  - hide, SS:30
  - insert, SS:33
  - inserting, SQ:3
  - modifying, SQ:3
  - moving, SQ:3
  - reset to global width, SS:85
  - side-by-side, WP:111–WP:115
  - snaking columns, WP:115–WP:117
  - transpose with rows, SS:81–SS:82
- Combine spreadsheet files, SS:10–SS:11
  - from disk file, SS:11
  - from open window, SS:10–SS:11
- Comma format, SS:23
- Comma-separated files, DB:21–DB:25
  - define column/length syntax, DB:23
  - field length syntax, DB:22
  - field/length syntax, used in Where and Fields prompts, DB:23
- Commands
  - See also* cell macro; Quick commands
  - modem, APP:7–APP:8
  - SQL, SQ:3–SQ:28
    - alter table, SQ:3
    - close cursor, SQ:4
    - comment on, SQ:5
    - commit, SQ:5
    - connect, SQ:6
    - create dbsystem, SQ:6
    - create external, SQ:7
    - create index, SQ:8
    - create schema, SQ:9–SQ:10
    - create synonym, SQ:10
    - create table, SQ:10
    - create table as, SQ:11
    - create view, SQ:12
    - declare cursor, SQ:5, SQ:13
    - delete, SQ:14
    - delete from...where current, SQ:14
    - disconnect, SQ:15
    - drop, SQ:15
    - fetch, SQ:15
    - grant on dbsystem, SQ:16
    - grant on table, SQ:17
    - input, SQ:18
    - insert, SQ:19
    - lock table, SQ:20
    - open cursor, SQ:4, SQ:20
    - pause, SQ:21
    - rebuild, SQ:21
    - rename, SQ:21
    - revoke on dbsystem, SQ:22
    - revoke on table, SQ:22
    - rollback, SQ:23
    - select, SQ:12, SQ:23
    - select...for update, SQ:25
    - set autocommit, SQ:25
    - set editorerror, SQ:25
    - set nowait, SQ:26
    - set safety, SQ:26
    - set trace, SQ:26
    - undeclare cursor, SQ:26
    - update, SQ:27
    - whenever, SQ:27

- Comment, SQ:5
  - on a column, SQ:28
  - on a synonym, SQ:30
  - on a table, SQ:29
  - on a view, SQ:30
  - on an external table reference, SQ:30
  - on an index, SQ:29, SQ:32
  - on dbssystem, SQ:28–SQ:31
- Comments, WP:15
  - add to formulas and functions, SS:29
- Commit, SQ:5
- Communication port, CM:37
- Communications, quick print, PR:19
- Communications and LAN. *See* Installation Booklet
- Communications options, CM:16–CM:18
  - baud rate, CM:17
  - break signals, CM:16–CM:17
  - cost, CM:17–CM:18
  - duplex, CM:17
  - flow control, CM:17
  - line feed, CM:18
  - parity, CM:17
  - pause time, CM:17
  - stop bits, CM:17
  - terminal emulation, CM:18
  - time, CM:18
  - word size, CM:17
- Component references. *See* References
- Compress, a dbssystem, SQ:52
- CompuServe. *See* Protocol
- Computations, DB:107
  - in a report at break, DB:121
  - report, DB:119
- Condition, where, SQ:14, SQ:24, SQ:27
- Conditional page breaks, WP:90
- CONFIG.SYS. *See* Installation Booklet
- Connect, CM:19–CM:21, SQ:6
  - quick–connect, CM:20–CM:21
  - setup, CM:19–CM:20
    - problems, CM:20
  - to a dbssystem, SQ:32–SQ:33, SQ:47
  - to dbssystem, from database, SQ:40
- Constraints
  - default, SQ:37
  - in, SQ:37
- max, SQ:37
- min, SQ:37
- not null, SQ:36
- not unique, SQ:36
- null, SQ:36
- unique, SQ:36
- using, SQ:37
- Control command, WP:15
- Conventions, SQL, SQ:1–SQ:2
- Converting case, WP:7, WP:14
- Coordinates, range, SS:68–SS:70
- Copy, SS:11–SS:12, DB:16–DB:24
  - a block of text, IN:27
  - a file, IN:41–IN:43
  - between windows. *See* Clipboard; Windows
  - cell, SS:11–SS:12
  - copy options, DB:19
  - copy transfer form, DB:16, DB:21
    - column/length syntax, DB:23
    - field/length syntax, DB:22
  - from a file, DB:16
    - spreadsheet file, DB:16
    - WP/ASCII text file, DB:16
  - from another database, DB:16
  - from another window, DB:16
    - database window, DB:16
    - WP/ASCII text window, DB:16
  - graph setting, GR:6–GR:7
  - graph to word processing, GR:7
  - links, SS:12–SS:13
  - marked text, IN:27
  - noncontiguous text, IN:27
  - range, SS:12
  - symbol to word processing, GR:36
  - within a file. *See* Clipboard
- Copy command, DB:16–DB:24
- Copying text, WP:16–WP:19
  - blocking and marking text, WP:16–WP:17
  - removing highlighting, WP:19
  - using the Top Line Menu, WP:17–WP:18
  - window status option screen, WP:17–WP:18, WP:25
- Cost display, CM:17–CM:18
- Create
  - a dbssystem, SQ:6, SQ:33–SQ:34
  - a synonym, SQ:10, SQ:33, SQ:36
  - a table, SQ:10, SQ:33
  - a view, SQ:12, SQ:33

an external table reference, SQ:33, SQ:35  
 an index, SQ:33  
 database graph, GR:7  
 default setting, GR:10–GR:11  
 external table reference, SQ:7  
 index, SQ:8  
 schema, SQ:33  
 spreadsheet graph, GR:7

Create a database, DB:25  
 database definition, DB:25  
 delete, DB:26  
 error messages, DB:26  
 revise, DB:26  
 revise forms, DB:27  
 save, DB:26  
 field definition, DB:55–DB:68  
*See also* field definition  
 format, DB:43  
 print definition, DB:100

Create a file, WP:87–WP:88

Create menu, SQ:33

Create spreadsheet, SS:12–SS:13  
 enter data, SS:13

Creating a file, WP:19  
 new file ruler, WP:86–WP:87  
 ruler, WP:86–WP:87

Creating a paragraph, WP:98

Ctrl key, with arrows, PJ:20

Cubic range. *See* Three-dimensional view

Current ruler, WP:74

Cursor, in spreadsheet, SS:52–SS:54

Cursor commands, WP:20  
 declare cursor, SQ:13, SQ:14, SQ:16, SQ:20,  
 SQ:26  
 delete from cursor set, SQ:14  
 fetch cursor, SQ:13, SQ:14, SQ:15  
 open cursor, SQ:15, SQ:20  
 scrolling a cursor, SQ:13  
 undeclare cursor, SQ:26

Cursor draw, WP:20

Custom currency format, SS:25

Custom features, 2D graphs, PJ:37–PJ:42

Custom numeric date format, SS:23

Custom numeric format, SS:25

Custom text date format, SS:23

Custom time format, SS:24

Customer support, BA:1

Cut data. *See* Clipboard

## D

### Data

block, PJ:9–PJ:10  
 enter manually, PJ:5  
 out of range, PJ:26–PJ:27  
 rearrange, PJ:7–PJ:9

Data constraints, SQ:3, SQ:36–SQ:37

default, SQ:3  
 for SQL, SQ:11  
 in, SQ:3  
 max, SQ:3  
 min, SQ:3  
 not null, SQ:3  
 not unique, SQ:3  
 null, SQ:3  
 unique, SQ:3  
 using, SQ:3

Data dictionary, DB:28, SQ:60

create, DB:28

Data directory. *See* Installation Booklet

Data Entry Area, SS:3

Data files, PJ:12–PJ:14

load, PJ:12–PJ:13  
 merge, PJ:13  
 save, PJ:13–PJ:14

Data groups, GR:8

apply colors, GR:6  
 define for graph, GR:9–GR:10  
 scale, GR:27–GR:28  
 shading patterns, GR:31

Data manager, PJ:2–PJ:10

access and exit, PJ:3  
 change number range, PJ:25–PJ:26  
 size limit, PJ:5

Data pictures, DB:30–DB:41

compatibility with pre-4.5 versions,  
 DB:40–DB:41  
 date pictures, DB:35–DB:38  
 format, DB:30–DB:31  
 numeric pictures, DB:31–DB:34  
 phone pictures, DB:38–DB:39

- text pictures, DB:34–DB:35
- time pictures, DB:39–DB:40
- Data reversal
  - 2D graphs, PJ:40–PJ:41
  - 3D graphs, PJ:62–PJ:63
- Data safety. *See* Safety levels
- Data security, SQ:12
- Data types, DB:59–DB:62, SQ:38
  - char, SQ:3, SQ:38
  - columns, SQ:3
  - currency, DB:59
  - date, DB:61, SQ:3, SQ:39
  - decimal, DB:59, SQ:3, SQ:38
  - double precision, SQ:3, SQ:40
  - float, SQ:3, SQ:38
  - floating point, DB:59
  - integer, DB:59, SQ:3, SQ:38
  - logical, DB:61, SQ:3, SQ:39
  - long, SQ:3, SQ:38
  - long varchar, SQ:3
  - memo, DB:62
  - money, SQ:3, SQ:39
  - numeric, DB:59, SQ:3, SQ:39
  - phone, DB:61, SQ:3, SQ:39
  - real, SQ:3, SQ:39
  - smallint, SQ:3, SQ:38
  - state, DB:61, SQ:3, SQ:39
  - text, DB:60
  - time, DB:61, SQ:3, SQ:39
  - valid for SQL column, SQ:10
  - varchar, SQ:3, SQ:38
  - zip, SQ:3, SQ:39
  - zip code, DB:61
- Database
  - access to SQL data, SQ:40–SQ:42
  - creating Enable print files, PR:5
  - quick print, PR:18
- Database and LAN. *See* Installation Booklet
- Database definition
  - See also* create a database printing, PR:18
- Database fields, inserting in a word processing document, WP:21
- Database graph, GR:7
- DATABASE NUMERIC SIZE ERROR, DB:41, DB:59
- Database prompt, DB:41
- Database system. *See* Dbsystem
- Date feature, WP:8
- Date format, SS:23
- Dates
  - fill a range with, SS:19–SS:20
  - print in header, SS:65
- Day, CM:6
- DBA. *See* Administrator
- Dbsystem
  - creating, SQ:6
  - definition of, SQ:59
- Deactivating a club command, PR:11
- Debug command, DB:86–DB:90
- DEC VT100, CM:56
- Decimal format. *See* Fixed decimal point format
- Decimal places, SS:23
- decimal places, SS:23
- Decimal point centering, SS:13
- Default bin, WP:96
- Default font, WP:41, PR:9
  - changing, WP:42
  - selecting, PR:9
- Default graph setting, GR:10–GR:11
- Default printer, PR:2
- Default profile options, APP:69–APP:76
- Default ruler, WP:74
- Defaults, WP:22, SS:13–SS:14, DB:42–DB:46
  - autolock records on LAN, DB:44–DB:46
  - database format greater than 3.0, DB:43
  - display records when page is full, DB:44
  - display SYS:RECORD and DELETED fields, DB:44
  - hyphenation, WP:62
  - index prompt at end of edit on select set, DB:44
  - left justify numbers in Add/Edit, DB:43–DB:44
  - new index file format, DB:45–DB:48
  - new memo file format, DB:45
  - passthru values to linked database, DB:43
  - stop on all database errors, DB:44
  - where clause case sensitive, DB:44
- Delay, CM:7
- Delete, SS:14–SS:15
  - a file, IN:43
  - add/edit form, DB:10
  - add/edit form field, DB:10

- blocks, SS:15
- columns, SS:14
- data. *See* Clipboard
- database definition, DB:26
- database definition, field, DB:68
- delete command, DB:46
- graph setting, GR:11
- in SQL. *See* Drop
- levels, SS:15
- rows, SS:15
- rows of data, SQ:14
- Delete command, DB:46
  - disable deleted field display, DB:49
- Delete text marking, WP:35
- Deleting a paragraph marker, WP:98
- Deleting text, WP:23–WP:25
  - using Alt/F3, WP:73
  - using the Top Line Menu, WP:23–WP:25
- Density, selecting for graph, GR:26
- Dependent cells, SS:31
- Descending sort order, SS:73–SS:76
- Design form, GR:11–GR:12
  - edit graph setting, GR:13–GR:14
- Design sheet, SS:64–SS:65
- Desktop publishing, PJ:16–PJ:18
- Destroy command, DB:47
  - databases, DB:47
  - records, DB:47
- Detailed definition method, DB:57
- Dial, CM:7
- Dialog box, BA:5
  - accept, BA:11
  - button options list, BA:9
  - cancel, BA:11
  - check option, BA:8
  - command button, BA:10
  - list box, BA:7
  - point out range, SS:69–SS:70
  - text prompt, BA:6
- Dialout, CM:7
- Dictionaries, WP:77
- DIF
  - export from spreadsheet, SS:18
  - import to spreadsheet, SS:33
- Directory
  - See also* File Manager
  - 3DDATA, PJ:11
  - create, IN:52
  - remove, IN:52
  - sort, IN:47–IN:48
  - view contents of, IN:46–IN:47
- Disconnect, CM:21
  - from a dbsystem, SQ:15, SQ:42, SQ:47
- Display, DB:48–DB:49
  - cell color, SS:13
  - cursor movement, DB:48
  - disable display of sys:record and deleted fields, DB:49
  - display command, DB:48–DB:49
  - display records when page is full, DB:44
  - display SYS:RECORD and DELETED fields, DB:44
  - edit data, DB:53–DB:54
  - field display formats, DB:69
  - graph, GR:12
  - graph with spreadsheet, GR:13
  - hidden cells, SS:30–SS:31
  - hidden column, SS:30–SS:31
  - hidden data, SS:30–SS:32
  - hidden level, SS:30–SS:31
  - mark records for further processing, DB:49
  - records, DB:48
  - split, SS:76
  - text on a graph, GR:39–GR:40
  - text only as a graph, GR:39
  - three-dimensional levels, SS:77
  - zero values, SS:14
- Display command, DB:48–DB:49
- Distort, PJ:76–PJ:77
- Document statistics, PR:22
- Document title, WP:25
  - creating a title page, WP:26
  - deleting a title page, WP:27
  - inserting a ruler, WP:26
  - inserting a title page, WP:27
- Dollar sign format, SS:23
- DOS environment variables, IN:53
- DOS file attributes
  - apply, IN:45–IN:46
  - remove, IN:45–IN:46
- DOS shell, IN:160

- Dot commands, DB:101–DB:104
    - See also* Appendices: Procedural Language Commands
  - Dots per inch, PR:7
  - Double cursor draw, WP:20
  - Double underline, WP:6
  - Downloadable fonts, PR:6
  - Draft mode, WP:28
  - Draft mode printing, WP:28, PR:20
  - Draw box (F7), PJ:19
  - Draw text (F8), PJ:19
  - Drivers, PR:12
  - Drop
    - a dbsystem, SQ:15
    - a synonym, SQ:15, SQ:42, SQ:43–SQ:44
    - a table, SQ:15, SQ:42, SQ:44
    - a view, SQ:15, SQ:42, SQ:44
    - an external table reference, SQ:42, SQ:43
    - an index, SQ:15, SQ:42, SQ:43
    - external table reference, SQ:15
  - Drop menu, SQ:42
  - Dropdtr, CM:8
  - Duplex, CM:17, CM:34–CM:37
  - Dynamic graph, GR:13
- E**
- E-mail, IN:31–IN:34
    - Higlist utility, IN:31–IN:32
    - receive, IN:33–IN:34
    - send mail, IN:32–IN:33
    - setup Enable/Higgins link, IN:31–IN:32
  - Edit, DB:50–DB:54
    - command, DB:50
    - F4 edit displayed records, DB:54
    - graph setting, GR:13–GR:14
    - index prompt at end of edit on select set, DB:44
    - memo field
      - cinvert style, DB:53
      - copy graph, DB:71
      - size, DB:52
      - use display command, DB:54
    - memo fields, DB:52
    - modify data, DB:50
    - query by example, DB:54
      - use F4 display edit, DB:53
  - Edit options, description of, SS:16
  - Edit picture. *See* Data pictures
  - Edit spreadsheet. *See* Revise file
  - Elapsed time format, SS:24
  - Electronic bulletin board, BA:2
  - Em dash, WP:28
  - Embedded commands, WP:28, PR:4
    - bin command, WP:95
  - EMS. *See* Installation Booklet
  - Emulate terminals, CM:56–CM:62
  - Emulation, PR:12
  - Enable
    - "enablep" command, PJ:1
    - introduction, BA:1
    - start, BA:13
    - starting perspective, PJ:1–PJ:2
      - from database, PJ:1
      - from spreadsheet, PJ:1
  - Enable and printers, PR:14
  - Enable database, import to spreadsheet, SS:32
  - Enable fonts, PR:7, PR:9, IN:133
  - Enable print files, PR:5, PR:9
    - database reports, PR:5
    - printing, PR:6
    - spreadsheets, PR:5
  - Enable program directory. *See* Installation Booklet
  - Enable screen, BA:11
  - Enable-1. *See* Protocol
  - End, CM:8
  - Endl, CM:8
  - Enter data, SS:13, PJ:5–PJ:7
    - align cells, SS:1–SS:2
    - cursor movement, PJ:5
    - edit entries, PJ:6
    - format cells, SS:22–SS:25
    - formulas, SS:13
    - labels, SS:13
    - using ASCII in labels, SS:36
    - values, SS:13
  - Enter key, PJ:20

Entering text, WP:29–WP:30, WP:75  
  entering/editing text basics, WP:29–WP:30  
  inserting, WP:75

Entries menu, WP:30

Environment options, SQ:3

Environment settings, SS:13–SS:14  
  options, SS:13–SS:14

Erase, SS:16  
  *See also* Delete  
  entire spreadsheet, SS:16–SS:18  
  range, SS:16

Error, circular reference, SS:28–SS:29

Error messages, SS:17, APP:159–APP:166  
  during database definition, DB:26  
  SQL, SQ:50

Error set  
  duplicate in unique index, DB:129  
  during a copy, DB:21  
  during a merge, DB:94  
  rename command, DB:129–DB:131  
  update command, DB:135

Esc, PJ:20

Essentials of printing, PR:1

Execute, a statement, SQ:50

EXISTS Operator, SQ:49

Exit, WP:30–WP:31, CM:8  
  spreadsheet, SS:17  
  SQL, SQ:52

Exponential notation, SS:25

Export, DB:55  
  clipboard, DB:55  
  to ASCII file, DB:55  
  use Enable database as dBase II or dBASE III  
  database, DB:55

Export spreadsheet, SS:17–SS:18  
  ASCII, SS:18  
  DIF, SS:18  
  export to ASCII file, SS:17–SS:18  
  Lotus 1–2–3, SS:18–SS:19

Exporting, features supported, WP:62

Exporting word processing files, WP:31,  
  WP:62–WP:63

Extensions, WP:19  
  Enable file name, APP:77–APP:82

External file formats, SQL. *See* File formats

External links, DB:65

External spreadsheet, SS:38–SS:39

External table references, SQ:35, SQ:66

## F

F10, PJ:19–PJ:20

F4 display edit, DB:53

F6, PJ:19

F7, PJ:19

F8, PJ:19

F9, PJ:19

Fetch, SQ:15

Field definition, DB:55–DB:68  
  add a field, DB:68–DB:69  
  delete a field, DB:68–DB:69  
  detailed definition method, DB:57  
  another database as source, DB:63–DB:64  
  copy existing field definition, DB:57  
  define required fields, DB:58  
  derived option/external links, DB:65–DB:67  
  derived value as source, DB:64–DB:65  
  keyboard as source of data, DB:59  
  logical field, DB:61  
  memo field, DB:62  
  numeric field, DB:59  
  other field, DB:61  
  report picture formats, DB:67  
  report pictures, DB:30  
  source of data, DB:58–DB:59  
  specify indexed field, DB:57–DB:58  
  system as source of data, DB:67  
  text field, DB:60  
  detailed definition method, field data type,  
  DB:59–DB:62  
  quick method, DB:56–DB:57  
  rename a field, DB:68–DB:69  
  revise, DB:67–DB:69  
  detailed method, DB:68

Fieldname, DB:108

Fields, system–supplied fields, DB:110

Fields prompt, DB:69  
  field display formats, DB:69  
  procedural language (dot) commands, DB:111

File conversion. *See* Save as

- File attributes. *See* DOS file attributes
- File configuration form. *See* Installation Booklet
- File extensions, WP:19  
printer ready, PR:14
- File formats  
.asc (ASCII), SQ:8, SQ:35  
.dat (Condor), SQ:8, SQ:35  
.dbf (Enable/Dbase), SQ:35  
.def (Enable database), SQ:35  
.dta (PC-File III), SQ:8, SQ:35  
.inf (Informix), SQ:8, SQ:35  
.sbf (Superbase), SQ:8, SQ:35  
.ssf (Enable spreadsheet), SQ:7, SQ:35  
.wk? (Lotus 1-2-3), SQ:7, SQ:35  
.wpf (Enable word processing), SQ:8, SQ:35  
ascii, SQ:7  
Enable 2.0/3.0, SQ:7  
SQL, SQ:7  
external, SQ:35, SQ:47  
*See also* File formats
- File history, WP:31-WP:33  
macro, WP:32
- File locking. *See* Installation Booklet
- File Manager, IN:35-IN:54  
access, IN:35  
navigate the screen, IN:37-IN:38  
Utility Menu, IN:50-IN:51
- File menu, SQ:47
- File name, BA:16-BA:17  
default file name extensions, BA:17  
disk-drive identifier, BA:16  
file name syntax, BA:17  
path, BA:16
- File name extensions, default (.dbs), SQ:2
- File options, description of, SS:19
- File structure, SQ:59-SQ:60  
column, SQ:59  
dbsystem, SQ:59  
row, SQ:59  
table, SQ:59
- Files, PJ:10-PJ:17  
ansitg.sys, IN:158-IN:159  
assign default paths, IN:51  
copy, IN:41-IN:43  
date of last modification, IN:35-IN:37  
delete, IN:43  
directory, IN:52  
directory system, PJ:11  
DOS environment variables, IN:53  
DOS file attributes, IN:35-IN:37, IN:45-IN:46  
DOS volume labels, IN:52-IN:53  
find marked, IN:40  
list, IN:35  
list other paths, IN:45  
manage, IN:35-IN:54  
mark, IN:38-IN:40  
a block, IN:38  
by DOS attributes, IN:39-IN:40  
by old marks, IN:39  
individually, IN:38  
use wild cards, IN:39  
old marks, IN:35-IN:37  
remove, IN:44-IN:45  
open from File Manager, IN:38  
operating paths, IN:53-IN:54  
password protection, IN:48-IN:50  
path aliases, IN:54  
rename, IN:43-IN:44  
scan for text, IN:44  
size information, IN:35-IN:37  
sort, IN:47-IN:48  
time of last modification, IN:35-IN:37  
types, PJ:10-PJ:11  
data, PJ:10  
graph, PJ:10  
image, PJ:11  
slide show, PJ:11-PJ:12  
unmark, IN:40  
globally, IN:40  
individually, IN:40  
reverse marks, IN:40  
unsort, IN:47-IN:48  
view contents of, IN:46-IN:47
- Fill  
dates, SS:19-SS:21  
values, SS:19
- Fill range, SS:19-SS:20
- Final mode, WP:33
- Find  
*See also* Search  
find and delete, SS:22  
find and replace, SS:21-SS:22  
find only, SS:21  
wild cards, SS:22
- Find and mark text, WP:34
- Find and replace text, WP:33
- Find attribute, WP:37

- Find command, DB:70-DB:71
- Find font, WP:39
- Find text, WP:33
- Fixed decimal point format, SS:23
- Flow control, CM:17
  - characters, CM:35-CM:37
    - ETX/ACK, CM:35-CM:37
    - first response, CM:35-CM:37
    - none, CM:35-CM:37
    - passwords, CM:35-CM:37
    - pause time, CM:35-CM:37
    - second response, CM:35-CM:37
    - start character, CM:35-CM:37
    - stop character, CM:35-CM:37
    - turnaround, CM:35-CM:37
    - user-defined, CM:35-CM:37
    - Xon/Xoff, CM:35-CM:37
- Fonts, DB:112, PR:6
  - applying fonts, WP:41-WP:44
  - cartridges, PR:6
  - compatibility, PR:3
  - default, PR:9
  - downloadable, WP:41, PR:6
  - Enable, PR:7, PR:9, IN:133
  - for graph text, GR:14-GR:15
  - graphics mode, WP:43
  - in Add/Edit forms, DB:11
  - in print forms, IN:121
  - in Put It Here Reports, DB:127
  - in spreadsheet module, PR:6
  - in the database module, PR:7
  - in word processing module, PR:6
  - internal, PR:6
  - procedural language report, DB:112
  - selecting a font, WP:41-WP:44
  - soft, PR:6
- Footers, WP:44-WP:46
  - deleting a footer, WP:46
  - inserting a footer, WP:45
  - inserting ruler using Top Line Menu, WP:45
  - rulers, WP:108
- Footers, print, SS:64
- Footnotes, WP:46-WP:51
  - copying, WP:51
  - deleting, WP:50
  - modifying, WP:47-WP:49
  - renumbering, WP:50
  - rulers, WP:49-WP:50
- Foreign dictionaries, WP:77
- Format cells, SS:22-SS:26
  - comma, SS:23
  - custom currency, SS:25
  - custom numeric, SS:25
  - custom text date, SS:23
  - custom time, SS:24
  - date, SS:23
  - dollar sign, SS:23
  - fixed, SS:23
  - general, SS:25
  - global, SS:25
  - histogram, SS:25
  - integer, SS:23
  - percent, SS:23
  - scientific, SS:25
  - time, SS:24
- Format codes, apply, SS:22-SS:25
- Format spreadsheet cells
  - description, label, SS:25
  - range, SS:25-SS:26
  - reset, SS:26
- Formats, word processing, WP:109
- Formats menu, WP:7
- Forms, CM:22
  - See also* Print Forms
  - Keyboard Map, CM:22-CM:25
  - Modem Table, CM:22, CM:25-CM:30
  - Setup, CM:22, CM:30-CM:41
  - Transmit/Receive Map, CM:51-CM:56
  - Transmit/Receive map, CM:22
  - Unattended File Transfer Script, CM:22, CM:62-CM:66
- Formulas, SS:26-SS:29
  - See also* Functions
  - add comments, SS:29
  - calc order, SS:42-SS:43
  - circular references, SS:28-SS:29
  - enter, SS:13, SS:26-SS:27
  - ID order, SS:42-SS:43
  - in three-dimensional spreadsheets, SS:29
  - linked data, SS:42
  - mathematical operators, SS:26-SS:27
  - point out data, SS:27-SS:28
  - string operators, SS:26-SS:27
- Function keys, PJ:17-PJ:20
  - arrows, PJ:20
  - ctrl, PJ:20
  - esc, PJ:20
  - F10, PJ:19-PJ:20

F6, PJ:19  
 F7, PJ:19  
 F8, PJ:19  
 F9, PJ:19  
 return, enter, PJ:20  
 spacebar, PJ:20  
 Functions, SS:26–SS:29, IN:55–IN:66,  
 APP:83–APP:158  
*See also* Calculator; Functions Appendix  
 &, IN:65  
 &, & -, & +, APP:83–APP:84  
 & +, IN:65  
 & -, IN:65  
 @@, IN:64, APP:84  
 @@C, IN:64, APP:84  
 @@L, APP:84–APP:85  
 @@LC, IN:64  
 @@R, IN:64, APP:85  
 @AADD, IN:61, APP:85–APP:86  
 @ABS, IN:61, APP:86  
 @ACOS, APP:86  
 @ADDM, IN:57, APP:86–APP:87  
 |, IN:64  
 @ADIV, IN:61, APP:87  
 @ALPHA, IN:60, APP:87–APP:88  
 @AMUL, IN:61, APP:88  
 @AND, IN:60, APP:88  
 @ANTERM, IN:59, APP:88–APP:89  
 @ASIN, APP:89  
 @ASUB, IN:61, APP:89–APP:90  
 @ATAN, IN:62, APP:90  
 @ATAN2, IN:62, APP:90  
 @AVG, IN:65, APP:90–APP:91  
 @AVGPRD, IN:65, APP:91  
 @BALANCE, IN:59, APP:91–APP:92  
 @BEGM, IN:57, APP:92  
 @CHAR, IN:65, APP:92  
 @CHOOSE, IN:63, APP:92–APP:93  
 @CODE, IN:65, APP:93  
 @COLS, IN:62, APP:93  
 @COMPAL, APP:94  
 @COMPBAL, IN:59  
 @COS, IN:62, APP:94  
 @COUNT, IN:65, APP:94–APP:95  
 @CTERM, IN:59, APP:95  
 @CUMPCT, IN:65, APP:95  
 @CUMSUM, IN:65, APP:96  
 @CURCOL, IN:63, APP:96  
 @CURLEVEL, IN:63, APP:96–APP:97  
 @CURPOS, IN:63, APP:97  
 @CURREW, IN:63, APP:97  
 @CURVAL, IN:63, APP:97  
 @DATE, IN:57, APP:97–APP:98  
 @DATE\$, IN:57, APP:98  
 @DAY, IN:57, APP:98  
 @DDB, IN:58, APP:98–APP:99  
 @DEC, IN:65, APP:99  
 @DEGREE, IN:62, APP:99  
 @DVAL, APP:100  
 @E, IN:61, APP:100  
 @ENDM, IN:57, APP:100  
 @ERATE, IN:59, APP:100–APP:101  
 @ERR, IN:60, APP:101  
 @ETIME, IN:58, APP:101  
 @EXACT, IN:60, APP:101–APP:102  
 @EXIST, IN:60, APP:102  
 @EXP, IN:61, APP:102  
 @EXP10, IN:61, APP:102  
 @EXTCOPY, SS:39, IN:63, APP:102  
 @FACT, IN:61, APP:102–APP:103  
 @FALSE, IN:60, APP:103  
 @FIXED, IN:66, APP:103  
 @FV, IN:59, APP:103–APP:104  
 @HEX, IN:66, APP:104  
 @HLOOKUP, IN:63, APP:104–APP:105  
 @HOUR, IN:58, APP:105  
 @ID, IN:62, APP:105–APP:106  
 @IF, IN:60, APP:106  
 @INDEX, IN:63, APP:106–APP:107  
 @INDEX3D, IN:63, APP:107–APP:108  
 @INT, IN:61, APP:108  
 @IRR, IN:58, APP:108–APP:109  
 @ISBLANK, IN:60, APP:109  
 @ISEMPTY, IN:60, APP:109–APP:110  
 @ISERR, IN:60, APP:110  
 @ISLABEL, IN:60, APP:110  
 @ISNA, IN:60, APP:110  
 @ISNUM, IN:60, APP:111  
 @ISREF, IN:60, APP:111  
 @JULIAN, IN:57, APP:111  
 @KINT, IN:59, APP:111–APP:112  
 @KPRIN, IN:59, APP:112  
 @LASTERR, IN:64, APP:112–APP:125  
 @LC, IN:66, APP:126  
 @LEFT, IN:66, APP:126  
 @LEN, IN:66, APP:126  
 @LEVELS, IN:62, APP:127  
 @LINE, IN:66, APP:127  
 @LINK, SS:38–SS:39, IN:63, APP:127  
 @LLOOKUP, IN:63, APP:127–APP:128  
 @LOG, IN:61, APP:128  
 @LOOKUP, IN:63, APP:128–APP:129  
 @LOOKUP3D, IN:63, APP:129–APP:130  
 @LTRIM, IN:66, APP:131

@MACRO, SS:44, SS:49-SS:50, IN:63,  
 APP:131-APP:133  
 @MATCH, IN:66, APP:133  
 @MAX, IN:65, APP:133-APP:134  
 @MEAN, IN:61, APP:134  
 @MEDIAN, IN:61, APP:134  
 @MIN, IN:65, APP:134-APP:135  
 @MINUTE, IN:58, APP:135  
 @MOD, IN:61, APP:135  
 @MONTH, IN:57, APP:135  
 @MONTH\$, IN:57, APP:135  
 @NA, IN:60, APP:136  
 @NLOG, IN:61, APP:136  
 @NO, IN:60, APP:136  
 @NOT, IN:60, APP:136-APP:137  
 @NOW, IN:58, APP:137  
 @NPV, IN:58, APP:137  
 @NUM, IN:66, APP:138  
 @NUMERIC, IN:60, APP:138  
 @NUMLINES, IN:64, APP:138  
 @OR, IN:60, APP:139  
 @PAD, IN:66, APP:139  
 @PAIDINT, IN:59, APP:139-APP:140  
 @PCT, IN:65, APP:140  
 @PI, IN:62, APP:140  
 @PMT, IN:59, APP:140-APP:141  
 @PRODUCT, IN:65, APP:141  
 @PROPER, IN:66, APP:141  
 @PRTCTL, APP:141-APP:143  
 @PV, IN:59, APP:143  
 @RADIAN, IN:62, APP:143-APP:144  
 @RAND, IN:62, APP:144  
 @RATE, IN:59, APP:144  
 @REPEAT, IN:66, APP:144-APP:145  
 @REPLACE, IN:66, APP:145  
 @RIGHT, IN:66, APP:145  
 @RNGSTR, SS:12, IN:63, APP:146  
 @ROUND, IN:62, APP:146  
 @ROWS, IN:62, APP:146  
 @SECOND, IN:58, APP:146-APP:147  
 @SIGN, IN:62, APP:147  
 @SIN, IN:62, APP:147  
 @SLN, IN:58, APP:147-APP:148  
 @SQRT, IN:62, APP:148  
 @STD, IN:65, APP:148  
 @STRING, IN:66, APP:148-APP:149  
 @SUBSTR, IN:66, APP:149  
 @SUM, IN:65, APP:149-APP:150  
 @SUMPRD, IN:65, APP:150  
 @SYD, IN:59, APP:150-APP:151  
 @TAN, IN:62, APP:151  
 @TERM, IN:59, APP:151  
 @THISCOL, IN:63, APP:151

@THISLEVEL, IN:63, APP:152  
 @THISROW, IN:63, APP:152  
 @TIME, IN:58, APP:152  
 @TIME\$, IN:58, APP:152  
 @TODAY, IN:57, APP:153  
 @TRIM, IN:66, APP:153  
 @TRUE, IN:61, APP:153  
 @TRUNC, IN:62, APP:153  
 @TYPE, IN:64, APP:154  
 @UC, IN:66, APP:154  
 @UROUND, IN:62, APP:154-APP:155  
 @VAR, IN:65, APP:155  
 @VLOOKUP, IN:64, APP:155-APP:156  
 @WEEKDAY, IN:57, APP:156  
 @WEEKDAY\$, IN:58, APP:156  
 @YEAR, IN:58, APP:156-APP:157  
 @YEAR\$, IN:58, APP:157  
 @YES, IN:61, APP:157  
 |, APP:85  
 add comments, SS:29  
 circular references, SS:28-SS:29  
 copy cell addresses, SS:7-SS:8  
 date and time, IN:57-IN:58  
 enter, SS:27  
 financial, IN:58-IN:59  
 general guidelines, IN:55  
 in three-dimensional spreadsheets, SS:29  
 linked data, SS:42  
 logical, IN:59-IN:61  
 mathematical, IN:61-IN:62  
 point out data, SS:27-SS:28  
 special, IN:62-IN:64  
 SQL  
   all, SQ:23  
   autocommit, SQ:25  
   avg, SQ:59  
   count, SQ:59  
   detailed, SQ:23  
   distinct, SQ:23  
   max, SQ:59  
   min, SQ:59  
   sum, SQ:59  
   statistical, IN:64-IN:65  
   string, IN:65-IN:66  
   use in Database, IN:56  
   use in Spreadsheet, IN:57  
   use in Word Processing, IN:56

## G

General format, SS:25

- Generic printer, PR:2, PR:8
- Germanic language character set, WP:117
- Global options
  - align, SS:1
  - description of, SS:29
  - format, SS:25
- Glossary of communications terms, APP:3–APP:6
- Go to, WP:51, SS:54, SS:55, SS:87–SS:89
  - three-dimensional spreadsheet, SS:54
- Goal seeking, SS:6–SS:7
  - automatic, SS:6–SS:7
  - manual, SS:7
- Gosub, CM:9
- Goto, CM:9
- Grammar checker, WP:53
- Grammatik, WP:53
- Grant
  - dbssystem privileges, SQ:16
  - privileges, SQ:3
  - table privileges, SQ:17
- Graph adjustment, WP:54
- Graph color, WP:55
- Graph files, PJ:14–PJ:15
  - load, PJ:14
  - save, PJ:14
- Graph parameters, PJ:20–PJ:27
  - block to graph, PJ:21–PJ:24
  - row and column headings, PJ:24
  - row and column titles, PJ:23–PJ:24
  - title and subtitle, PJ:23
- Graph print commands, density command, WP:56
- Graph printing
  - landscape, WP:57
  - portrait, WP:57
- Graph setting
  - create, GR:7
  - default, GR:10–GR:11
  - delete, GR:11
  - edit, GR:13–GR:14
  - save, GR:27
  - select, GR:31
- Graph type
  - bar, GR:3–GR:5
  - high–low–close, GR:16–GR:17
  - line, GR:17–GR:18
  - linear XY, GR:19–GR:20
  - organizational, GR:36–GR:37
  - pie chart, GR:21–GR:23
  - scatter chart, GR:31
  - step, GR:32–GR:33
  - text chart, GR:37–GR:40
  - XY, GR:41–GR:42
- Graph types, GR:15
- Graphics mode printing, WP:43, PR:9
- Graphics production, PR:7
  - dots per inch, PR:7
  - graph width, PR:7
  - shades, PR:7
- Graphics width capability, PR:7
- Graphs, WP:64–WP:69, WP:82–WP:83, WP:140
  - importing, WP:64–WP:69, WP:140
    - video mode, WP:140
  - linking, WP:82–WP:83
  - positioning, WP:54–WP:55
- Graphs – 2D, PJ:27–PJ:37
  - change riser patterns, PJ:93–PJ:94
  - choose, PJ:27–PJ:28
  - custom features, PJ:37–PJ:42
  - display presets, PJ:27–PJ:28
  - options
    - color, PJ:37–PJ:39
    - data reversal, PJ:40–PJ:41
    - detach pie slice, PJ:39
    - grid lines, PJ:41–PJ:42
    - reshape pie graph, PJ:39–PJ:40
  - preset types, PJ:28–PJ:37
- Graphs – 3D, PJ:42–PJ:58
  - anatomy of, PJ:42–PJ:44
  - change riser patterns, PJ:92–PJ:93
  - list of preset types, PJ:46–PJ:58
  - options, PJ:59–PJ:66
    - color, PJ:59–PJ:62
    - color mixer, PJ:60–PJ:61
    - cycling colors, PJ:59
    - data reversal, PJ:62–PJ:63
    - preset colors, PJ:59
    - riser size, PJ:63–PJ:64
    - title, subtitle layout, PJ:64–PJ:65
    - walls and grid lines, PJ:65–PJ:66
  - preset types, PJ:45–PJ:58
    - spectral mapping, PJ:45–PJ:106
  - selecting types, PJ:44–PJ:45

viewing angles. *See* Viewing angles

Greek character set, WP:117

Grid lines, GR:15  
2D graphs, PJ:41–PJ:42

## H

Hanging indent, WP:58–WP:59

Hard hyphen, WP:62

Hard space, WP:59

Hardware form, PR:8  
and printers, PR:2  
displaying, PR:8  
modifying, PR:8  
printer mismatch, PR:2

Headers, WP:59–WP:61  
alternating, WP:59  
column, PJ:24  
deleting, WP:60  
inserting, WP:60  
inserting ruler using Top Line Menu, WP:60  
row, PJ:24  
rulers, WP:108

Headers and Footers, WP:61  
alternating, WP:61

Headers, print, SS:64–SS:65

Help, IN:67–IN:70  
*See also* Hypertext  
customer support, BA:1  
electronic bulletin board, BA:2  
printer specifications, PR:9  
tutorials, BA:2

Help (F9), PJ:19

Hide data, SS:29–SS:31  
cell or range, SS:30  
column, SS:30  
level, SS:30  
redisplay, SS:30–SS:32

Higgins, invoke within Enable, IN:34

Higgins E-mail, IN:31–IN:34

High–low–close graphs, GR:16–GR:17

Highest cell, SS:4

Highlight, SS:31–SS:32  
data, SS:31–SS:32  
dependent cells, SS:31–SS:43

referenced cells, SS:31

Highlighting, removing, WP:19

Histogram format, SS:25

horizontal bar graph, GR:3–GR:5

Hypertext, IN:67–IN:70  
change books, IN:68  
cross-references, IN:69  
display a table of contents, IN:68  
display an index, IN:68–IN:69  
display previous topics, IN:69  
general information, IN:67–IN:68  
quit, IN:69–IN:70

Hyphenation, WP:62

## I

ID borders, SS:64–SS:65

If, CM:9

Image files, PJ:15–PJ:16  
load, PJ:16  
save, PJ:15

Import, DB:71–DB:82, SQ:47–SQ:48  
graphs to word processing, GR:17  
Import command, DB:71–DB:72

Import data, DB:72–DB:76  
ASCII file, DB:136–DB:138  
buffer size, DB:81  
Condor3 database, DB:74  
convert database file formats, DB:75  
dBASE II, dBASE III, dBASE IV, DB:72  
dBase II/IV, index file format, DB:45–DB:48  
from an open window, DB:78  
ASCII data, DB:78–DB:83  
spreadsheet data, DB:78–DB:83  
word processing data, DB:78–DB:83  
Informix database, DB:75  
PC–File III database, DB:75  
read-only file, DB:76  
spreadsheet data, DB:76  
prepare spreadsheet data, DB:76  
Superbase database, DB:73  
text, DB:76

Import spreadsheet, SS:32–SS:33  
ASCII files, SS:32–SS:33  
DIF files, SS:33  
Lotus 1–2–3 files, SS:33  
Lotus Works, SS:33

- MS Works, SS:33
  - Importing, WP:62–WP:63, WP:64–WP:69
    - features supported, WP:62
    - graphics files, WP:64–WP:69
    - instructions for IBM 6180 (Perspective), WP:67–WP:68
    - revising file that contains graph imports, WP:68
    - the .G## file, WP:68–WP:69
    - graphs, WP:140
    - video mode, WP:140
    - word processing files, WP:62–WP:63
  - Inactive links, SS:39–SS:41
  - Include command, WP:69
  - Index, WP:70–WP:73, DB:82–DB:86
    - access records in index order, DB:85–DB:88
    - access records in order, DB:86–DB:88
    - compiling the index, WP:72
    - dBASE III/IV format, DB:45
    - deleting index terms, WP:72
    - editing the index, WP:72
    - error set, DB:84–DB:85
    - Index prompt, use operators, DB:95–DB:97
    - index prompt at end of edit on select set, DB:44
    - printing the index, WP:72
    - prompt, DB:85–DB:88
    - search, DB:85–DB:88
    - select records, DB:85–DB:88
    - specify an indexed field, DB:57–DB:58
    - unique. *See* Indexes
    - using the index attribute, WP:70
    - using the index entry space, WP:71
    - view index, DB:13–DB:16
  - Index command, DB:84
  - Indexes, SQ:48–SQ:68
    - create, SQ:8
    - multi-key, SQ:11, SQ:48
    - single-key, SQ:48
    - SQL, unique, SQ:8
    - unique, SQ:11, SQ:48
  - Information Display Area, SS:3
  - Input, SQ:18
  - Input data. *See* Add
  - Input form. *See* Add/Edit form
  - Insert, SS:33–SS:34, SQ:19
    - blocks, SS:34
    - columns, SS:33
    - levels, SS:34
    - rows, SS:33–SS:34
  - Inserting a blank line, WP:73
  - Inserting a club command, PR:11
  - Inserting a file, WP:73–WP:74
    - inserting another file for printing only, WP:69
  - Inserting database fields, WP:21
  - Inserting text, WP:75
  - Install Enable in DOS or OS/2. *See* Installation Booklet
  - Installing printers, PR:1
  - Integer format, SS:23
  - Interactive menus, SQ:50
  - Interactive report debugger, DB:86–DB:90
    - cursor control keys, DB:90
  - Internal fonts, PR:6
  - Interrupt calculation, SS:5–SS:6, SS:14
  - Interrupt printing, PR:10
  - Intersection of row and column, SS:34
  - Interwindow Copy. *See* Windows
  - Italicizing text, WP:3–WP:4
  - Italics, SS:35
  - Iterative calculation, SS:5
- J**
- Justifying text, WP:76
- K**
- Kermit. *See* Protocol
  - Key, CM:10
  - Keyboard Map, CM:22–CM:25
    - compile, CM:24
    - correct error, CM:24
    - create, CM:22–CM:24
    - format rules, CM:22–CM:24
    - save, CM:24
    - use, CM:25
      - during a session, CM:25
      - in a setup, CM:25
  - Keying text, WP:29

## Keywords

asc, SQ:24  
desc, SQ:24

## L

Label, CM:10

Labels, SS:34–SS:36, DB:4

add attributes, SS:35  
align, SS:2  
apply color, SS:8–SS:10  
ASCII characters, SS:36  
change add/edit form field labels, DB:10–DB:17  
correcting, SS:35  
enter, SS:13  
field labels in add/edit form, DB:4  
long, SS:35  
numbers as labels, SS:36  
remove attributes from, SS:36  
repeat character, SS:36

LAN, autolock records on LAN, DB:44–DB:45

LAN Environment

key numbers. *See* Installation Booklet  
use Enable. *See* Installation Booklet  
user identification codes. *See* Installation  
Booklet

Landscape mode, WP:76

Landscape orientation, PR:21

Landscape printing, WP:76

Language Environment, WP:77

Layout codes, WP:77–WP:78

Layout options, description of, SS:36–SS:37

Leading blank page, PR:22

Leading blanks, WP:78

Left offset, PR:21

Legends, GR:17

pie chart, GR:23

Level

delete, SS:15  
go to, SS:54  
A:A1, SS:54  
last level, last cell, SS:54  
next, SS:77  
previous, SS:77  
go-to, A:A1, SS:88  
hide, SS:30

indicator, SS:2–SS:3, SS:77

insert, SS:34

retrieve, SS:57

three-dimensional view, SS:77–SS:79

Level reference, SS:29

LICS characters, SS:33

Line counter, WP:78

Line feed, CM:18

Line graphs, GR:17–GR:18

overlying, GR:20–GR:21

Line numbering, WP:78–WP:81

Line numbering command, WP:79

Line patterns, GR:19

Line spacing, WP:81

Linear regression graph, GR:19–GR:20

Linear XY graphs, GR:19–GR:20

Lines per inch, PR:20

Link command

graph, WP:82

spreadsheet, WP:84

Link databases, DB:91

during field definition, DB:63–DB:64,  
DB:65–DB:67

passthru, DB:97–DB:99

terminology, DB:91

Link spreadsheets, SS:37–SS:42

activate link, SS:39–SS:41

combine @LINK functions, SS:42

CONFIG.SYS file, SS:41

create a link, SS:38–SS:39

deactivate link, SS:39–SS:41

external spreadsheet, SS:38–SS:39

in formulas and functions, SS:42

link a range, SS:39

link dialog box, SS:39–SS:41

maintain links, SS:41

on password protected files, SS:41

read-only files, SS:38–SS:39

update linked data, SS:41

Linked spreadsheets, apply color, SS:8

Linking graphs, WP:82–WP:83

Linking spreadsheets, WP:84–WP:85

copy links, SS:12

copying cells, SS:12–SS:13

macro library, SS:49–SS:52

primary spreadsheet, SS:38–SS:39

List, SS:42–SS:44

- cell notes, SS:42–SS:43
- formulas, SS:42–SS:43
- range names, SS:42–SS:43
- status, SS:43–SS:44

Local, CM:11

Local fields, DB:58, SQ:47

- derived, DB:64
- external, DB:63

Lock, rows, SQ:25

Lock table, SQ:20

Logical fields, DB:61

Logical operators, DB:96

Lookup field, DB:63, DB:65

Loop, CM:11

Lotus 1–2–3

- export Enable spreadsheet to, SS:18–SS:19
- protection, SS:68
- save in Enable format, SS:71–SS:72

Lower/uppercase conversion, WP:7

## M

Macro, execution, in SQL, SQ:26

Macro library, SS:49–SS:50

Macro Programming Commands

- {% Fieldname}, IN:82
- {^ F9}, IN:85–IN:87
- {^ I}, IN:85
- {Beep}, IN:82–IN:106
- {Do Macro}, IN:80
- {Do Menu}, IN:78
- {Else}, IN:84
- {Endif}, IN:84
- {GotoW}, IN:79
- {If Error}, IN:84
- {ifbox}, IN:81–IN:82
- {Menu Level}, IN:84
- {Menu Style}, IN:83
- {Menu}, IN:78–IN:106
- {OS}, IN:81–IN:106
- {Pause}, IN:84
- {Send}(S), IN:79
- {Temp Level}, IN:83
- {Temp Style}, IN:83

- {Voff}, IN:79
- {Wait}, IN:85
- {Wname}, IN:80
- change default menu, IN:78–IN:106
- display named menu, IN:78
- display Status Line message, IN:79
- go to named window, IN:79
- invoke accessories, IN:80–IN:86
- name window, IN:80
- perform named macro, IN:80
- perform operating system command, IN:81–IN:106
- respond to screen prompts and error messages, IN:81–IN:82
- retrieve entered data, IN:82
- screen display on/off, IN:79
- sound a tone, IN:82–IN:106
- switch menu interface
  - run macro, IN:83
  - run macro and revert to original interface, IN:83
- switch menu level
  - run macro, IN:84
  - run macro and revert to original menu level, IN:83
- timed pauses, IN:84
- trap errors, IN:84
- wait for input, IN:85
- wait for keystroke, IN:85
- wait for specific key, IN:85–IN:87

Macros, SS:44–SS:50, DB:8, IN:71–IN:86

*See also* Integration Section

- activate, SS:45
- add/edit form, DB:8
  - postfield, DB:8
  - postrecord, DB:8
  - prefield, DB:8
  - prerecord, DB:8
  - Shift/F9, DB:8
- automated spreadsheet, SS:48–SS:49
- cell macros, SS:44
- codes for keyboard commands, IN:77–IN:78
- commands, SS:45–SS:48
- create/edit with macro editor, IN:74–IN:75
- escape codes, SS:49
- general information, IN:71
- list files, IN:76
- macro library, SS:49–SS:50
- name, IN:72, IN:73–IN:75
- name a macro, SS:44–SS:45
- print a file, IN:76
- programming commands, IN:78–IN:86

- record, IN:71-IN:73
  - while executing, IN:72
  - without executing, IN:73
- report form, DB:8
- run, IN:73
- start-up, IN:75-IN:76
  - create, IN:76
  - set macro parameter, IN:76
- Mail
  - receive, IN:33-IN:34
  - send, IN:32-IN:33
- Mail Merge
  - create the database, use the system-supplied database, IN:87-IN:89
  - Field Selection dialog box, IN:93-IN:94
- Mail merge, IN:87-IN:100
  - create a label file, IN:91-IN:93
    - create your own, IN:92-IN:93
    - use the system-supplied file, IN:91-IN:92
  - create the database, IN:87-IN:90
    - design your own, IN:89-IN:90
  - create the merge document, IN:90-IN:91
    - add database fields, IN:93-IN:94
    - create your own file, IN:91
    - use the system-supplied file, IN:90-IN:91
  - display letter information, IN:94
  - format codes, IN:94-IN:97
    - {EL}, IN:95-IN:96
    - {EP}, IN:96-IN:97
    - {EW}, IN:95
  - merge label, IN:98-IN:99
  - merge letter, IN:97-IN:98
  - merge letter or label, IN:97-IN:99
  - select database records to merge, IN:100
  - sort the database, IN:99-IN:100
- Main menu, BA:14
  - printing, PR:5
- Manual calculation, SS:5
- Map, SS:50-SS:51
- Margins, WP:136
  - bottom, PR:20
  - changing, WP:14
  - changing using the Top Line Menu, WP:14
  - left offset, PR:21
  - releasing, WP:85
  - temporary left margin, WP:136
  - top, PR:20
- Mark files. *See* Files
- Mark records, DB:13, DB:49
  - in browse, DB:13
  - in display, DB:49
- Marked text printing, PR:20
- Marking text, WP:12, WP:17
- Mathematical operators, SS:26-SS:27
- Maximum graphics width, PR:7
- Memo field
  - convert style, DB:53
  - copy graph to, DB:71
  - define, DB:62
  - edit, DB:52
  - Enable 4 format, DB:62
  - in "Put It Here!" report form, DB:125
  - new memo file format, DB:45
  - report, DB:111
- Memory buffers, DB:130-DB:145
- Memory resident programs. *See* Installation Booklet
- Menu, BA:3-BA:4
  - change style, BA:17-BA:18
  - how to bypass, BA:4
  - select options, BA:3-BA:4
  - set level, BA:18
    - advanced, BA:18
    - intermediate, BA:18
    - novice, BA:18
  - Top Line Menu, BA:18
- Menu Generator, IN:101-IN:118
  - activate a menu, IN:117-IN:118
  - add color to a menu, IN:104-IN:105
    - background color, IN:104-IN:105
    - text color, IN:104-IN:105
  - create a menu, IN:102-IN:103
  - default menus, IN:101-IN:102
  - define menu options, IN:105-IN:110
    - data-entry, IN:106-IN:108
    - go to, IN:108-IN:109
    - help and information messages, IN:110
    - perform commands, IN:109-IN:110
    - run program, IN:110
    - select-only, IN:105-IN:106
  - design the menu screen, IN:103-IN:105
  - go to a menu, IN:101-IN:102, IN:108-IN:109
  - macro commands, IN:109-IN:110
  - menu codes, IN:113-IN:117
  - name a menu, IN:101-IN:102

- quit a menu, IN:111
- reference another menu, IN:101–IN:102
- reset menu colors, IN:104–IN:105
- retrieve data from a menu, IN:118
- revise a menu, IN:111–IN:117
  - as a word processing file, IN:113–IN:162
  - with the Menu Generator, IN:112–IN:113
- save a menu, IN:111
- test a menu, IN:111
- Menus**
  - create your own. *See* Menu Generator
  - dialog box, BA:5–BA:11
- Merge command**, DB:92–DB:94
  - error set, DB:94–DB:95
  - merge options, DB:93–DB:94
    - all fields, DB:93
    - use form, DB:93
- Merge documents.** *See* Mail Merge
- Mice supported.** *See* Installation Booklet
- Minimal calculation**, SS:4
- Miscellaneous character set**, WP:117
- Mixed address**, SS:8
- Mnu:fieldname**, DB:108
- Mode Indicator**, SS:3–SS:4
- Modem, autodial**, CM:1, CM:20, CM:33
- Modem Table**, CM:22, CM:25–CM:30
  - create, CM:26–CM:27
    - compile, CM:27
    - format, CM:26–CM:27
    - save, CM:27
  - example, CM:28
  - use, CM:27–CM:28
- Modem Table commands**, CM:5–CM:16
  - alternate, CM:5, CM:6
  - beep, CM:6
  - delay, CM:7
  - dial, CM:7
  - dialout, CM:7
  - dropdtr, CM:8
  - end, CM:8
  - endl, CM:8
  - exit, CM:8
  - goto, CM:9
  - label, CM:10
  - local, CM:11
  - loop, CM:11–CM:68
  - redial, CM:12
  - section, CM:10
  - send, CM:13
  - setdelay, CM:13
  - stop, CM:14
  - telecommunications, CM:14
  - test, CM:14
  - wait4, CM:16
- Modems supported.** *See* Installation Booklet
- Modify menu**, SQ:49
- Modify values by a constant**, SS:51
- Mouse**, BA:3
  - use, BA:3
- Move**
  - data. *See* Clipboard
  - in spreadsheet, SS:52
- Move command**, WP:85
- Movement**, SS:52–SS:54
  - automatic scrolling, SS:53
  - between halves of split display, SS:76
  - by pages, SS:53
  - from side to side, SS:53
  - go to, SS:52
  - in three–dimensional spreadsheet, SS:54
  - manual scrolling, SS:52–SS:53
  - skip protected cells, SS:67
  - stop scrolling, SS:53
  - to blocks of data, SS:54
  - to corners, SS:53
- Moving text**, WP:85–WP:86
  - using a keystroke command, WP:86
  - using the Top Line Menu, WP:86
- Multiple copy printing**, PR:20

## N

- Name**, SS:54–SS:56
  - convert labels to range names, SS:55–SS:56
  - create range name, SS:55
  - delete range name, SS:56
  - go to range name, SS:55
  - modify range name, SS:55
- Network, safety levels**, SQ:55
- New file ruler**, WP:86–WP:87
- Non–printing notes**, WP:15
- Noncontiguous ranges, printing**, SS:65–SS:66

None. *See* Protocol

Notes, SS:56–SS:57  
cancel changes, SS:57  
create, SS:56  
delete, SS:57  
display, SS:56  
list, SS:42–SS:43  
save, SS:56–SS:57

Novell Netware. *See* Installation Booklet

Null indicator, SQ:46

Number range, change, PJ:25–PJ:26

Numbering lines, WP:78–WP:81

Numbering pages, PR:22

Numbers displayed as labels, SS:36

Numeric keypad, in spreadsheet, SS:84

**O**

Offset, PR:21

On–line printer specifications, PR:9, PR:12

Open a database, DB:41–DB:42

Open a file, BA:14, WP:87–WP:88  
file name, BA:16  
from the File Manager, IN:38  
in multiple windows, IN:149

Open file, SS:57–SS:58  
another window, SS:57–SS:61  
in current window, SS:57

Operating paths, view, IN:53–IN:54

Operating system, in a window, IN:158–IN:160

Operators, DB:95, SQ:49  
arithmetic, SQ:49  
comparison, SQ:49  
conditional, SQ:49  
logical, DB:96  
select records, DB:96  
wild cards, DB:97–DB:100  
dollar sign, DB:97  
question mark, DB:97

OpSys printing, PR:13

OpSys Window  
copy from, IN:159  
navigate, IN:159  
quit, IN:159–IN:160

OpSys window, IN:158–IN:160  
change modes, IN:158  
shrink, IN:158–IN:159

Option  
nowait, SQ:20, SQ:25, SQ:26  
trace, SQ:26

Options  
2D graphs, PJ:37–PJ:42  
3D graphs, PJ:59–PJ:66  
color mixer, 3D graphs, PJ:60–PJ:61  
plot, PJ:78–PJ:81  
print, PJ:89–PJ:98

Organizational charts, GR:36–GR:37

Orientation, PR:21  
landscape, PR:21  
of graph, GR:26  
portrait, PR:21

Orphan text lines, WP:140

Outlines, WP:88–WP:89  
collapsing an outline, WP:89  
creating an outline, WP:88  
using an outline, WP:88–WP:89

Overlay line on graph, GR:20–GR:21

Overstrike, WP:7, WP:89–WP:90

**P**

Page breaks, WP:90, SS:62–SS:64  
clear user–defined, SS:64  
conditional, WP:90  
system–generated, WP:90  
user–defined, WP:90–WP:91, SS:62–SS:63  
view, SS:62

Page form, displaying, PR:19

Page number, print in header/footer, SS:65

Page Numbering, WP:91–WP:92

Page numbering, WP:91, PR:22  
alternate, PR:22  
position, PR:22

Page orientation, PR:21

Page preview, WP:92–WP:94, SS:58–SS:59, PR:3,  
PR:9–PR:10

Page setup  
plot, PJ:83–PJ:85

- print, PJ:95–PJ:97
- PageMaker, PJ:17
- Pan, PJ:76–PJ:77
- Paper clip, WP:94–WP:95
- Paper feed, continuous, PR:8
- Paper orientation
  - landscape, PJ:96
  - portrait, PJ:96
- Paper size, PR:22
- Paper type, WP:96
- Paragraph numbering, WP:99
  - defining a numbering format, WP:99
  - deleting a paragraph numbering symbol, WP:102
  - inserting a paragraph number, WP:99
  - modifying numbering format, WP:100
  - modifying the numbering format, WP:99
- Paragraphs, WP:98–WP:102
  - creating from existing text, WP:98
  - indentation, WP:98–WP:99
  - numbering, WP:99–WP:102
- Parallel port, PR:9
- Parity, CM:17
- Parse, SS:59–SS:60
- Partial printer installation, PR:1
- Passthru, DB:97–DB:99
  - passthru settings to linked database, DB:43
- Passw, CM:11
- Password protected files, SS:41
- Password protection. *See* Installation Booklet
- Passwords, IN:48–IN:50, SQ:17, SQ:32, SQ:33
  - access a protected file, IN:49
  - assign, IN:48–IN:49
  - change, IN:49
  - remove, IN:49–IN:50
- Paste data. *See* Clipboard
- Path aliases, IN:54
- Paths, assign. *See* Files
- Pause, WP:102, SQ:21
- Pause printing, PR:10
- Pause time, CM:17
- Pen speed, GR:24–GR:25
- Pen width, GR:24–GR:25
- Percent format, SS:23
- Perspective
  - ASCII file format, APP:167–APP:170
  - exiting, PJ:2
  - starting, PJ:1–PJ:2
- Phone book, CM:30
  - use, CM:30
- Pie charts, GR:21–GR:23
  - exploded, GR:21–GR:23
  - legends, GR:23
- Plot, PJ:78–PJ:87
  - 2D bar colors, PJ:83
  - 3D riser colors, PJ:83
  - change plotter settings, GR:24–GR:25
  - colors and patterns, PJ:81
  - from a stored graph, PJ:85–PJ:86
  - options, PJ:78–PJ:81
    - bleed gap, PJ:80
    - change plotter, PJ:78–PJ:79
    - change port, PJ:78–PJ:79
    - number of pens, PJ:80
    - pen width, PJ:80
    - plot quality, PJ:79–PJ:80
    - transparencies, PJ:81
  - page setup, PJ:83–PJ:85
    - border selection, PJ:85
    - graph position, PJ:84
    - graph size, PJ:84
    - paper orientation, PJ:85
    - paper size, PJ:85
  - pen numbers, PJ:82–PJ:83
    - 3D text color, PJ:83
    - base text color, PJ:82
    - graph outline color, PJ:82
    - grid line color, PJ:82
    - title and subtitle color, PJ:83
  - preview, PJ:81–PJ:82
  - to disk, PJ:86–PJ:87
  - transparencies, PJ:81
- Plot graph, GR:23–GR:25
- Plot to word processing file, GR:25
- Point out data
  - for formulas and functions, SS:27–SS:28
  - from dialog box, SS:69–SS:70
  - ranges, SS:69–SS:70
  - three-dimensional ranges, SS:70
- Pointer, SS:2
  - anchor, SS:27–SS:28, SS:69–SS:70

- move the, SS:52–SS:54
  - automatic scrolling, SS:53
  - between levels (3D), SS:54
  - go to, SS:52
  - manual scrolling, SS:52–SS:53
  - move by pages, SS:53
  - move from side to side, SS:53
  - move to corners, SS:53
  - stop scrolling, SS:53
  - stretch the, SS:69–SS:70
- Pointer location on border, SS:14
- Portrait mode, WP:76
- Portrait orientation, PR:21
- Portrait printing, WP:76
- Position a graph, WP:54
- Position data in a cell, SS:1–SS:2
- Position data in cells, alignment characters, SS:2
- Preprinted Forms. *See* Print Forms
- Preset graph types, 3D, PJ:46–PJ:58
- Preview
  - plot, PJ:81–PJ:82
  - print, PJ:91–PJ:95
- Previous Enable formats, PR:3
- Primary key, SS:73–SS:76
- Primary spreadsheet, SS:38–SS:39
- Print, SS:60–SS:66, DB:100, PJ:88–PJ:98, SQ:40, SQ:49
  - 255 column report, DB:106
  - borders, SS:64–SS:65
  - cancel print, SS:62
  - database definition, DB:100
  - dates, SS:65
  - density, GR:26
  - field placement on template form, DB:8
  - field placement preprinted form, DB:8
  - footers, SS:64–SS:65
  - graph, GR:25–GR:26
  - headers, SS:64–SS:65
  - noncontiguous ranges, SS:65–SS:66
  - orientation, GR:26
  - page breaks, SS:62–SS:64
  - page numbers, SS:65
  - page setup, PJ:95–PJ:97
    - border selection, PJ:96
    - graph position, PJ:96
    - paper orientation, PJ:96
    - paper size, PJ:97
    - picture size, PJ:96
  - preview, PJ:91–PJ:95
    - 2D graph riser patterns, PJ:93–PJ:94
    - 3D graph riser patterns, PJ:92–PJ:93
    - box pattern, PJ:91–PJ:92
    - change colors, PJ:95
  - print files, SS:64–SS:65
  - print now, SS:61
  - ranges, SS:64–SS:65
  - select port, PJ:89–PJ:91
    - parameters, PJ:91
  - select printer, PJ:89–PJ:91
  - selecting printer
    - colors, PJ:90
    - resolution, PJ:90
  - suppress field print, DB:8
  - three-dimensional (3D), SS:62–SS:66
  - to disk file, PJ:97–PJ:98
- Print files, PR:5
- Print Forms, IN:119–IN:128
  - create, IN:120–IN:125
  - create a template, IN:119–IN:120
  - define fields, IN:121–IN:125
  - fill out, IN:126–IN:127
  - general information, IN:119
  - macro commands, IN:124–IN:125
  - merge with a template file, IN:127–IN:128
  - merge with preprinted forms, IN:127–IN:128
  - place text, IN:121
  - print as screen image, IN:127–IN:128
  - print data, IN:127–IN:128
    - set the Hardware Form, IN:127–IN:128
    - set the Page Form, IN:127–IN:128
  - quit edit mode, IN:125
  - quit input mode, IN:128
  - revise a form, IN:125–IN:126
  - save the form, IN:125
  - select another template, IN:127–IN:128
  - use preprinted forms, IN:119
- Print graphs
  - black/white, PR:8
  - graph color, PR:8
  - shaded, PR:8
- Print queue, PR:15
  - activating, PR:15
  - adding files, PR:16
  - adding/deleting, PR:16
  - cancel printing, PR:17
  - deactivate, PR:17
  - deleting files, PR:17
  - editing, PR:16

- overriding, PR:16
- printing files in, PR:16
- resetting, PR:17
- Print range, PR:20
- Print settings, PR:10
- Print statistics, PR:22
- Printer codes, PR:10
  - printer support, PR:13
- Printer drivers, PR:12
  - supported, installed. *See* Installation Booklet
- Printer interface, PR:9
- Printer mismatch, PR:2
- Printer not installed, PR:2
- Printer ready files
  - database reports, PR:14
  - printing from ophys, PR:13
  - spreadsheet, PR:13
  - word processing files, PR:13
- Printer selection, PR:8
- Printer settings, PR:12
- Printer specifications, PR:9, PR:12
- Printer's manual, PR:1, PR:14
- Printers
  - and profiles, PR:2
  - default, PR:2
  - general information, PR:1
  - installation, PR:1
  - not installed, PR:2
  - partial installation, PR:1
  - printer manual, PR:14
  - support for Enable features, PR:12
  - support for special characters, PR:12
- Printing
  - blocked text, PR:20
  - database definition, PR:18
  - database report, PR:18
  - document statistics, PR:22
  - draft mode, WP:28, PR:20
  - Enable print files, PR:6
  - essentials, PR:1
  - graphics mode, WP:43
  - leading blank page, PR:22
  - marked text, PR:20
  - multiple copies, PR:20
  - pause, PR:10
  - preview page, PR:9-PR:10
  - queued, PR:15
  - quick, PR:18
  - range, PR:20
  - selected pages, PR:20
  - spreadsheet, PR:18
  - SQL data, PR:19
  - telecommunicated data, PR:19
  - title page, PR:22
  - unidirectional, PR:8
  - word processing file, WP:103, PR:18
- Printing a file, WP:103
- Printing pause, WP:102
- Printing selected pages, PR:20
- PRINTQ.TSG, PR:15
- Privilege
  - all, SQ:17, SQ:22
  - alter, SQ:17, SQ:22
  - connect, SQ:16, SQ:22, SQ:32
  - dba, SQ:16, SQ:22
  - delete, SQ:17, SQ:22
  - index, SQ:17, SQ:22
  - insert, SQ:17, SQ:22
  - resource, SQ:16, SQ:22
  - select, SQ:17, SQ:22
  - update, SQ:17, SQ:22
- Problems
  - during file transmission, CM:46
  - during Kermit file transfer, CM:50
- Procedural language commands, APP:19-APP:60
  - .ADD, APP:19
  - .AUTOLOCK, APP:20
  - .BEEP, APP:20
  - .BEGIN, APP:20
  - .BODY, APP:20
  - .CASE, APP:24
  - .CLOSE, APP:24
  - .CLRMOUSE, APP:24
  - .CLRSCREEN, APP:25
  - .COLOR, APP:25
  - .CONCLUSION, APP:26
  - .DEBUG BREAK, APP:26
  - .DEBUG ON/OFF, APP:26
  - .DEFINE, APP:26
  - .DELETE FILE, APP:31
  - .DO CASE, APP:31
  - .EBOX, APP:32
  - .ECHO OFF/ON, APP:33
  - .ELSE, APP:34
  - .ELSEIF, APP:34
  - .ENDCASE, APP:34
  - .ENDIF, APP:34

- .ENDWHILE, APP:34
  - .ERROR, APP:34
  - .ESCAPE OFF/ON, APP:35
  - .EXEC\_DOS, APP:35
  - .EXIT, APP:35
  - .GETCHAR, APP:36
  - .GOSUB, APP:36
  - .GOSUBP, APP:36
  - .GOTO, APP:37
  - .IF, APP:38
  - .INPUT, APP:38
  - .INTRO, APP:39
  - .LABEL, APP:40
  - .LET, APP:40
  - .LOCKWAIT, APP:41
  - .MACRO, APP:41
  - .MAP SECTION, APP:42
  - .MAXSCREEN, APP:43
  - .MONCAT, APP:43
  - .MSHIFTL, APP:44
  - .MSHIFTR, APP:45
  - .MTRIML, APP:45
  - .MTRIMR, APP:46
  - .OPEN, APP:46
  - .OPEN INDEX, APP:46
  - .OTHERWISE, APP:46
  - .OUTPUT, APP:47
  - .PASSTHRU OFF/ON, APP:48
  - .PERFORM, APP:48
  - .POSITION, APP:49
  - .RBOX, APP:32, APP:50
  - .READ, APP:50
  - .REFORMAT OFF/ON, APP:52
  - .REPORT DIVISION, APP:53
  - .RETURN, APP:54
  - .SBOX, APP:32, APP:54
  - .SCREENPOS, APP:54
  - .SETMOUSE, APP:54
  - .SQL, APP:56
  - .STATUS, APP:56
  - .SUBROUTINES, APP:56
  - .UNLOCK, APP:57
  - .UPDATE, APP:57
  - .WHILE, APP:58
  - .WIDE, APP:58
  - .WRITE, APP:58
- Procedural language report, DB:101–DB:113
- 255 column report, DB:105
  - advanced features, DB:106–DB:112
    - access database name, DB:108
    - control record access, DB:111
    - database access, DB:107
    - display computations, DB:107
    - dot commands on Where and Field prompts, DB:111
    - duplicate field names, DB:108
    - field name as indirect variable, DB:109
    - indirect addressing, DB:108
    - menu generator – data entry fields, DB:108
    - report memo field, DB:111
    - subdirectory and file extension support, DB:107
    - system–supplied fields, DB:110
  - automatic reformat, DB:105
  - commands. *See* Appendix
    - create, DB:101–DB:113
    - data display or print, DB:105–DB:106
    - display fields, DB:105
    - dot commands, DB:101
      - body section, DB:103
      - break section, DB:103
      - conclusion section, DB:104
      - definitions section, DB:102
      - introduction section, DB:103
      - report section, DB:101
      - subroutines section, DB:103
    - generate report, DB:112
    - integrate report, DB:105
    - procedural language command. *See*
      - Appendices:Procedural Language Commands
    - produce custom reports, DB:104–DB:105
    - report writing guidelines, DB:104
      - report structure, DB:104
    - rulers, DB:105
- Procedural language reports, SQ:45
- Profiles, PR:2, IN:129–IN:144
- activate, IN:131
  - Color profile, IN:129
  - Communications options, IN:138–IN:154
  - create, IN:129–IN:131
  - Database options, IN:140–IN:142
  - default options, APP:69–APP:76
  - Default profile, IN:129
  - delete, IN:132
  - description of options, IN:132–IN:144
  - general information, IN:129
  - Hardware options, IN:132–IN:154
  - internal system profile, IN:144
  - Page Form options, IN:134
  - rename, IN:132
  - revise, IN:129–IN:131
  - Special Text options, IN:135–IN:154

Spreadsheet options, IN:142-IN:143  
 System options, IN:143-IN:144  
 Word Processing options, IN:135-IN:154  
 Protection, SS:66-SS:68  
   activate, SS:67  
   apply marking, SS:66-SS:67  
   Lotus 1-2-3 protection, SS:68  
   remove marking, SS:67  
   skip protected cells, SS:67  
   SuperCalc protection, SS:68  
   unprotect, SS:67  
 Protection marker, SS:66-SS:67  
 Protocol, CM:42-CM:46  
   Enable-1, CM:42-CM:45  
   Kermit, CM:46-CM:50  
     complete file transfer, CM:50  
     file transfer problems, CM:50  
     local to local mode, CM:46-CM:50  
     local to remote mode, CM:46-CM:50  
     server mode, CM:46-CM:50  
   Xmodem, CM:42-CM:45  
     1K-Xmodem, CM:42  
     CRC-Xmodem, CM:42  
     Xmodem-Checksum, CM:42  
   Ymodem, CM:42-CM:45  
 Public, synonym, SQ:10  
 Put It Here form. *See* Add/Edit form  
 Put It Here report, save, DB:125  
 Put It Here! report form, DB:123  
   delete form or field, DB:125  
   design customized reports, DB:123  
   generate, DB:126  
   report memo fields, DB:125  
   revise, DB:125

**Q**

Query  
   ad hoc, SQ:56  
   limitations, SQ:41  
   SQL tables, from database, SQ:41  
 Query by example, DB:113  
 Query command screen, SQ:49-SQ:52  
   correcting statements, SQ:50  
   deleting text, SQ:50  
   displaying, SQ:49  
   displaying quick command help, SQ:51-SQ:53  
   entering statements, SQ:50

  executing a statement, SQ:50  
   inserting text, SQ:50  
   interactive menus, SQ:50  
   navigating, SQ:50  
   quitting, SQ:52  
   recalling a previous statement, SQ:51  
   scrolling the display, SQ:51  
 Queued printing, PR:15  
 Quick Commands, SQL, SQ:67  
 Quick commands, BA:4-BA:5, WP:141,  
   CM:67-CM:68, SS:87-SS:90, DB:142-DB:145,  
   GR:43, IN:161  
   expert commands, BA:5  
   function key commands, BA:5  
   goto commands, BA:5  
   keyboard commands, BA:5  
 Quick definition method, DB:56-DB:57  
 Quick method, DB:25, DB:56  
 Quick print, PR:18  
 Quick-Connect, CM:20-CM:21  
   acoustic-coupler modem, CM:20-CM:21  
   autodial modem, CM:20-CM:21  
 Quit, query command screen, SQ:52

## R

Range, SS:68-SS:70  
   apply color to, SS:9-SS:10  
   coordinates, SS:68-SS:69  
   define, SS:68  
   fill with dates, SS:19-SS:20  
   fill with values, SS:19  
   format, SS:25-SS:26  
   hide, SS:30  
   modify name, SS:55  
   modify values by a constant, SS:19  
   name, SS:55  
   name delete, SS:56  
   point out, SS:69-SS:71  
     for formulas, SS:27-SS:28  
     for functions, SS:27-SS:28  
     from dialog box, SS:69-SS:70  
   print, SS:64-SS:65  
   reset  
     global alignment, SS:1  
     to global format, SS:26  
 Range name, SS:54  
   create, SS:55

- delete, SS:56
- go to, SS:55
- modify, SS:55
- Range names, list, SS:42–SS:43
- Range options, description of, SS:70
- Re–draw (F6), PJ:19
- README file, BA:19
- Rebuild, a dbsystem, SQ:21, SQ:52–SQ:53
- Receive files. *See* Transfer files
- Records. *See* Add, Archive, Backup, Copy, Destroy, Display/Edit, Index, Merge, Restore, Retrieve, Sort, Update
- Redial, CM:12
- Referenced cells, SS:31
- References, SQ:31–SQ:32
  - ambiguous, SQ:31–SQ:32
  - to columns, SQ:31
  - to indexes, SQ:32
  - to tables, SQ:31
- Reformat, WP:103–WP:104
  - a block, WP:103
  - a document, WP:103
  - a paragraph, WP:103
- Reformatting a block/document, WP:104
- Reformatting a paragraph, WP:104
- Relative address, SS:8
- Relative page range, PR:20
- Releasing margins, WP:85
- Removing attributes, WP:6
- Removing highlighting, WP:19
- Rename, SQ:21
  - a column, SQ:53
  - a file, IN:43–IN:44
  - a synonym, SQ:54
  - a table, SQ:53
  - a view, SQ:54
  - an external table reference, SQ:55
  - an index, SQ:32, SQ:54
  - parts of dbsystem, SQ:21
- Rename command, DB:115
  - error set, DB:129–DB:131
- Repeat character, SS:36
- Replace attribute, WP:38
- Replace command, DB:115
  - stop on all database errors, DB:44
- Replace font, WP:39
- Replace text, WP:36
- Replacing attributes, WP:104
- Report, DB:116
  - “Put It Here!” report, delete field or form, DB:125
  - “Put It Here!” report form, DB:116, DB:123–DB:131
    - generate report, DB:126
    - output, DB:126
    - report on memo fields, DB:125
    - revise, DB:125
    - save revisions, DB:126
  - columnar report, DB:116, DB:117–DB:123
    - break on field, DB:120
    - display computations, DB:119
    - include computations at breaks, DB:121
    - output, DB:117
    - sort data for breaks, DB:121
  - organize records, DB:117
  - precompile, DB:99–DB:100
  - procedural language report, DB:101, DB:116
  - report picture, DB:67
  - report pictures, DB:30
  - revise after database definition, DB:27
  - stop on all database errors, DB:44
- Report pictures. *See* Data pictures
- Report pre–compiler, DB:99–DB:100
- Reserved word lists, APP:65–APP:68
- Reset, WP:105
  - column to global width, SS:85
  - range to global alignment, SS:1
  - range to global format, SS:26
- Resident fonts, PR:6
- Restore command, DB:128–DB:129
- Restoring text, WP:137–WP:138
  - undo, WP:137–WP:138
- Resume printing, PR:19
- Retaining leading blanks, WP:78
- Retrieve records, DB:129
  - find command, DB:129
  - index search, DB:129
  - query, DB:129
  - where prompt, DB:129

- Return, CM:12
  - Return key, PJ:20
  - Revc/trans map, CM:51–CM:56
  - Reveal codes, WP:106
  - Revise, graph setting, GR:13–GR:14
  - Revise file, spreadsheet, SS:70–SS:71
  - Revoke
    - dbssystem privileges, SQ:22
    - table privileges, SQ:22
  - Riser size, 3D graphs, PJ:63–PJ:64
  - Rollback, SQ:23
  - Romance language character set, WP:117
  - Row
    - headers, PJ:24
    - titles, PJ:23–PJ:24
  - Row key, SS:73–SS:76
  - Rows
    - delete, SS:15
    - freeze for titles, SS:79–SS:80
    - insert, SS:33–SS:34
    - transpose with columns, SS:81–SS:82
  - Rulers, WP:86–WP:87
    - in a document title, WP:26
    - in footnotes, WP:49–WP:50
    - inserting, WP:74–WP:75
    - inserting in a footer, WP:45
    - inserting in a header, WP:60
    - new file ruler, WP:86–WP:87
  - Run, CM:12
  - Rx, CM:12
- S**
- Safety levels, SQ:26–SQ:28, SQ:34, SQ:55–SQ:56
  - Sample files, PJ:16
  - Save, DB:130
    - add/edit form, DB:9
    - backup copy, SS:72–SS:76
    - database definition, DB:26
    - database graph settings file, GR:27
    - export a file to another format, SS:17–SS:18
    - graph, GR:27
    - quick save, SS:71
    - records to disk, memory buffers, DB:130–DB:145
    - save as, SS:71–SS:72
    - spreadsheet, SS:71–SS:73
    - spreadsheet graph, GR:27
    - template, SS:72
  - Save as, WP:108
  - Save changes, SQ:47, SQ:56
    - automatic, SQ:25
  - Save hardware settings, PR:9
  - Saving, WP:108–WP:109
    - a file, WP:108–WP:109
    - ASCII file, WP:109
    - with tabs, WP:109
    - automatic document save, WP:9
  - Scale data, GR:27–GR:30
    - data groups, GR:27–GR:28
    - X-axis, GR:28–GR:29
    - Y-axis, GR:29–GR:30
  - Scan code table, APP:61–APP:64
  - Scan code tables. *See* Appendix
  - Scatter charts, GR:31
  - Scientific format, SS:25
  - Scientific notation, SS:25, SS:84
  - Scripts, CM:62–CM:66
  - Scroll a file, BA:12
  - Scrolling
    - automatic, SS:53
    - manual, SS:52–SS:53
    - split display, SS:76
  - Search, WP:110
    - See also* Find
  - Searching a file, WP:51–WP:53
    - go to, WP:51–WP:53
  - Secondary key, SS:73–SS:76
  - Section, CM:10
  - Security. *See* Data security
  - Select set, DB:132
  - Selected page printing, PR:20
  - Selecting a printer, PR:8
  - Selecting data, SQ:11, SQ:12, SQ:23
  - Send, CM:13
  - Serial cables, APP:13–APP:18
  - Serial port, PR:9

- Setdelay, CM:13
- Settings, IN:145-IN:148
  - ASCII import/export separator, IN:147-IN:148
  - currency format, IN:146
  - decimal separator, IN:145-IN:146
  - first day of week, IN:146-IN:147
  - number format, IN:146
  - numeric date format, IN:146
  - text date format, IN:146
  - time format, IN:146
  - units, IN:145
- Setup, CM:13, CM:19-CM:20, CM:22, CM:30-CM:41
  - additional communication parameters, CM:38-CM:39
    - break signal length, CM:38-CM:39
    - CompuServe B+ protocol, CM:38-CM:39
    - default options, CM:38-CM:39
    - filter/mapping, CM:38-CM:39
    - keyboard map, CM:38-CM:39
    - line feeds, CM:38-CM:39
    - tabs, CM:38-CM:39
    - transmit/receive map, CM:38-CM:39
  - alternate Setup, CM:37-CM:38
  - computer/transmission information, CM:34-CM:37
    - baud rate, CM:34-CM:37
    - duplex, CM:34-CM:37
    - parity, CM:34-CM:37
    - stop bits, CM:34-CM:37
  - connect, problems, CM:20
  - cost/time display information, CM:36-CM:37
  - create, CM:31-CM:40
  - delete, CM:41
  - flow control, CM:35-CM:37
  - modem information, CM:33-CM:34
  - ports information, CM:37
  - rename, CM:41
  - revise, CM:40-CM:41
    - ESI\_BBS, CM:40
    - Files, CM:40
    - Lexis, CM:40
    - Lexistel, CM:40
    - Newsnet, CM:40
    - Oagee, CM:40
    - sample, CM:40
  - save, CM:39
  - telephone/network information, CM:32-CM:34
  - terminal emulation information, CM:38-CM:39
  - use to connect, CM:19-CM:20
- Shading patterns, GR:31
- Shell to DOS, IN:160
- Shorthand, WP:110-WP:111
  - compile the entries, WP:111
  - create an entry, WP:110
  - use an entry, WP:111
- Show attribute, WP:8
- Side--by--side columns
  - creating, WP:111
  - editing, WP:114-WP:115
  - rulers, WP:114-WP:115
- Single cursor draw, WP:20
- Single underline, WP:6
- Size graph, GR:32
- Skip points on x-axis, GR:2-GR:3
- SlideShow, PJ:98-PJ:106
  - creating new, PJ:100-PJ:101
  - editing, PJ:101-PJ:103
  - loading existing, PJ:99-PJ:100
  - options
    - auto/manual, PJ:103
    - loop/no loop, PJ:103
  - running, PJ:100
  - saving, PJ:101
  - starting, PJ:99
  - title screen, PJ:104-PJ:105
  - transition effect, PJ:102-PJ:103
- Snaking columns, WP:115-WP:117
- Soft fonts, PR:6
- Soft hyphen, WP:62
- Sort, SS:73-SS:76
  - ascending order, SS:73-SS:76
  - column key, SS:73-SS:76
  - descending order, SS:73-SS:76
  - order
    - ascending, SQ:24
    - descending, SQ:24
  - primary key, SS:73-SS:76
  - row key, SS:73-SS:76
  - secondary key, SS:73-SS:76
  - sort range, SS:73-SS:76
- Sort command, DB:131-DB:132
  - descending/ascending order, DB:131
  - multiple fields, DB:131
  - select set, DB:132

- Sort order, SQL
  - ascending, SQ:8
  - descending, SQ:8
- Sorting columns
  - ascending order, SQ:8
  - descending order, SQ:8
- Sorting text, WP:122–WP:124
  - sorting a block, WP:122
  - sorting with keys, WP:123–WP:124
- Source of data, DB:63
  - another database, DB:63
  - derived value, DB:64–DB:65
  - Put It Here form field, DB:6
  - system, DB:67
- Spacebar, PJ:20
- Spacing
  - between lines, PR:21
  - between lines of text, PR:21
  - footer and text, PR:21
  - header and text, PR:21
- Special characters, WP:117–WP:118
  - in range names, SS:54
- Special characters support, PR:12
- Spectral mapping, 3D graph type, PJ:45–PJ:106
- Spell check, WP:118–WP:122
  - check summary, WP:120
  - user-created dictionary, WP:121
  - using add-on dictionaries, WP:77
- Split spreadsheet display, SS:76–SS:77
  - clear split, SS:77
  - horizontal, SS:76
  - synchronized, SS:76–SS:77
  - unsynchronized, SS:76–SS:77
  - vertical, SS:76
- Spreadsheet
  - creating Enable print files, PR:5
  - printer not installed, PR:3
  - quick print, PR:18
- Spreadsheet and LAN. *See* Installation Booklet
- Spreadsheet files, DB:76–DB:78
  - prepare for import, DB:76
- Spreadsheet graph, GR:7
- Spreadsheets, linking, WP:84–WP:85
- SQL
  - admin menu, SQ:3
  - columns
    - adding, SQ:3
    - dropping, SQ:3
    - inserting, SQ:3
    - modifying, SQ:3
  - commands, SQ:3
    - alter table, SQ:3
    - close cursor, SQ:4
    - comment on, SQ:5
    - commit, SQ:5
    - connect, SQ:6
    - create dbsystem, SQ:6
    - create external, SQ:7
    - create index, SQ:8
    - create schema, SQ:9–SQ:10
    - create synonym, SQ:10
    - create table, SQ:10
    - create table as, SQ:11
    - create view, SQ:12
    - declare cursor, SQ:5, SQ:13
    - delete, SQ:14
    - delete from...where current, SQ:14
    - disconnect, SQ:15
    - drop, SQ:15
    - fetch, SQ:15
    - grant on dbsystem, SQ:16
    - grant on table, SQ:17
    - input, SQ:18
    - insert, SQ:19
    - lock table, SQ:20
    - open cursor, SQ:4, SQ:20
    - pause, SQ:21
    - rebuild, SQ:21
    - rename, SQ:21
    - revoke on dbsystem, SQ:22
    - revoke on table, SQ:22
    - rollback, SQ:23
    - select, SQ:12, SQ:23
    - select...for update, SQ:25
    - set autocommit, SQ:25
    - set editerror, SQ:25
    - set nowait, SQ:26
    - set safety, SQ:26
    - set trace, SQ:26
    - undeclare cursor, SQ:26
    - update, SQ:27
    - whenever, SQ:27
  - conventions, SQ:1–SQ:2
  - data constraints. *See* Data constraints
  - data types. *See* Data types
  - database access to data, SQ:40–SQ:42

- embedded, SQ:1, SQ:13, SQ:14, SQ:27, SQ:45–SQ:47, SQ:48
  - error messages, SQ:46
  - local fields, SQ:45
  - multi–line statements, SQ:45
  - null indicators, SQ:46
  - null values, SQ:45
  - single–line statements, SQ:45
  - entering statements, SQ:50
  - error messages, SQ:50
  - exiting, SQ:52
  - external file formats. *See* File formats
  - file structure. *See* File structure
  - help, SQ:51
  - in database reports, SQ:1
  - interactive, SQ:1, SQ:48, SQ:49
    - executing a statement, SQ:50
  - interactive menus, SQ:50
  - keywords
    - asc, SQ:24
    - desc, SQ:24
  - operators, SQ:49
  - printing data, SQ:40
  - renaming, SQ:53
  - saving changes, SQ:56
  - statistical functions, SQ:59
  - system requirements, SQ:1
  - top line menu, SQ:50
  - valid column data types, SQ:10
- SQL data, quick print, PR:19
- ST\_AREA. *See* Area code table
- Standard deviation, SQ:59
- Standard form. *See* Add/Edit form
- Start Enable, BA:13–BA:14  
*See also* Installation Booklet
- Start–up batch file. *See* Installation Booklet
- Start–up parameters. *See* Installation Booklet
- Starting SQL, SQ:48
- Statistical functions, SQ:59
- Status, in spreadsheet, SS:43–SS:44
- Status Line, WP:124
- Status line, BA:11, SS:4
- Step graphs, GR:32–GR:33
- Stop, CM:14
- Stop bits, CM:17
- Stretch graph size, GR:32
- Strikethrough, WP:124–WP:125
- String operators, SS:26–SS:27
- Styles menu, WP:5–WP:6
- Subfile, CM:14
- Subtitles, graph, GR:40
- SuperCalc, protection, SS:68
- Symbol art, GR:33–GR:37
  - copy to word processing, GR:36
  - display, GR:36
  - organizational charts, GR:36–GR:37
  - specification chart, GR:33–GR:34
  - symbol codes, GR:34–GR:35
- Synonyms, SQ:36, SQ:66
- Syntax notations, SQ:1–SQ:2
- SYS:RECORD field, DB:49, DB:110
  - disable display, DB:49
- SYSCOLUMNS, SQ:62
- SYSINDEX, SQ:64
- SYSPASSWD, SQ:63
- SYSTABAUTH, SQ:63
- SYSTABLES, SQ:60
- System print files, PR:13
- System requirements, SQ:1  
*See also* Installation Booklet
- System tables, SQ:5, SQ:60–SQ:65, SQ:66
  - syscolumns, SQ:4, SQ:62
  - sysindex, SQ:64–SQ:65
  - syspasswd, SQ:63
  - systabauth, SQ:63
  - systables, SQ:60
  - systrans, SQ:65
- System–generated page breaks, WP:90
- System–supplied fields, DB:49, DB:110
- SYSTRANS, SQ:65

## T

- Table
- changing data in, SQ:27
  - entering data in, SQ:18
  - inserting data into a, SQ:19
  - locking, SQ:20

- Table of authorities, WP:125–WP:128  
 compiling, WP:127–WP:128  
 designating authorities, WP:126
- Table of contents, WP:128–WP:131  
 compiling a table, WP:130  
 deleting an entry, WP:131  
 editing an entry, WP:130  
 inserting an entry, WP:129  
 modifying the format, WP:128–WP:129  
 printing a table of contents, WP:130
- Table types  
 SQL, SQ:66  
 virtual tables, SQ:12
- Tabs, WP:131–WP:135  
 alphanumeric, WP:133–WP:134  
 character alignment, WP:134  
 editing, WP:135–WP:136  
 adding tabs, WP:135  
 altering text set with tabs, WP:135  
 copying text that contains tabs, WP:135  
 in insert mode, WP:135  
 in regular mode, WP:135  
 moving text that contains tabs, WP:135  
 numeric, WP:132–WP:133  
 to center text, WP:134  
 Top Line Menu, WP:132
- Target cell, SS:6–SS:7
- Telecommunications, CM:14
- Telephone book, IN:12–IN:13  
 create, IN:12–IN:13  
 manipulate data, IN:13  
 print, IN:13  
 revise, IN:13
- Template, SS:72
- Temporary left margin, WP:136
- Terminal emulation, CM:18, CM:38–CM:39,  
 CM:56–CM:62  
 cursor mode, CM:57  
 display attributes, CM:59  
 during a session, CM:57  
 from a Setup, CM:56–CM:57  
 host mode, CM:57  
 numeric keypad, CM:57  
 setup form options, CM:60  
 supported features, CM:60  
 VT100/102, CM:57  
 VT220/320, CM:57  
 VT52, CM:57
- Test, CM:14
- Text charts, GR:37–GR:40  
 display text on graph, GR:39–GR:40  
 display text only as a graph, GR:39  
 specification chart, GR:38–GR:39
- Text graphic density, PR:7, PR:22
- Text markers, WP:136
- Thesaurus, WP:136–WP:137
- Three-dimensional spreadsheet, SS:77–SS:79  
 activate view, SS:77  
 delete level, SS:15  
 formulas and functions, SS:29  
 insert level, SS:34  
 move the pointer, SS:54  
 move to other levels, SS:77  
 order of operation, SS:77–SS:78  
 print, SS:62–SS:66  
 retrieve in level, SS:57  
 top line menu, SS:78–SS:79
- TIFF files, for pagemaker, PJ:17
- Time, CM:15  
 automatic, WP:10
- Time display, CM:18
- Time field, DB:61  
 in definition, DB:61  
 report picture, DB:67  
 system-supplied, DB:110
- Time format, SS:24
- Title and subtitle layout, 3D graphs, PJ:64–PJ:65
- Title page, PR:22  
 creating a title page, WP:26  
 deleting a title page, WP:27  
 inserting a ruler, WP:26–WP:27  
 inserting a title page, WP:27
- Titles, SS:79–SS:80  
 column, PJ:23–PJ:24  
 graph, GR:40  
 in a split display, SS:80  
 lock, SS:79–SS:80  
 print locked, SS:80  
 row, PJ:23–PJ:24  
 unlock, SS:80
- To Do list. *See* Calendar
- Tools options, description of, SS:80
- Top Line Menu, BA:18, WP:137

Top line menu, SS:80–SS:81, SQ:50  
spreadsheet  
  activate, SS:81  
  menu overview, SS:81

Transfer files, CM:42–CM:51  
  Kermit protocol, CM:46–CM:50  
  receive, CM:42–CM:46  
    ASCII file, CM:45  
  transmission problems, CM:46  
  transmit, CM:42–CM:46  
  Transmit/Receive Map, CM:51–CM:56  
  Unattended File Transfer Script, CM:62–CM:66  
  using CompuServe protocol, CM:42–CM:46  
  using Enable protocol, CM:42–CM:46  
  using Kermit protocol, CM:42–CM:46  
  using memory capture, CM:50  
  using None protocol, CM:42–CM:46  
  using word processing, CM:50  
  using Xmodem protocol, CM:42–CM:46  
  using Ymodem protocol, CM:42–CM:46

Transfer form, DB:21–DB:25  
  in copy, DB:21–DB:25  
  in merge, DB:93  
  in update, DB:133

Transmit files. *See* Transfer files

Transmit/Receive Map, CM:22  
  compile, CM:54  
  create, CM:51–CM:52  
  format rules, CM:51–CM:52  
  save, CM:54  
  sections, CM:52–CM:55  
    ignore, CM:52–CM:53  
    option, CM:54  
    replace, CM:53–CM:54  
  use, CM:55

Transparencies, plot on, PJ:81

Transpose, SS:81–SS:82

Transpositions, WP:137

Truncate, graph, PJ:26–PJ:27

Tutorials, BA:2

Tx, CM:15

## U

Unattended File Transfer Script, CM:22,  
  CM:62–CM:66  
  compile, CM:64  
  create, CM:62

  format rules, CM:62  
  perform, CM:65  
  communications log, CM:65  
  save, CM:64

Unattended File Transfer Script commands,  
  CM:5–CM:16  
  clearif, CM:6  
  day, CM:6  
  delay, CM:7  
  end, CM:8  
  exit, CM:8  
  gosub, CM:9  
  goto, CM:9  
  if, CM:9  
  key, CM:10  
  label, CM:10  
  local, CM:11  
  passw, CM:11–CM:68  
  return, CM:12  
  run, CM:12  
  rx, CM:12  
  section, CM:10  
  send, CM:13  
  setup, CM:13  
  stop, CM:14  
  subfile, CM:14  
  telecommunications, CM:14  
  test, CM:14  
  time, CM:15  
  tx, CM:15  
  wait4, CM:16

Undelete command, DB:133

Underline, SS:35  
  double, WP:6  
  single, WP:6

Underlining, single, WP:6

Underlining text, WP:3–WP:4

Undo, WP:137–WP:138, SS:82–SS:83, SQ:23,  
  SQ:47, SQ:66  
  deleted data, SS:82  
  last change, SS:82–SS:83

Undo last command, SS:14–SS:21

Unidirectional printing, WP:138, PR:8

Unique index. *See* Indexes

Universal calculation, SS:5

Unprotect, SS:67

Update command, DB:133–DB:136  
  error set, DB:135

Upper/lowercase conversion, WP:7

User names, SQ:16, SQ:33  
in SQL, SQ:6

User-created dictionary  
developing, WP:121  
displaying, WP:121  
modifying, WP:121  
printing, WP:121

User-defined hyphenation zone, WP:139

User-defined page breaks, WP:90-WP:91

User-defined shorthand, WP:110-WP:111

User-designated field definition, DB:136-DB:138  
revise, DB:138

Utility Menu. *See* File Manager

## V

Value-copy, SS:83

Values, SS:83-SS:84  
align, SS:1-SS:2  
apply color to, SS:8-SS:10  
asterisks, SS:84  
copy, SS:83  
correct mistake, SS:83-SS:84  
date, SS:23  
displayed as labels, SS:36  
enter, SS:13  
fill a range with, SS:19  
format, SS:22-SS:26  
modify a range, SS:51  
numeric keypad, SS:84  
scientific notation, SS:84  
time, SS:24

Variance, SQ:59

Ventura publisher, PJ:16-PJ:17

Verify command, DB:7, DB:138-DB:139

Verify connection, PR:8

Vertical tab, WP:139

Vertically centering text, WP:2

Video modes, WP:140

Video display. *See* Installation Booklet

Video modes, BA:18

Viewing angles, PJ:66-PJ:78  
custom, PJ:72-PJ:78  
box dimensions, PJ:77-PJ:78  
hide/show graph, PJ:74-PJ:75  
rotate in 3D, PJ:75-PJ:76  
zoom, pan, and distort, PJ:76-PJ:77  
list of preset, PJ:67-PJ:72  
select preset, PJ:66-PJ:72

Viewing word processing files  
draft mode, WP:28  
file history, WP:31-WP:33  
final mode, WP:33  
page preview, WP:92-WP:94

Virtual table, SQ:66  
*See also* Table types

Volume labels, IN:52-IN:53

VT102 emulation, CM:56

VT220 emulation, CM:56

VT320 emulation, CM:56

VT52 emulation, CM:56

## W

Wait4, CM:16

Walls and grid lines, 3D graphs, PJ:65-PJ:66

Where prompt, DB:139-DB:140  
case sensitive, DB:44  
use dot commands, DB:111  
use operators, DB:95-DB:97

Widows and Orphans, WP:140

Widows/orphans, PR:20

Width, in spreadsheet, SS:84-SS:85  
global, SS:85  
individual column, SS:85  
reset global, SS:85

Wild cards, WP:40, DB:97  
using dollar signs, WP:40-WP:41  
using question mark, WP:40-WP:41

Window number, SS:4

Window Status Options Screen, IN:151-IN:152

Windows, IN:149-IN:160  
check status of, IN:151-IN:152

close, IN:160-IN:162  
copy data between, IN:152-IN:157  
copy from Database  
to Spreadsheet, IN:157  
to Word Processing, IN:156-IN:162  
copy from Graphics, to Word Processing,  
IN:155-IN:156  
copy from Spreadsheet  
to Spreadsheet, IN:154-IN:155  
to Word Processing, IN:155  
copy from Word Processing  
to Spreadsheet, IN:154  
to Word Processing, IN:153  
display operating system in, IN:158-IN:160  
general information, IN:149  
move, IN:150-IN:151  
open, IN:149  
open a file in multiple, IN:149  
size, IN:150-IN:151  
switch, IN:149-IN:150  
Word processing, quick print, PR:18  
Word processing and LAN. *See* Installation  
Booklet  
Word processing quick commands, WP:141  
Word size, CM:17  
Work Area, SS:4

**X**

X-axis  
label format, GR:1-GR:3

scale, GR:28-GR:29  
skip points, GR:2-GR:3  
X-axis data, GR:1-GR:3  
Xmodem. *See* Protocol  
XY graphs, GR:41-GR:42

**Y**

Y-axis  
data, GR:41-GR:42  
label format, GR:1-GR:3  
scale, GR:29-GR:30  
Ymodem. *See* Protocol

**Z**

Zero plane, floating, PJ:24-PJ:25  
Zero values display, SS:14  
Zip code table, DB:140-DB:141  
add, DB:140-DB:141  
edit, DB:140-DB:141  
Zoom, PJ:76-PJ:77

